

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-1	1	LC MM	0,19												10.04.2019-09:14	bombarova
173773-1	2	LC MM	0,09												10.04.2019-09:14	bombarova
173773-1	3	LC MM	0,11												10.04.2019-09:14	bombarova
173773-1	4	LC MM	0,17												10.04.2019-09:14	bombarova
173773-1	5	LC MM	0,10												10.04.2019-09:14	bombarova
173773-1	6	LC MM	0,20												10.04.2019-09:14	bombarova
173773-1	7	LC MM	0,12												10.04.2019-09:14	bombarova
173773-1	8	LC MM	0,24												10.04.2019-09:14	bombarova
173773-1	9	LC MM	0,15												10.04.2019-09:14	bombarova
173773-1	10	LC MM	0,16												10.04.2019-09:14	bombarova
173773-1	11	LC MM	0,38												10.04.2019-09:14	bombarova
173773-1	12	LC MM	0,15												10.04.2019-09:14	bombarova
173773-1	13	LC MM	0,15												10.04.2019-09:14	bombarova
173773-1	14	LC MM	0,11												10.04.2019-09:14	bombarova
173773-1	15	LC MM	0,12												10.04.2019-09:14	bombarova
173773-1	16	LC MM	0,15												10.04.2019-09:14	bombarova
173773-1	17	LC MM	0,14												10.04.2019-09:14	bombarova
173773-1	18	LC MM	0,10												10.04.2019-09:14	bombarova
173773-1	19	LC MM	0,21												10.04.2019-09:14	bombarova
173773-1	20	LC MM	0,14												10.04.2019-09:14	bombarova
173773-1	21	LC MM	0,09												10.04.2019-09:14	bombarova
173773-1	22	LC MM	0,11												10.04.2019-09:14	bombarova
173773-1	23	LC MM	0,08												10.04.2019-09:14	bombarova
173773-1	24	LC MM	0,08												10.04.2019-09:14	bombarova
173773-1	25	LC MM	0,12												10.04.2019-09:18	bombarova
173773-1	26	LC MM	0,14												10.04.2019-09:18	bombarova
173773-1	27	LC MM	0,25												10.04.2019-09:18	bombarova
173773-1	28	LC MM	0,12												10.04.2019-09:18	bombarova
173773-1	29	LC MM	0,16												10.04.2019-09:18	bombarova
173773-1	30	LC MM	0,12												10.04.2019-09:18	bombarova
173773-1	31	LC MM	0,15												10.04.2019-09:18	bombarova
173773-1	32	LC MM	0,13												10.04.2019-09:18	bombarova
173773-1	33	LC MM	0,15												10.04.2019-09:18	bombarova
173773-1	34	LC MM	0,17												10.04.2019-09:18	bombarova
173773-1	35	LC MM	0,17												10.04.2019-09:18	bombarova
173773-1	36	LC MM	0,20												10.04.2019-09:18	bombarova
173773-1	37	LC MM	0,20												10.04.2019-09:18	bombarova
173773-1	38	LC MM	0,10												10.04.2019-09:18	bombarova
173773-1	39	LC MM	0,17												10.04.2019-09:18	bombarova
173773-1	40	LC MM	0,12												10.04.2019-09:18	bombarova
173773-1	41	LC MM	0,13												10.04.2019-09:18	bombarova
173773-1	42	LC MM	0,14												10.04.2019-09:18	bombarova
173773-1	43	LC MM	0,23												10.04.2019-09:18	bombarova
173773-1	44	LC MM	0,21												10.04.2019-09:18	bombarova
173773-1	45	LC MM	0,11												10.04.2019-09:18	bombarova
173773-1	46	LC MM	0,28												10.04.2019-09:18	bombarova
173773-1	47	LC MM	0,15												10.04.2019-09:18	bombarova
173773-1	48	LC MM	0,16												10.04.2019-09:18	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-1	49	LC MM													0,09	10.04.2019-09:22	bombarova
173773-1	50	LC MM													0,13	10.04.2019-09:22	bombarova
173773-1	51	LC MM													0,10	10.04.2019-09:22	bombarova
173773-1	52	LC MM													0,32	10.04.2019-09:22	bombarova
173773-1	53	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	54	LC MM													0,22	10.04.2019-09:22	bombarova
173773-1	55	LC MM													0,17	10.04.2019-09:22	bombarova
173773-1	56	LC MM													0,15	10.04.2019-09:22	bombarova
173773-1	57	LC MM													0,17	10.04.2019-09:22	bombarova
173773-1	58	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	59	LC MM													0,22	10.04.2019-09:22	bombarova
173773-1	60	LC MM													0,13	10.04.2019-09:22	bombarova
173773-1	61	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	62	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	63	LC MM													0,09	10.04.2019-09:22	bombarova
173773-1	64	LC MM													0,13	10.04.2019-09:22	bombarova
173773-1	65	LC MM													0,17	10.04.2019-09:22	bombarova
173773-1	66	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	67	LC MM													0,23	10.04.2019-09:22	bombarova
173773-1	68	LC MM													0,14	10.04.2019-09:22	bombarova
173773-1	69	LC MM													0,13	10.04.2019-09:22	bombarova
173773-1	70	LC MM													0,13	10.04.2019-09:22	bombarova
173773-1	71	LC MM													0,19	10.04.2019-09:22	bombarova
173773-1	72	LC MM													0,26	10.04.2019-09:22	bombarova
173773-1	73	LC MM													0,11	10.04.2019-09:27	bombarova
173773-1	74	LC MM													0,10	10.04.2019-09:27	bombarova
173773-1	75	LC MM													0,12	10.04.2019-09:27	bombarova
173773-1	76	LC MM													0,22	10.04.2019-09:27	bombarova
173773-1	77	LC MM													0,13	10.04.2019-09:27	bombarova
173773-1	78	LC MM													0,11	10.04.2019-09:27	bombarova
173773-1	79	LC MM													0,13	10.04.2019-09:27	bombarova
173773-1	80	LC MM													0,14	10.04.2019-09:27	bombarova
173773-1	81	LC MM													0,09	10.04.2019-09:27	bombarova
173773-1	82	LC MM													0,19	10.04.2019-09:27	bombarova
173773-1	83	LC MM													0,09	10.04.2019-09:27	bombarova
173773-1	84	LC MM													0,18	10.04.2019-09:27	bombarova
173773-1	85	LC MM													0,09	10.04.2019-09:27	bombarova
173773-1	86	LC MM													0,21	10.04.2019-09:27	bombarova
173773-1	87	LC MM													0,10	10.04.2019-09:27	bombarova
173773-1	88	LC MM													0,10	10.04.2019-09:27	bombarova
173773-1	89	LC MM													0,17	10.04.2019-09:27	bombarova
173773-1	90	LC MM													0,15	10.04.2019-09:27	bombarova
173773-1	91	LC MM													0,15	10.04.2019-09:27	bombarova
173773-1	92	LC MM													0,13	10.04.2019-09:27	bombarova
173773-1	93	LC MM													0,15	10.04.2019-09:27	bombarova
173773-1	94	LC MM													0,11	10.04.2019-09:27	bombarova
173773-1	95	LC MM													0,25	10.04.2019-09:27	bombarova
173773-1	96	LC MM													0,21	10.04.2019-09:27	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-1	97	LC MM	0,31												10.04.2019-09:33	bombarova
173773-1	98	LC MM	0,19												10.04.2019-09:33	bombarova
173773-1	99	LC MM	0,12												10.04.2019-09:33	bombarova
173773-1	100	LC MM	0,09												10.04.2019-09:33	bombarova
173773-1	101	LC MM	0,16												10.04.2019-09:33	bombarova
173773-1	102	LC MM	0,27												10.04.2019-09:33	bombarova
173773-1	103	LC MM	0,25												10.04.2019-09:33	bombarova
173773-1	104	LC MM	0,21												10.04.2019-09:33	bombarova
173773-1	105	LC MM	0,10												10.04.2019-09:33	bombarova
173773-1	106	LC MM	0,16												10.04.2019-09:33	bombarova
173773-1	107	LC MM	0,20												10.04.2019-09:33	bombarova
173773-1	108	LC MM	0,18												10.04.2019-09:33	bombarova
173773-1	109	LC MM	0,14												10.04.2019-09:33	bombarova
173773-1	110	LC MM	0,11												10.04.2019-09:33	bombarova
173773-1	111	LC MM	0,18												10.04.2019-09:33	bombarova
173773-1	112	LC MM	0,11												10.04.2019-09:33	bombarova
173773-1	113	LC MM	0,10												10.04.2019-09:33	bombarova
173773-1	114	LC MM	0,15												10.04.2019-09:33	bombarova
173773-1	115	LC MM	0,17												10.04.2019-09:33	bombarova
173773-1	116	LC MM	0,10												10.04.2019-09:33	bombarova
173773-1	117	LC MM	0,18												10.04.2019-09:33	bombarova
173773-1	118	LC MM	0,20												10.04.2019-09:33	bombarova
173773-1	119	LC MM	0,27												10.04.2019-09:33	bombarova
173773-1	120	LC MM	0,13												10.04.2019-09:33	bombarova
173773-1	121	LC MM	0,20												10.04.2019-09:36	bombarova
173773-1	122	LC MM	0,20												10.04.2019-09:36	bombarova
173773-1	123	LC MM	0,19												10.04.2019-09:36	bombarova
173773-1	124	LC MM	0,21												10.04.2019-09:36	bombarova
173773-1	125	LC MM	0,16												10.04.2019-09:36	bombarova
173773-1	126	LC MM	0,25												10.04.2019-09:36	bombarova
173773-1	127	LC MM	0,11												10.04.2019-09:36	bombarova
173773-1	128	LC MM	0,12												10.04.2019-09:36	bombarova
173773-1	129	LC MM	0,26												10.04.2019-09:36	bombarova
173773-1	130	LC MM	0,17												10.04.2019-09:36	bombarova
173773-1	131	LC MM	0,13												10.04.2019-09:36	bombarova
173773-1	132	LC MM	0,10												10.04.2019-09:36	bombarova
173773-1	133	LC MM	0,28												10.04.2019-09:36	bombarova
173773-1	134	LC MM	0,23												10.04.2019-09:36	bombarova
173773-1	135	LC MM	0,17												10.04.2019-09:36	bombarova
173773-1	136	LC MM	0,12												10.04.2019-09:36	bombarova
173773-1	137	LC MM	0,12												10.04.2019-09:36	bombarova
173773-1	138	LC MM	0,19												10.04.2019-09:36	bombarova
173773-1	139	LC MM	0,30												10.04.2019-09:36	bombarova
173773-1	140	LC MM	0,14												10.04.2019-09:36	bombarova
173773-1	141	LC MM	0,14												10.04.2019-09:36	bombarova
173773-1	142	LC MM	0,14												10.04.2019-09:36	bombarova
173773-1	143	LC MM	0,15												10.04.2019-09:36	bombarova
173773-1	144	LC MM	0,16												10.04.2019-09:36	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-1	1	MTP(F) MM	0,08	0,06					40,0	41,4					10.04.2019-13:00	racova
173773-1	2	MTP(F) MM	0,15	0,12					37,5	35,3					10.04.2019-13:00	racova
173773-1	3	MTP(F) MM	0,22	0,17					40,5	39,3					10.04.2019-13:00	racova
173773-1	4	MTP(F) MM	0,07	0,01					41,2	43,2					10.04.2019-13:00	racova
173773-1	5	MTP(F) MM	0,23	0,18					40,1	42,2					10.04.2019-13:00	racova
173773-1	6	MTP(F) MM	0,13	0,08					35,9	39,9					10.04.2019-13:00	racova
173773-1	7	MTP(F) MM	0,37	0,26					40,8	39,0					10.04.2019-13:00	racova
173773-1	8	MTP(F) MM	0,27	0,27					42,3	38,3					10.04.2019-13:00	racova
173773-1	9	MTP(F) MM	0,25	0,15					40,1	38,6					10.04.2019-13:00	racova
173773-1	10	MTP(F) MM	0,27	0,11					36,9	39,5					10.04.2019-13:00	racova
173773-1	11	MTP(F) MM	0,20	0,11					36,3	40,0					10.04.2019-13:00	racova
173773-1	12	MTP(F) MM	0,31	0,15					39,7	38,8					10.04.2019-13:00	racova
173773-1	13	MTP(F) MM	0,10	0,04					43,0	47,9					10.04.2019-13:00	racova
173773-1	14	MTP(F) MM	0,10	0,04					48,4	51,7					10.04.2019-13:00	racova
173773-1	15	MTP(F) MM	0,13	0,08					47,5	53,2					10.04.2019-13:00	racova
173773-1	16	MTP(F) MM	0,12	0,05					47,2	51,6					10.04.2019-13:00	racova
173773-1	17	MTP(F) MM	0,09	0,04					49,4	52,5					10.04.2019-13:00	racova
173773-1	18	MTP(F) MM	0,08	0,03					46,5	49,7					10.04.2019-13:00	racova
173773-1	19	MTP(F) MM	0,01	0,11					37,9	38,1					10.04.2019-13:00	racova
173773-1	20	MTP(F) MM	0,12	0,10					43,9	45,0					10.04.2019-13:00	racova
173773-1	21	MTP(F) MM	0,19	0,05					36,5	39,5					10.04.2019-13:00	racova
173773-1	22	MTP(F) MM	0,14	0,16					43,5	44,4					10.04.2019-13:00	racova
173773-1	23	MTP(F) MM	0,19	0,16					47,7	50,1					10.04.2019-13:00	racova
173773-1	24	MTP(F) MM	0,05	0,03					44,0	44,7					10.04.2019-13:00	racova
173773-1	25	MTP(F) MM	0,13	0,11					29,6	34,3					10.04.2019-13:10	racova
173773-1	26	MTP(F) MM	0,17	0,13					35,6	34,7					10.04.2019-13:10	racova
173773-1	27	MTP(F) MM	0,31	0,26					34,0	36,9					10.04.2019-13:10	racova
173773-1	28	MTP(F) MM	0,29	0,22					35,4	39,4					10.04.2019-13:10	racova
173773-1	29	MTP(F) MM	0,39	0,36					36,4	40,2					10.04.2019-13:10	racova
173773-1	30	MTP(F) MM	0,27	0,25					35,7	39,4					10.04.2019-13:10	racova
173773-1	31	MTP(F) MM	0,42	0,38					40,3	38,8					10.04.2019-13:10	racova
173773-1	32	MTP(F) MM	0,30	0,29					42,1	38,1					10.04.2019-13:10	racova
173773-1	33	MTP(F) MM	0,39	0,31					40,2	38,8					10.04.2019-13:10	racova
173773-1	34	MTP(F) MM	0,36	0,25					37,1	39,3					10.04.2019-13:10	racova
173773-1	35	MTP(F) MM	0,37	0,29					36,4	39,9					10.04.2019-13:10	racova
173773-1	36	MTP(F) MM	0,38	0,22					40,1	38,7					10.04.2019-13:10	racova
173773-1	37	MTP(F) MM	0,12	0,08					44,5	48,2					10.04.2019-13:10	racova
173773-1	38	MTP(F) MM	0,08	0,02					48,4	51,7					10.04.2019-13:10	racova
173773-1	39	MTP(F) MM	0,10	0,05					48,2	52,5					10.04.2019-13:10	racova
173773-1	40	MTP(F) MM	0,17	0,13					47,9	51,9					10.04.2019-13:10	racova
173773-1	41	MTP(F) MM	0,11	0,05					48,4	51,6					10.04.2019-13:10	racova
173773-1	42	MTP(F) MM	0,23	0,24					45,8	49,2					10.04.2019-13:10	racova
173773-1	43	MTP(F) MM	0,02	0,15					38,2	37,9					10.04.2019-13:10	racova
173773-1	44	MTP(F) MM	0,32	0,28					42,9	44,2					10.04.2019-13:10	racova
173773-1	45	MTP(F) MM	0,24	0,09					36,5	39,3					10.04.2019-13:10	racova
173773-1	46	MTP(F) MM	0,30	0,33					43,8	44,2					10.04.2019-13:10	racova
173773-1	47	MTP(F) MM	0,24	0,21					46,9	49,8					10.04.2019-13:10	racova
173773-1	48	MTP(F) MM	0,01	0,01					43,1	44,4					10.04.2019-13:10	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-1	49	MTP(F) MM	0,11	0,09					32,1	35,8					10.04.2019-13:21	racova
173773-1	50	MTP(F) MM	0,20	0,19					37,1	34,2					10.04.2019-13:21	racova
173773-1	51	MTP(F) MM	0,45	0,36					33,5	36,3					10.04.2019-13:21	racova
173773-1	52	MTP(F) MM	0,27	0,23					34,8	40,4					10.04.2019-13:21	racova
173773-1	53	MTP(F) MM	0,34	0,31					36,7	39,8					10.04.2019-13:21	racova
173773-1	54	MTP(F) MM	0,27	0,25					33,6	38,7					10.04.2019-13:21	racova
173773-1	55	MTP(F) MM	0,38	0,32					33,5	38,1					10.04.2019-13:21	racova
173773-1	56	MTP(F) MM	0,22	0,22					33,2	37,5					10.04.2019-13:21	racova
173773-1	57	MTP(F) MM	0,34	0,28					37,7	38,5					10.04.2019-13:21	racova
173773-1	58	MTP(F) MM	0,41	0,29					37,3	39,2					10.04.2019-13:21	racova
173773-1	59	MTP(F) MM	0,28	0,17					36,5	39,6					10.04.2019-13:21	racova
173773-1	60	MTP(F) MM	0,37	0,23					40,4	38,7					10.04.2019-13:21	racova
173773-1	61	MTP(F) MM	0,09	0,07					43,8	47,4					10.04.2019-13:21	racova
173773-1	62	MTP(F) MM	0,11	0,06					47,0	51,0					10.04.2019-13:21	racova
173773-1	63	MTP(F) MM	0,09	0,05					47,4	51,4					10.04.2019-13:21	racova
173773-1	64	MTP(F) MM	0,17	0,13					47,6	51,7					10.04.2019-13:21	racova
173773-1	65	MTP(F) MM	0,13	0,07					47,6	52,0					10.04.2019-13:21	racova
173773-1	66	MTP(F) MM	0,18	0,14					46,4	48,4					10.04.2019-13:21	racova
173773-1	67	MTP(F) MM	0,10	0,26					38,1	37,6					10.04.2019-13:21	racova
173773-1	68	MTP(F) MM	0,24	0,19					44,5	44,9					10.04.2019-13:21	racova
173773-1	69	MTP(F) MM	0,20	0,04					36,5	39,2					10.04.2019-13:21	racova
173773-1	70	MTP(F) MM	0,10	0,09					43,6	44,3					10.04.2019-13:21	racova
173773-1	71	MTP(F) MM	0,08	0,03					46,8	51,0					10.04.2019-13:21	racova
173773-1	72	MTP(F) MM	0,04	0,05					43,9	44,6					10.04.2019-13:21	racova
173773-1	73	MTP(F) MM	0,10	0,09					24,3	28,5					10.04.2019-13:34	racova
173773-1	74	MTP(F) MM	0,11	0,08					28,0	33,8					10.04.2019-13:34	racova
173773-1	75	MTP(F) MM	0,22	0,19					29,6	33,8					10.04.2019-13:34	racova
173773-1	76	MTP(F) MM	0,09	0,04					31,4	37,6					10.04.2019-13:34	racova
173773-1	77	MTP(F) MM	0,39	0,35					30,2	35,4					10.04.2019-13:34	racova
173773-1	78	MTP(F) MM	0,16	0,10					35,5	38,9					10.04.2019-13:34	racova
173773-1	79	MTP(F) MM	0,22	0,17					38,5	38,7					10.04.2019-13:34	racova
173773-1	80	MTP(F) MM	0,27	0,27					39,8	38,3					10.04.2019-13:34	racova
173773-1	81	MTP(F) MM	0,22	0,16					40,3	38,7					10.04.2019-13:34	racova
173773-1	82	MTP(F) MM	0,34	0,25					37,3	39,3					10.04.2019-13:34	racova
173773-1	83	MTP(F) MM	0,26	0,16					36,4	39,6					10.04.2019-13:34	racova
173773-1	84	MTP(F) MM	0,32	0,19					40,6	38,7					10.04.2019-13:34	racova
173773-1	85	MTP(F) MM	0,11	0,07					44,2	47,6					10.04.2019-13:34	racova
173773-1	86	MTP(F) MM	0,13	0,10					47,6	51,2					10.04.2019-13:34	racova
173773-1	87	MTP(F) MM	0,19	0,13					48,4	51,5					10.04.2019-13:34	racova
173773-1	88	MTP(F) MM	0,15	0,11					47,2	51,3					10.04.2019-13:34	racova
173773-1	89	MTP(F) MM	0,14	0,10					48,3	52,2					10.04.2019-13:34	racova
173773-1	90	MTP(F) MM	0,22	0,21					46,9	49,6					10.04.2019-13:34	racova
173773-1	91	MTP(F) MM	0,03	0,20					38,1	37,6					10.04.2019-13:34	racova
173773-1	92	MTP(F) MM	0,14	0,12					43,5	44,8					10.04.2019-13:34	racova
173773-1	93	MTP(F) MM	0,20	0,05					36,6	39,4					10.04.2019-13:34	racova
173773-1	94	MTP(F) MM	0,24	0,22					43,2	44,3					10.04.2019-13:34	racova
173773-1	95	MTP(F) MM	0,18	0,13					46,7	50,5					10.04.2019-13:34	racova
173773-1	96	MTP(F) MM	0,03	0,03					43,4	44,9					10.04.2019-13:34	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	144 LC MM		0,38														
	144 MTP(F) MM		0,48	0,40				20,0	20,0								
173773-1	97	MTP(F) MM	0,10	0,11				30,5	34,6							10.04.2019-13:39	racova
173773-1	98	MTP(F) MM	0,19	0,14				37,6	35,3							10.04.2019-13:39	racova
173773-1	99	MTP(F) MM	0,16	0,16				35,6	38,0							10.04.2019-13:39	racova
173773-1	100	MTP(F) MM	0,25	0,21				37,5	40,8							10.04.2019-13:39	racova
173773-1	101	MTP(F) MM	0,41	0,37				34,1	38,2							10.04.2019-13:39	racova
173773-1	102	MTP(F) MM	0,28	0,23				35,5	39,1							10.04.2019-13:39	racova
173773-1	103	MTP(F) MM	0,42	0,37				38,8	38,7							10.04.2019-13:39	racova
173773-1	104	MTP(F) MM	0,36	0,34				40,5	38,2							10.04.2019-13:39	racova
173773-1	105	MTP(F) MM	0,32	0,24				41,0	38,8							10.04.2019-13:39	racova
173773-1	106	MTP(F) MM	0,23	0,13				37,2	39,3							10.04.2019-13:39	racova
173773-1	107	MTP(F) MM	0,17	0,08				36,2	39,7							10.04.2019-13:39	racova
173773-1	108	MTP(F) MM	0,27	0,14				40,3	38,7							10.04.2019-13:39	racova
173773-1	109	MTP(F) MM	0,10	0,06				44,5	47,7							10.04.2019-13:39	racova
173773-1	110	MTP(F) MM	0,15	0,12				47,3	51,8							10.04.2019-13:39	racova
173773-1	111	MTP(F) MM	0,12	0,07				47,7	51,4							10.04.2019-13:39	racova
173773-1	112	MTP(F) MM	0,15	0,11				46,8	52,2							10.04.2019-13:39	racova
173773-1	113	MTP(F) MM	0,15	0,10				47,2	51,5							10.04.2019-13:39	racova
173773-1	114	MTP(F) MM	0,24	0,21				46,1	49,0							10.04.2019-13:39	racova
173773-1	115	MTP(F) MM	0,17	0,34				38,2	37,6							10.04.2019-13:39	racova
173773-1	116	MTP(F) MM	0,28	0,24				43,5	44,2							10.04.2019-13:39	racova
173773-1	117	MTP(F) MM	0,25	0,08				36,4	39,3							10.04.2019-13:39	racova
173773-1	118	MTP(F) MM	0,14	0,13				43,4	44,0							10.04.2019-13:39	racova
173773-1	119	MTP(F) MM	0,19	0,15				45,7	49,4							10.04.2019-13:39	racova
173773-1	120	MTP(F) MM	0,04	0,06				43,0	44,2							10.04.2019-13:39	racova
173773-1	121	MTP(F) MM	0,12	0,13				40,7	41,7							10.04.2019-13:45	racova
173773-1	122	MTP(F) MM	0,08	0,05				37,7	35,3							10.04.2019-13:45	racova
173773-1	123	MTP(F) MM	0,17	0,13				41,3	40,1							10.04.2019-13:45	racova
173773-1	124	MTP(F) MM	0,09	0,05				40,3	42,0							10.04.2019-13:45	racova
173773-1	125	MTP(F) MM	0,29	0,23				39,3	40,6							10.04.2019-13:45	racova
173773-1	126	MTP(F) MM	0,16	0,12				35,8	39,2							10.04.2019-13:45	racova
173773-1	127	MTP(F) MM	0,27	0,22				41,0	38,8							10.04.2019-13:45	racova
173773-1	128	MTP(F) MM	0,13	0,10				42,0	38,4							10.04.2019-13:45	racova
173773-1	129	MTP(F) MM	0,20	0,11				40,9	38,7							10.04.2019-13:45	racova
173773-1	130	MTP(F) MM	0,25	0,14				37,2	39,3							10.04.2019-13:45	racova
173773-1	131	MTP(F) MM	0,29	0,20				36,3	39,6							10.04.2019-13:45	racova
173773-1	132	MTP(F) MM	0,31	0,20				38,0	38,6							10.04.2019-13:45	racova
173773-1	133	MTP(F) MM	0,10	0,06				44,6	48,0							10.04.2019-13:45	racova
173773-1	134	MTP(F) MM	0,15	0,12				46,8	51,1							10.04.2019-13:45	racova
173773-1	135	MTP(F) MM	0,09	0,05				48,1	51,5							10.04.2019-13:45	racova
173773-1	136	MTP(F) MM	0,11	0,07				48,1	52,6							10.04.2019-13:45	racova
173773-1	137	MTP(F) MM	0,10	0,04				48,3	52,8							10.04.2019-13:45	racova
173773-1	138	MTP(F) MM	0,20	0,17				47,0	48,9							10.04.2019-13:45	racova
173773-1	139	MTP(F) MM	0,07	0,25				38,1	37,6							10.04.2019-13:45	racova
173773-1	140	MTP(F) MM	0,38	0,32				43,4	44,6							10.04.2019-13:45	racova
173773-1	141	MTP(F) MM	0,29	0,12				36,4	39,3							10.04.2019-13:45	racova
173773-1	142	MTP(F) MM	0,10	0,09				42,5	44,3							10.04.2019-13:45	racova
173773-1	143	MTP(F) MM	0,17	0,13				46,7	51,3							10.04.2019-13:45	racova
173773-1	144	MTP(F) MM	0,03	0,03				38,3	42,2							10.04.2019-13:45	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-2	1	LC MM	0,10												10.04.2019-08:20	belaiova
173773-2	2	LC MM	0,09												10.04.2019-08:20	belaiova
173773-2	3	LC MM	0,09												10.04.2019-08:20	belaiova
173773-2	4	LC MM	0,09												10.04.2019-08:20	belaiova
173773-2	5	LC MM	0,14												10.04.2019-08:20	belaiova
173773-2	6	LC MM	0,19												10.04.2019-08:20	belaiova
173773-2	7	LC MM	0,19												10.04.2019-08:20	belaiova
173773-2	8	LC MM	0,36												10.04.2019-08:20	belaiova
173773-2	9	LC MM	0,13												10.04.2019-08:20	belaiova
173773-2	10	LC MM	0,10												10.04.2019-08:20	belaiova
173773-2	11	LC MM	0,10												10.04.2019-08:20	belaiova
173773-2	12	LC MM	0,13												10.04.2019-08:20	belaiova
173773-2	13	LC MM	0,10												10.04.2019-08:40	belaiova
173773-2	14	LC MM	0,15												10.04.2019-08:40	belaiova
173773-2	15	LC MM	0,23												10.04.2019-08:40	belaiova
173773-2	16	LC MM	0,26												10.04.2019-08:40	belaiova
173773-2	17	LC MM	0,15												10.04.2019-08:40	belaiova
173773-2	18	LC MM	0,15												10.04.2019-08:40	belaiova
173773-2	19	LC MM	0,19												10.04.2019-08:40	belaiova
173773-2	20	LC MM	0,11												10.04.2019-08:40	belaiova
173773-2	21	LC MM	0,11												10.04.2019-08:40	belaiova
173773-2	22	LC MM	0,14												10.04.2019-08:40	belaiova
173773-2	23	LC MM	0,14												10.04.2019-08:40	belaiova
173773-2	24	LC MM	0,12												10.04.2019-08:40	belaiova
173773-2	25	LC MM	0,11												10.04.2019-08:42	belaiova
173773-2	26	LC MM	0,13												10.04.2019-08:42	belaiova
173773-2	27	LC MM	0,12												10.04.2019-08:42	belaiova
173773-2	28	LC MM	0,11												10.04.2019-08:42	belaiova
173773-2	29	LC MM	0,11												10.04.2019-08:42	belaiova
173773-2	30	LC MM	0,10												10.04.2019-08:42	belaiova
173773-2	31	LC MM	0,13												10.04.2019-08:42	belaiova
173773-2	32	LC MM	0,20												10.04.2019-08:42	belaiova
173773-2	33	LC MM	0,12												10.04.2019-08:42	belaiova
173773-2	34	LC MM	0,15												10.04.2019-08:42	belaiova
173773-2	35	LC MM	0,14												10.04.2019-08:42	belaiova
173773-2	36	LC MM	0,13												10.04.2019-08:42	belaiova
173773-2	37	LC MM	0,14												10.04.2019-08:43	belaiova
173773-2	38	LC MM	0,22												10.04.2019-08:43	belaiova
173773-2	39	LC MM	0,20												10.04.2019-08:43	belaiova
173773-2	40	LC MM	0,33												10.04.2019-08:43	belaiova
173773-2	41	LC MM	0,21												10.04.2019-08:43	belaiova
173773-2	42	LC MM	0,20												10.04.2019-08:43	belaiova
173773-2	43	LC MM	0,14												10.04.2019-08:43	belaiova
173773-2	44	LC MM	0,15												10.04.2019-08:43	belaiova
173773-2	45	LC MM	0,21												10.04.2019-08:43	belaiova
173773-2	46	LC MM	0,17												10.04.2019-08:43	belaiova
173773-2	47	LC MM	0,12												10.04.2019-08:43	belaiova
173773-2	48	LC MM	0,16												10.04.2019-08:43	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-2	49	LC MM	0,14												10.04.2019-08:21	belaiova
173773-2	50	LC MM	0,11												10.04.2019-08:21	belaiova
173773-2	51	LC MM	0,11												10.04.2019-08:21	belaiova
173773-2	52	LC MM	0,12												10.04.2019-08:21	belaiova
173773-2	53	LC MM	0,14												10.04.2019-08:21	belaiova
173773-2	54	LC MM	0,15												10.04.2019-08:21	belaiova
173773-2	55	LC MM	0,21												10.04.2019-08:21	belaiova
173773-2	56	LC MM	0,12												10.04.2019-08:21	belaiova
173773-2	57	LC MM	0,16												10.04.2019-08:21	belaiova
173773-2	58	LC MM	0,15												10.04.2019-08:21	belaiova
173773-2	59	LC MM	0,11												10.04.2019-08:21	belaiova
173773-2	60	LC MM	0,10												10.04.2019-08:21	belaiova
173773-2	61	LC MM	0,11												10.04.2019-08:23	belaiova
173773-2	62	LC MM	0,15												10.04.2019-08:23	belaiova
173773-2	63	LC MM	0,11												10.04.2019-08:23	belaiova
173773-2	64	LC MM	0,10												10.04.2019-08:23	belaiova
173773-2	65	LC MM	0,11												10.04.2019-08:23	belaiova
173773-2	66	LC MM	0,13												10.04.2019-08:23	belaiova
173773-2	67	LC MM	0,15												10.04.2019-08:23	belaiova
173773-2	68	LC MM	0,20												10.04.2019-08:23	belaiova
173773-2	69	LC MM	0,26												10.04.2019-08:23	belaiova
173773-2	70	LC MM	0,12												10.04.2019-08:23	belaiova
173773-2	71	LC MM	0,24												10.04.2019-08:23	belaiova
173773-2	72	LC MM	0,11												10.04.2019-08:23	belaiova
173773-2	73	LC MM	0,15												10.04.2019-08:25	belaiova
173773-2	74	LC MM	0,15												10.04.2019-08:25	belaiova
173773-2	75	LC MM	0,19												10.04.2019-08:25	belaiova
173773-2	76	LC MM	0,16												10.04.2019-08:25	belaiova
173773-2	77	LC MM	0,34												10.04.2019-08:25	belaiova
173773-2	78	LC MM	0,35												10.04.2019-08:25	belaiova
173773-2	79	LC MM	0,14												10.04.2019-08:25	belaiova
173773-2	80	LC MM	0,22												10.04.2019-08:25	belaiova
173773-2	81	LC MM	0,33												10.04.2019-08:25	belaiova
173773-2	82	LC MM	0,38												10.04.2019-08:25	belaiova
173773-2	83	LC MM	0,15												10.04.2019-08:25	belaiova
173773-2	84	LC MM	0,38												10.04.2019-08:25	belaiova
173773-2	85	LC MM	0,15												10.04.2019-08:29	belaiova
173773-2	86	LC MM	0,12												10.04.2019-08:29	belaiova
173773-2	87	LC MM	0,13												10.04.2019-08:29	belaiova
173773-2	88	LC MM	0,09												10.04.2019-08:29	belaiova
173773-2	89	LC MM	0,13												10.04.2019-08:29	belaiova
173773-2	90	LC MM	0,13												10.04.2019-08:29	belaiova
173773-2	91	LC MM	0,27												10.04.2019-08:29	belaiova
173773-2	92	LC MM	0,12												10.04.2019-08:29	belaiova
173773-2	93	LC MM	0,31												10.04.2019-08:29	belaiova
173773-2	94	LC MM	0,26												10.04.2019-08:29	belaiova
173773-2	95	LC MM	0,13												10.04.2019-08:29	belaiova
173773-2	96	LC MM	0,13												10.04.2019-08:29	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-2	97	LC MM	0,14												10.04.2019-08:31	belaiova
173773-2	98	LC MM	0,14												10.04.2019-08:31	belaiova
173773-2	99	LC MM	0,17												10.04.2019-08:31	belaiova
173773-2	100	LC MM	0,16												10.04.2019-08:31	belaiova
173773-2	101	LC MM	0,17												10.04.2019-08:31	belaiova
173773-2	102	LC MM	0,24												10.04.2019-08:31	belaiova
173773-2	103	LC MM	0,33												10.04.2019-08:31	belaiova
173773-2	104	LC MM	0,22												10.04.2019-08:31	belaiova
173773-2	105	LC MM	0,21												10.04.2019-08:31	belaiova
173773-2	106	LC MM	0,13												10.04.2019-08:31	belaiova
173773-2	107	LC MM	0,14												10.04.2019-08:31	belaiova
173773-2	108	LC MM	0,27												10.04.2019-08:31	belaiova
173773-2	109	LC MM	0,29												10.04.2019-08:34	belaiova
173773-2	110	LC MM	0,19												10.04.2019-08:34	belaiova
173773-2	111	LC MM	0,13												10.04.2019-08:34	belaiova
173773-2	112	LC MM	0,13												10.04.2019-08:34	belaiova
173773-2	113	LC MM	0,12												10.04.2019-08:34	belaiova
173773-2	114	LC MM	0,12												10.04.2019-08:34	belaiova
173773-2	115	LC MM	0,17												10.04.2019-08:34	belaiova
173773-2	116	LC MM	0,13												10.04.2019-08:34	belaiova
173773-2	117	LC MM	0,12												10.04.2019-08:34	belaiova
173773-2	118	LC MM	0,14												10.04.2019-08:34	belaiova
173773-2	119	LC MM	0,09												10.04.2019-08:34	belaiova
173773-2	120	LC MM	0,09												10.04.2019-08:34	belaiova
173773-2	121	LC MM	0,28												10.04.2019-08:36	belaiova
173773-2	122	LC MM	0,19												10.04.2019-08:36	belaiova
173773-2	123	LC MM	0,11												10.04.2019-08:36	belaiova
173773-2	124	LC MM	0,18												10.04.2019-08:36	belaiova
173773-2	125	LC MM	0,24												10.04.2019-08:36	belaiova
173773-2	126	LC MM	0,21												10.04.2019-08:36	belaiova
173773-2	127	LC MM	0,14												10.04.2019-08:36	belaiova
173773-2	128	LC MM	0,22												10.04.2019-08:36	belaiova
173773-2	129	LC MM	0,13												10.04.2019-08:36	belaiova
173773-2	130	LC MM	0,29												10.04.2019-08:36	belaiova
173773-2	131	LC MM	0,23												10.04.2019-08:36	belaiova
173773-2	132	LC MM	0,11												10.04.2019-08:36	belaiova
173773-2	133	LC MM	0,15												10.04.2019-08:38	belaiova
173773-2	134	LC MM	0,18												10.04.2019-08:38	belaiova
173773-2	135	LC MM	0,15												10.04.2019-08:38	belaiova
173773-2	136	LC MM	0,10												10.04.2019-08:38	belaiova
173773-2	137	LC MM	0,16												10.04.2019-08:38	belaiova
173773-2	138	LC MM	0,18												10.04.2019-08:38	belaiova
173773-2	139	LC MM	0,09												10.04.2019-08:38	belaiova
173773-2	140	LC MM	0,14												10.04.2019-08:38	belaiova
173773-2	141	LC MM	0,12												10.04.2019-08:38	belaiova
173773-2	142	LC MM	0,12												10.04.2019-08:38	belaiova
173773-2	143	LC MM	0,18												10.04.2019-08:38	belaiova
173773-2	144	LC MM	0,38												10.04.2019-08:38	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-2	1	MTP(F) MM	0,26	0,19					47,9	49,8					10.04.2019-13:23	butvinova
173773-2	2	MTP(F) MM	0,24	0,14					41,2	44,5					10.04.2019-13:23	butvinova
173773-2	3	MTP(F) MM	0,27	0,21					44,5	45,1					10.04.2019-13:23	butvinova
173773-2	4	MTP(F) MM	0,24	0,17					46,1	47,6					10.04.2019-13:23	butvinova
173773-2	5	MTP(F) MM	0,19	0,12					47,2	50,2					10.04.2019-13:23	butvinova
173773-2	6	MTP(F) MM	0,17	0,12					50,2	53,6					10.04.2019-13:23	butvinova
173773-2	7	MTP(F) MM	0,25	0,19					48,5	51,9					10.04.2019-13:23	butvinova
173773-2	8	MTP(F) MM	0,40	0,34					49,2	53,5					10.04.2019-13:23	butvinova
173773-2	9	MTP(F) MM	0,46	0,39					48,0	53,8					10.04.2019-13:23	butvinova
173773-2	10	MTP(F) MM	0,32	0,21					48,7	53,4					10.04.2019-13:23	butvinova
173773-2	11	MTP(F) MM	0,21	0,16					47,2	51,7					10.04.2019-13:23	butvinova
173773-2	12	MTP(F) MM	0,15	0,09					45,2	48,5					10.04.2019-13:23	butvinova
173773-2	13	MTP(F) MM	0,20	0,14					40,3	39,3					10.04.2019-13:23	butvinova
173773-2	14	MTP(F) MM	0,14	0,09					44,4	47,8					10.04.2019-13:23	butvinova
173773-2	15	MTP(F) MM	0,17	0,11					45,3	49,3					10.04.2019-13:23	butvinova
173773-2	16	MTP(F) MM	0,22	0,16					47,5	50,9					10.04.2019-13:23	butvinova
173773-2	17	MTP(F) MM	0,19	0,15					47,2	51,2					10.04.2019-13:23	butvinova
173773-2	18	MTP(F) MM	0,17	0,12					41,5	40,3					10.04.2019-13:23	butvinova
173773-2	19	MTP(F) MM	0,23	0,15					49,6	51,9					10.04.2019-13:23	butvinova
173773-2	20	MTP(F) MM	0,35	0,27					48,7	52,4					10.04.2019-13:23	butvinova
173773-2	21	MTP(F) MM	0,29	0,23					50,8	54,3					10.04.2019-13:23	butvinova
173773-2	22	MTP(F) MM	0,22	0,14					50,1	53,1					10.04.2019-13:23	butvinova
173773-2	23	MTP(F) MM	0,25	0,19					49,8	54,0					10.04.2019-13:23	butvinova
173773-2	24	MTP(F) MM	0,23	0,17					50,9	54,6					10.04.2019-13:23	butvinova
173773-2	25	MTP(F) MM	0,28	0,21					47,6	50,1					10.04.2019-13:30	butvinova
173773-2	26	MTP(F) MM	0,25	0,10					40,9	44,8					10.04.2019-13:30	butvinova
173773-2	27	MTP(F) MM	0,22	0,17					44,3	45,8					10.04.2019-13:30	butvinova
173773-2	28	MTP(F) MM	0,33	0,24					45,9	48,4					10.04.2019-13:30	butvinova
173773-2	29	MTP(F) MM	0,17	0,12					48,0	50,9					10.04.2019-13:30	butvinova
173773-2	30	MTP(F) MM	0,20	0,15					48,9	53,3					10.04.2019-13:30	butvinova
173773-2	31	MTP(F) MM	0,25	0,22					49,7	52,2					10.04.2019-13:30	butvinova
173773-2	32	MTP(F) MM	0,20	0,13					50,2	53,3					10.04.2019-13:30	butvinova
173773-2	33	MTP(F) MM	0,26	0,18					49,6	53,2					10.04.2019-13:30	butvinova
173773-2	34	MTP(F) MM	0,27	0,20					49,7	52,9					10.04.2019-13:30	butvinova
173773-2	35	MTP(F) MM	0,26	0,22					49,2	52,0					10.04.2019-13:30	butvinova
173773-2	36	MTP(F) MM	0,18	0,10					50,3	54,4					10.04.2019-13:30	butvinova
173773-2	37	MTP(F) MM	0,18	0,20					41,9	39,2					10.04.2019-13:30	butvinova
173773-2	38	MTP(F) MM	0,17	0,12					47,8	51,4					10.04.2019-13:30	butvinova
173773-2	39	MTP(F) MM	0,24	0,16					49,2	52,8					10.04.2019-13:30	butvinova
173773-2	40	MTP(F) MM	0,25	0,20					48,9	51,9					10.04.2019-13:30	butvinova
173773-2	41	MTP(F) MM	0,22	0,18					49,6	53,0					10.04.2019-13:30	butvinova
173773-2	42	MTP(F) MM	0,26	0,24					41,5	40,3					10.04.2019-13:30	butvinova
173773-2	43	MTP(F) MM	0,24	0,18					50,1	54,9					10.04.2019-13:30	butvinova
173773-2	44	MTP(F) MM	0,32	0,22					49,3	53,2					10.04.2019-13:30	butvinova
173773-2	45	MTP(F) MM	0,22	0,15					47,9	53,1					10.04.2019-13:30	butvinova
173773-2	46	MTP(F) MM	0,28	0,22					48,0	51,7					10.04.2019-13:30	butvinova
173773-2	47	MTP(F) MM	0,26	0,19					49,4	53,3					10.04.2019-13:30	butvinova
173773-2	48	MTP(F) MM	0,27	0,23					51,0	53,7					10.04.2019-13:30	butvinova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: **Accounts Payable Service, FP Department, CERN**
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-2	49	MTP(F) MM	0,19	0,13					47,6	50,0					10.04.2019-13:35	butvinova
173773-2	50	MTP(F) MM	0,22	0,07					41,0	44,8					10.04.2019-13:35	butvinova
173773-2	51	MTP(F) MM	0,19	0,13					43,9	46,3					10.04.2019-13:35	butvinova
173773-2	52	MTP(F) MM	0,25	0,21					45,7	48,4					10.04.2019-13:35	butvinova
173773-2	53	MTP(F) MM	0,21	0,14					47,2	50,7					10.04.2019-13:35	butvinova
173773-2	54	MTP(F) MM	0,28	0,25					49,9	52,5					10.04.2019-13:35	butvinova
173773-2	55	MTP(F) MM	0,28	0,24					49,3	52,6					10.04.2019-13:35	butvinova
173773-2	56	MTP(F) MM	0,25	0,20					50,7	53,1					10.04.2019-13:35	butvinova
173773-2	57	MTP(F) MM	0,26	0,22					49,4	53,3					10.04.2019-13:35	butvinova
173773-2	58	MTP(F) MM	0,34	0,24					51,5	53,5					10.04.2019-13:35	butvinova
173773-2	59	MTP(F) MM	0,22	0,15					50,0	53,1					10.04.2019-13:35	butvinova
173773-2	60	MTP(F) MM	0,21	0,14					49,3	53,8					10.04.2019-13:35	butvinova
173773-2	61	MTP(F) MM	0,17	0,19					33,9	37,7					10.04.2019-13:35	butvinova
173773-2	62	MTP(F) MM	0,17	0,11					48,7	53,2					10.04.2019-13:35	butvinova
173773-2	63	MTP(F) MM	0,25	0,19					50,6	54,8					10.04.2019-13:35	butvinova
173773-2	64	MTP(F) MM	0,34	0,30					48,1	52,1					10.04.2019-13:35	butvinova
173773-2	65	MTP(F) MM	0,30	0,24					51,2	54,2					10.04.2019-13:35	butvinova
173773-2	66	MTP(F) MM	0,26	0,21					41,8	40,4					10.04.2019-13:35	butvinova
173773-2	67	MTP(F) MM	0,37	0,29					50,4	54,2					10.04.2019-13:35	butvinova
173773-2	68	MTP(F) MM	0,37	0,26					50,2	54,2					10.04.2019-13:35	butvinova
173773-2	69	MTP(F) MM	0,24	0,17					50,2	53,3					10.04.2019-13:35	butvinova
173773-2	70	MTP(F) MM	0,21	0,13					50,8	54,2					10.04.2019-13:35	butvinova
173773-2	71	MTP(F) MM	0,20	0,14					50,3	53,9					10.04.2019-13:35	butvinova
173773-2	72	MTP(F) MM	0,21	0,16					51,4	54,7					10.04.2019-13:35	butvinova
173773-2	73	MTP(F) MM	0,19	0,13					47,7	49,8					10.04.2019-13:49	butvinova
173773-2	74	MTP(F) MM	0,25	0,09					41,0	44,8					10.04.2019-13:49	butvinova
173773-2	75	MTP(F) MM	0,14	0,10					44,6	46,1					10.04.2019-13:49	butvinova
173773-2	76	MTP(F) MM	0,20	0,15					45,5	47,9					10.04.2019-13:49	butvinova
173773-2	77	MTP(F) MM	0,12	0,06					47,3	50,2					10.04.2019-13:49	butvinova
173773-2	78	MTP(F) MM	0,18	0,12					49,3	52,6					10.04.2019-13:49	butvinova
173773-2	79	MTP(F) MM	0,21	0,17					42,0	47,7					10.04.2019-13:49	butvinova
173773-2	80	MTP(F) MM	0,39	0,30					40,9	47,1					10.04.2019-13:49	butvinova
173773-2	81	MTP(F) MM	0,29	0,23					34,5	39,8					10.04.2019-13:49	butvinova
173773-2	82	MTP(F) MM	0,26	0,18					35,9	41,7					10.04.2019-13:49	butvinova
173773-2	83	MTP(F) MM	0,33	0,26					33,2	38,5					10.04.2019-13:49	butvinova
173773-2	84	MTP(F) MM	0,25	0,15					22,0	25,9					10.04.2019-13:49	butvinova
173773-2	85	MTP(F) MM	0,24	0,26					41,5	39,2					10.04.2019-13:49	butvinova
173773-2	86	MTP(F) MM	0,19	0,13					49,1	51,8					10.04.2019-13:49	butvinova
173773-2	87	MTP(F) MM	0,32	0,22					49,5	52,6					10.04.2019-13:49	butvinova
173773-2	88	MTP(F) MM	0,29	0,26					48,3	51,9					10.04.2019-13:49	butvinova
173773-2	89	MTP(F) MM	0,36	0,29					49,7	52,5					10.04.2019-13:49	butvinova
173773-2	90	MTP(F) MM	0,29	0,27					41,4	40,3					10.04.2019-13:49	butvinova
173773-2	91	MTP(F) MM	0,36	0,31					49,8	53,6					10.04.2019-13:49	butvinova
173773-2	92	MTP(F) MM	0,40	0,31					48,6	53,4					10.04.2019-13:49	butvinova
173773-2	93	MTP(F) MM	0,32	0,25					49,7	52,8					10.04.2019-13:49	butvinova
173773-2	94	MTP(F) MM	0,31	0,20					50,0	52,7					10.04.2019-13:49	butvinova
173773-2	95	MTP(F) MM	0,28	0,19					49,7	53,1					10.04.2019-13:49	butvinova
173773-2	96	MTP(F) MM	0,30	0,25					33,3	38,4					10.04.2019-13:49	butvinova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	144 LC MM		0,38								20,0 20,0					
	144 MTP(F) MM		0,48	0,40												
173773-2	97	MTP(F) MM	0,26	0,20							47,4	49,8			10.04.2019-13:58	butvinova
173773-2	98	MTP(F) MM	0,28	0,11							41,0	44,8			10.04.2019-13:58	butvinova
173773-2	99	MTP(F) MM	0,14	0,12							44,3	46,1			10.04.2019-13:58	butvinova
173773-2	100	MTP(F) MM	0,36	0,31							46,4	48,6			10.04.2019-13:58	butvinova
173773-2	101	MTP(F) MM	0,18	0,11							47,2	50,4			10.04.2019-13:58	butvinova
173773-2	102	MTP(F) MM	0,19	0,13							48,1	51,8			10.04.2019-13:58	butvinova
173773-2	103	MTP(F) MM	0,22	0,17							48,6	52,2			10.04.2019-13:58	butvinova
173773-2	104	MTP(F) MM	0,27	0,19							49,5	52,9			10.04.2019-13:58	butvinova
173773-2	105	MTP(F) MM	0,28	0,19							48,0	51,8			10.04.2019-13:58	butvinova
173773-2	106	MTP(F) MM	0,21	0,15							49,5	53,1			10.04.2019-13:58	butvinova
173773-2	107	MTP(F) MM	0,26	0,21							49,0	52,6			10.04.2019-13:58	butvinova
173773-2	108	MTP(F) MM	0,22	0,14							49,5	53,4			10.04.2019-13:58	butvinova
173773-2	109	MTP(F) MM	0,22	0,23							34,2	37,7			10.04.2019-13:58	butvinova
173773-2	110	MTP(F) MM	0,21	0,15							48,3	52,0			10.04.2019-13:58	butvinova
173773-2	111	MTP(F) MM	0,18	0,13							49,4	53,8			10.04.2019-13:58	butvinova
173773-2	112	MTP(F) MM	0,26	0,21							49,3	52,5			10.04.2019-13:58	butvinova
173773-2	113	MTP(F) MM	0,26	0,18							49,3	52,8			10.04.2019-13:58	butvinova
173773-2	114	MTP(F) MM	0,20	0,15							41,4	40,4			10.04.2019-13:58	butvinova
173773-2	115	MTP(F) MM	0,22	0,14							50,4	53,8			10.04.2019-13:58	butvinova
173773-2	116	MTP(F) MM	0,34	0,25							50,6	54,0			10.04.2019-13:58	butvinova
173773-2	117	MTP(F) MM	0,27	0,18							50,3	53,1			10.04.2019-13:58	butvinova
173773-2	118	MTP(F) MM	0,20	0,12							50,0	53,1			10.04.2019-13:58	butvinova
173773-2	119	MTP(F) MM	0,20	0,14							48,8	52,8			10.04.2019-13:58	butvinova
173773-2	120	MTP(F) MM	0,27	0,23							50,5	53,5			10.04.2019-13:58	butvinova
173773-2	121	MTP(F) MM	0,25	0,18							48,2	49,8			10.04.2019-14:06	butvinova
173773-2	122	MTP(F) MM	0,23	0,09							41,5	44,8			10.04.2019-14:06	butvinova
173773-2	123	MTP(F) MM	0,08	0,04							44,7	46,0			10.04.2019-14:06	butvinova
173773-2	124	MTP(F) MM	0,15	0,12							46,1	48,4			10.04.2019-14:06	butvinova
173773-2	125	MTP(F) MM	0,12	0,06							47,9	51,1			10.04.2019-14:06	butvinova
173773-2	126	MTP(F) MM	0,14	0,09							49,6	53,4			10.04.2019-14:06	butvinova
173773-2	127	MTP(F) MM	0,19	0,15							48,7	52,7			10.04.2019-14:06	butvinova
173773-2	128	MTP(F) MM	0,25	0,18							49,8	52,4			10.04.2019-14:06	butvinova
173773-2	129	MTP(F) MM	0,29	0,21							48,1	53,5			10.04.2019-14:06	butvinova
173773-2	130	MTP(F) MM	0,29	0,20							50,3	53,6			10.04.2019-14:06	butvinova
173773-2	131	MTP(F) MM	0,31	0,25							50,5	53,1			10.04.2019-14:06	butvinova
173773-2	132	MTP(F) MM	0,23	0,16							49,7	54,5			10.04.2019-14:06	butvinova
173773-2	133	MTP(F) MM	0,19	0,20							41,7	39,2			10.04.2019-14:06	butvinova
173773-2	134	MTP(F) MM	0,19	0,15							48,5	51,8			10.04.2019-14:06	butvinova
173773-2	135	MTP(F) MM	0,17	0,12							48,1	53,0			10.04.2019-14:06	butvinova
173773-2	136	MTP(F) MM	0,21	0,17							48,7	51,7			10.04.2019-14:06	butvinova
173773-2	137	MTP(F) MM	0,24	0,17							49,9	53,1			10.04.2019-14:06	butvinova
173773-2	138	MTP(F) MM	0,16	0,10							41,4	40,3			10.04.2019-14:06	butvinova
173773-2	139	MTP(F) MM	0,19	0,12							49,9	53,3			10.04.2019-14:06	butvinova
173773-2	140	MTP(F) MM	0,29	0,20							48,9	53,5			10.04.2019-14:06	butvinova
173773-2	141	MTP(F) MM	0,27	0,18							49,3	53,3			10.04.2019-14:06	butvinova
173773-2	142	MTP(F) MM	0,21	0,13							49,7	53,6			10.04.2019-14:06	butvinova
173773-2	143	MTP(F) MM	0,26	0,18							49,4	52,9			10.04.2019-14:06	butvinova
173773-2	144	MTP(F) MM	0,29	0,26							37,6	43,3			10.04.2019-14:06	butvinova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-3	1	LC MM	0,23												10.04.2019-08:43	bombarova
173773-3	2	LC MM	0,17												10.04.2019-08:43	bombarova
173773-3	3	LC MM	0,15												10.04.2019-08:43	bombarova
173773-3	4	LC MM	0,31												10.04.2019-08:43	bombarova
173773-3	5	LC MM	0,24												10.04.2019-08:43	bombarova
173773-3	6	LC MM	0,17												10.04.2019-08:43	bombarova
173773-3	7	LC MM	0,18												10.04.2019-08:43	bombarova
173773-3	8	LC MM	0,32												10.04.2019-08:43	bombarova
173773-3	9	LC MM	0,28												10.04.2019-08:43	bombarova
173773-3	10	LC MM	0,17												10.04.2019-08:43	bombarova
173773-3	11	LC MM	0,18												10.04.2019-08:43	bombarova
173773-3	12	LC MM	0,13												10.04.2019-08:43	bombarova
173773-3	13	LC MM	0,15												10.04.2019-08:43	bombarova
173773-3	14	LC MM	0,16												10.04.2019-08:43	bombarova
173773-3	15	LC MM	0,14												10.04.2019-08:43	bombarova
173773-3	16	LC MM	0,14												10.04.2019-08:43	bombarova
173773-3	17	LC MM	0,16												10.04.2019-08:43	bombarova
173773-3	18	LC MM	0,21												10.04.2019-08:43	bombarova
173773-3	19	LC MM	0,16												10.04.2019-08:43	bombarova
173773-3	20	LC MM	0,19												10.04.2019-08:43	bombarova
173773-3	21	LC MM	0,17												10.04.2019-08:43	bombarova
173773-3	22	LC MM	0,20												10.04.2019-08:43	bombarova
173773-3	23	LC MM	0,15												10.04.2019-08:43	bombarova
173773-3	24	LC MM	0,22												10.04.2019-08:43	bombarova
173773-3	25	LC MM	0,15												10.04.2019-08:50	bombarova
173773-3	26	LC MM	0,16												10.04.2019-08:50	bombarova
173773-3	27	LC MM	0,29												10.04.2019-08:50	bombarova
173773-3	28	LC MM	0,29												10.04.2019-08:50	bombarova
173773-3	29	LC MM	0,16												10.04.2019-08:50	bombarova
173773-3	30	LC MM	0,14												10.04.2019-08:50	bombarova
173773-3	31	LC MM	0,21												10.04.2019-08:50	bombarova
173773-3	32	LC MM	0,27												10.04.2019-08:50	bombarova
173773-3	33	LC MM	0,20												10.04.2019-08:50	bombarova
173773-3	34	LC MM	0,20												10.04.2019-08:50	bombarova
173773-3	35	LC MM	0,20												10.04.2019-08:50	bombarova
173773-3	36	LC MM	0,19												10.04.2019-08:50	bombarova
173773-3	37	LC MM	0,31												10.04.2019-08:50	bombarova
173773-3	38	LC MM	0,21												10.04.2019-08:50	bombarova
173773-3	39	LC MM	0,19												10.04.2019-08:50	bombarova
173773-3	40	LC MM	0,14												10.04.2019-08:50	bombarova
173773-3	41	LC MM	0,16												10.04.2019-08:50	bombarova
173773-3	42	LC MM	0,22												10.04.2019-08:50	bombarova
173773-3	43	LC MM	0,22												10.04.2019-08:50	bombarova
173773-3	44	LC MM	0,20												10.04.2019-08:50	bombarova
173773-3	45	LC MM	0,21												10.04.2019-08:50	bombarova
173773-3	46	LC MM	0,20												10.04.2019-08:50	bombarova
173773-3	47	LC MM	0,16												10.04.2019-08:50	bombarova
173773-3	48	LC MM	0,19												10.04.2019-08:50	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-3	49	LC MM	0,32												10.04.2019-08:54	bombarova
173773-3	50	LC MM	0,15												10.04.2019-08:54	bombarova
173773-3	51	LC MM	0,27												10.04.2019-08:54	bombarova
173773-3	52	LC MM	0,19												10.04.2019-08:54	bombarova
173773-3	53	LC MM	0,20												10.04.2019-08:54	bombarova
173773-3	54	LC MM	0,22												10.04.2019-08:54	bombarova
173773-3	55	LC MM	0,17												10.04.2019-08:54	bombarova
173773-3	56	LC MM	0,17												10.04.2019-08:54	bombarova
173773-3	57	LC MM	0,30												10.04.2019-08:54	bombarova
173773-3	58	LC MM	0,19												10.04.2019-08:54	bombarova
173773-3	59	LC MM	0,15												10.04.2019-08:54	bombarova
173773-3	60	LC MM	0,23												10.04.2019-08:54	bombarova
173773-3	61	LC MM	0,19												10.04.2019-08:54	bombarova
173773-3	62	LC MM	0,32												10.04.2019-08:54	bombarova
173773-3	63	LC MM	0,12												10.04.2019-08:54	bombarova
173773-3	64	LC MM	0,12												10.04.2019-08:54	bombarova
173773-3	65	LC MM	0,20												10.04.2019-08:54	bombarova
173773-3	66	LC MM	0,20												10.04.2019-08:54	bombarova
173773-3	67	LC MM	0,26												10.04.2019-08:54	bombarova
173773-3	68	LC MM	0,19												10.04.2019-08:54	bombarova
173773-3	69	LC MM	0,20												10.04.2019-08:54	bombarova
173773-3	70	LC MM	0,34												10.04.2019-08:54	bombarova
173773-3	71	LC MM	0,20												10.04.2019-08:54	bombarova
173773-3	72	LC MM	0,15												10.04.2019-08:54	bombarova
173773-3	73	LC MM	0,16												10.04.2019-08:58	bombarova
173773-3	74	LC MM	0,14												10.04.2019-08:58	bombarova
173773-3	75	LC MM	0,19												10.04.2019-08:58	bombarova
173773-3	76	LC MM	0,18												10.04.2019-08:58	bombarova
173773-3	77	LC MM	0,19												10.04.2019-08:58	bombarova
173773-3	78	LC MM	0,22												10.04.2019-08:58	bombarova
173773-3	79	LC MM	0,15												10.04.2019-08:58	bombarova
173773-3	80	LC MM	0,24												10.04.2019-08:58	bombarova
173773-3	81	LC MM	0,12												10.04.2019-08:58	bombarova
173773-3	82	LC MM	0,14												10.04.2019-08:58	bombarova
173773-3	83	LC MM	0,20												10.04.2019-08:58	bombarova
173773-3	84	LC MM	0,17												10.04.2019-08:58	bombarova
173773-3	85	LC MM	0,17												10.04.2019-08:58	bombarova
173773-3	86	LC MM	0,23												10.04.2019-08:58	bombarova
173773-3	87	LC MM	0,21												10.04.2019-08:58	bombarova
173773-3	88	LC MM	0,19												10.04.2019-08:58	bombarova
173773-3	89	LC MM	0,19												10.04.2019-08:58	bombarova
173773-3	90	LC MM	0,21												10.04.2019-08:58	bombarova
173773-3	91	LC MM	0,23												10.04.2019-08:58	bombarova
173773-3	92	LC MM	0,21												10.04.2019-08:58	bombarova
173773-3	93	LC MM	0,16												10.04.2019-08:58	bombarova
173773-3	94	LC MM	0,21												10.04.2019-08:58	bombarova
173773-3	95	LC MM	0,18												10.04.2019-08:58	bombarova
173773-3	96	LC MM	0,29												10.04.2019-08:58	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-3	97	LC MM	0,27												10.04.2019-09:01	bombarova
173773-3	98	LC MM	0,19												10.04.2019-09:01	bombarova
173773-3	99	LC MM	0,29												10.04.2019-09:01	bombarova
173773-3	100	LC MM	0,27												10.04.2019-09:01	bombarova
173773-3	101	LC MM	0,14												10.04.2019-09:01	bombarova
173773-3	102	LC MM	0,25												10.04.2019-09:01	bombarova
173773-3	103	LC MM	0,23												10.04.2019-09:01	bombarova
173773-3	104	LC MM	0,19												10.04.2019-09:01	bombarova
173773-3	105	LC MM	0,31												10.04.2019-09:01	bombarova
173773-3	106	LC MM	0,17												10.04.2019-09:01	bombarova
173773-3	107	LC MM	0,19												10.04.2019-09:01	bombarova
173773-3	108	LC MM	0,23												10.04.2019-09:01	bombarova
173773-3	109	LC MM	0,32												10.04.2019-09:01	bombarova
173773-3	110	LC MM	0,30												10.04.2019-09:01	bombarova
173773-3	111	LC MM	0,19												10.04.2019-09:01	bombarova
173773-3	112	LC MM	0,15												10.04.2019-09:01	bombarova
173773-3	113	LC MM	0,17												10.04.2019-09:01	bombarova
173773-3	114	LC MM	0,20												10.04.2019-09:01	bombarova
173773-3	115	LC MM	0,19												10.04.2019-09:01	bombarova
173773-3	116	LC MM	0,20												10.04.2019-09:01	bombarova
173773-3	117	LC MM	0,25												10.04.2019-09:01	bombarova
173773-3	118	LC MM	0,27												10.04.2019-09:01	bombarova
173773-3	119	LC MM	0,18												10.04.2019-09:01	bombarova
173773-3	120	LC MM	0,34												10.04.2019-09:01	bombarova
173773-3	121	LC MM	0,16												10.04.2019-09:05	bombarova
173773-3	122	LC MM	0,19												10.04.2019-09:05	bombarova
173773-3	123	LC MM	0,24												10.04.2019-09:05	bombarova
173773-3	124	LC MM	0,17												10.04.2019-09:05	bombarova
173773-3	125	LC MM	0,21												10.04.2019-09:05	bombarova
173773-3	126	LC MM	0,36												10.04.2019-09:05	bombarova
173773-3	127	LC MM	0,31												10.04.2019-09:05	bombarova
173773-3	128	LC MM	0,21												10.04.2019-09:05	bombarova
173773-3	129	LC MM	0,15												10.04.2019-09:05	bombarova
173773-3	130	LC MM	0,17												10.04.2019-09:05	bombarova
173773-3	131	LC MM	0,20												10.04.2019-09:05	bombarova
173773-3	132	LC MM	0,16												10.04.2019-09:05	bombarova
173773-3	133	LC MM	0,17												10.04.2019-09:05	bombarova
173773-3	134	LC MM	0,38												10.04.2019-09:05	bombarova
173773-3	135	LC MM	0,18												10.04.2019-09:05	bombarova
173773-3	136	LC MM	0,27												10.04.2019-09:05	bombarova
173773-3	137	LC MM	0,18												10.04.2019-09:05	bombarova
173773-3	138	LC MM	0,25												10.04.2019-09:05	bombarova
173773-3	139	LC MM	0,21												10.04.2019-09:05	bombarova
173773-3	140	LC MM	0,29												10.04.2019-09:05	bombarova
173773-3	141	LC MM	0,19												10.04.2019-09:05	bombarova
173773-3	142	LC MM	0,17												10.04.2019-09:05	bombarova
173773-3	143	LC MM	0,20												10.04.2019-09:05	bombarova
173773-3	144	LC MM	0,32												10.04.2019-09:05	bombarova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-3	1	MTP(F) MM	0,11	0,09					40,2	40,6					10.04.2019-11:57	racova
173773-3	2	MTP(F) MM	0,10	0,07					37,5	35,2					10.04.2019-11:57	racova
173773-3	3	MTP(F) MM	0,17	0,14					39,6	39,4					10.04.2019-11:57	racova
173773-3	4	MTP(F) MM	0,08	0,01					40,6	41,8					10.04.2019-11:57	racova
173773-3	5	MTP(F) MM	0,28	0,22					39,3	40,5					10.04.2019-11:57	racova
173773-3	6	MTP(F) MM	0,14	0,10					36,1	39,1					10.04.2019-11:57	racova
173773-3	7	MTP(F) MM	0,26	0,20					41,9	39,2					10.04.2019-11:57	racova
173773-3	8	MTP(F) MM	0,27	0,23					41,3	39,1					10.04.2019-11:57	racova
173773-3	9	MTP(F) MM	0,17	0,12					41,8	39,0					10.04.2019-11:57	racova
173773-3	10	MTP(F) MM	0,25	0,17					37,2	38,9					10.04.2019-11:57	racova
173773-3	11	MTP(F) MM	0,23	0,19					37,0	39,1					10.04.2019-11:57	racova
173773-3	12	MTP(F) MM	0,17	0,12					41,8	39,0					10.04.2019-11:57	racova
173773-3	13	MTP(F) MM	0,11	0,05					43,3	47,0					10.04.2019-11:57	racova
173773-3	14	MTP(F) MM	0,10	0,04					46,9	51,1					10.04.2019-11:57	racova
173773-3	15	MTP(F) MM	0,11	0,05					45,8	50,6					10.04.2019-11:57	racova
173773-3	16	MTP(F) MM	0,10	0,04					46,7	51,1					10.04.2019-11:57	racova
173773-3	17	MTP(F) MM	0,09	0,06					47,4	52,4					10.04.2019-11:57	racova
173773-3	18	MTP(F) MM	0,08	0,04					45,9	48,3					10.04.2019-11:57	racova
173773-3	19	MTP(F) MM	0,05	0,07					37,6	39,1					10.04.2019-11:57	racova
173773-3	20	MTP(F) MM	0,13	0,09					43,3	44,9					10.04.2019-11:57	racova
173773-3	21	MTP(F) MM	0,18	0,10					36,8	39,2					10.04.2019-11:57	racova
173773-3	22	MTP(F) MM	0,17	0,16					41,9	42,9					10.04.2019-11:57	racova
173773-3	23	MTP(F) MM	0,24	0,19					45,7	48,9					10.04.2019-11:57	racova
173773-3	24	MTP(F) MM	0,16	0,11					41,4	41,6					10.04.2019-11:57	racova
173773-3	25	MTP(F) MM	0,12	0,11					40,9	41,9					10.04.2019-12:06	racova
173773-3	26	MTP(F) MM	0,21	0,13					37,8	35,3					10.04.2019-12:06	racova
173773-3	27	MTP(F) MM	0,21	0,16					41,1	40,2					10.04.2019-12:06	racova
173773-3	28	MTP(F) MM	0,22	0,15					40,7	42,2					10.04.2019-12:06	racova
173773-3	29	MTP(F) MM	0,35	0,31					37,9	39,9					10.04.2019-12:06	racova
173773-3	30	MTP(F) MM	0,22	0,19					35,8	39,2					10.04.2019-12:06	racova
173773-3	31	MTP(F) MM	0,35	0,32					40,8	39,2					10.04.2019-12:06	racova
173773-3	32	MTP(F) MM	0,25	0,21					38,7	38,7					10.04.2019-12:06	racova
173773-3	33	MTP(F) MM	0,26	0,22					39,4	39,0					10.04.2019-12:06	racova
173773-3	34	MTP(F) MM	0,33	0,28					37,0	38,9					10.04.2019-12:06	racova
173773-3	35	MTP(F) MM	0,28	0,25					36,8	39,2					10.04.2019-12:06	racova
173773-3	36	MTP(F) MM	0,22	0,15					40,7	38,9					10.04.2019-12:06	racova
173773-3	37	MTP(F) MM	0,19	0,16					44,5	47,8					10.04.2019-12:06	racova
173773-3	38	MTP(F) MM	0,10	0,05					46,7	51,7					10.04.2019-12:06	racova
173773-3	39	MTP(F) MM	0,14	0,09					47,6	52,5					10.04.2019-12:06	racova
173773-3	40	MTP(F) MM	0,10	0,05					48,7	52,8					10.04.2019-12:06	racova
173773-3	41	MTP(F) MM	0,08	0,04					47,2	51,6					10.04.2019-12:06	racova
173773-3	42	MTP(F) MM	0,16	0,15					46,2	48,6					10.04.2019-12:06	racova
173773-3	43	MTP(F) MM	0,05	0,10					37,5	38,8					10.04.2019-12:06	racova
173773-3	44	MTP(F) MM	0,17	0,12					43,5	44,7					10.04.2019-12:06	racova
173773-3	45	MTP(F) MM	0,15	0,04					36,9	39,1					10.04.2019-12:06	racova
173773-3	46	MTP(F) MM	0,20	0,20					42,1	42,5					10.04.2019-12:06	racova
173773-3	47	MTP(F) MM	0,20	0,18					45,5	49,1					10.04.2019-12:06	racova
173773-3	48	MTP(F) MM	0,10	0,06					41,7	41,8					10.04.2019-12:06	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-3	49	MTP(F) MM	0,09	0,07					41,1	41,8					10.04.2019-12:13	racova
173773-3	50	MTP(F) MM	0,13	0,06					37,7	35,3					10.04.2019-12:13	racova
173773-3	51	MTP(F) MM	0,33	0,27					40,9	40,0					10.04.2019-12:13	racova
173773-3	52	MTP(F) MM	0,20	0,16					41,0	42,1					10.04.2019-12:13	racova
173773-3	53	MTP(F) MM	0,44	0,39					39,1	40,4					10.04.2019-12:13	racova
173773-3	54	MTP(F) MM	0,23	0,22					35,9	39,0					10.04.2019-12:13	racova
173773-3	55	MTP(F) MM	0,25	0,22					41,8	39,1					10.04.2019-12:13	racova
173773-3	56	MTP(F) MM	0,14	0,11					41,3	38,8					10.04.2019-12:13	racova
173773-3	57	MTP(F) MM	0,16	0,14					41,5	38,7					10.04.2019-12:13	racova
173773-3	58	MTP(F) MM	0,28	0,23					37,8	38,9					10.04.2019-12:13	racova
173773-3	59	MTP(F) MM	0,27	0,20					36,7	39,0					10.04.2019-12:13	racova
173773-3	60	MTP(F) MM	0,27	0,22					42,5	39,0					10.04.2019-12:13	racova
173773-3	61	MTP(F) MM	0,11	0,08					42,8	47,0					10.04.2019-12:13	racova
173773-3	62	MTP(F) MM	0,19	0,16					47,8	51,9					10.04.2019-12:13	racova
173773-3	63	MTP(F) MM	0,12	0,09					48,7	52,2					10.04.2019-12:13	racova
173773-3	64	MTP(F) MM	0,22	0,19					47,7	52,2					10.04.2019-12:13	racova
173773-3	65	MTP(F) MM	0,14	0,09					48,6	52,0					10.04.2019-12:13	racova
173773-3	66	MTP(F) MM	0,37	0,34					46,5	49,1					10.04.2019-12:13	racova
173773-3	67	MTP(F) MM	0,22	0,29					37,8	38,9					10.04.2019-12:13	racova
173773-3	68	MTP(F) MM	0,25	0,21					44,0	45,2					10.04.2019-12:13	racova
173773-3	69	MTP(F) MM	0,25	0,17					36,6	39,3					10.04.2019-12:13	racova
173773-3	70	MTP(F) MM	0,22	0,20					42,4	42,8					10.04.2019-12:13	racova
173773-3	71	MTP(F) MM	0,16	0,12					45,5	49,1					10.04.2019-12:13	racova
173773-3	72	MTP(F) MM	0,12	0,09					41,3	42,1					10.04.2019-12:13	racova
173773-3	73	MTP(F) MM	0,09	0,07					40,7	41,6					10.04.2019-12:19	racova
173773-3	74	MTP(F) MM	0,11	0,06					37,8	35,2					10.04.2019-12:19	racova
173773-3	75	MTP(F) MM	0,23	0,19					41,0	39,8					10.04.2019-12:19	racova
173773-3	76	MTP(F) MM	0,10	0,03					40,4	42,1					10.04.2019-12:19	racova
173773-3	77	MTP(F) MM	0,36	0,30					37,2	39,5					10.04.2019-12:19	racova
173773-3	78	MTP(F) MM	0,16	0,09					35,9	38,9					10.04.2019-12:19	racova
173773-3	79	MTP(F) MM	0,16	0,12					38,8	38,8					10.04.2019-12:19	racova
173773-3	80	MTP(F) MM	0,21	0,16					38,4	38,5					10.04.2019-12:19	racova
173773-3	81	MTP(F) MM	0,14	0,09					37,6	38,8					10.04.2019-12:19	racova
173773-3	82	MTP(F) MM	0,23	0,17					35,8	38,8					10.04.2019-12:19	racova
173773-3	83	MTP(F) MM	0,22	0,16					35,2	38,8					10.04.2019-12:19	racova
173773-3	84	MTP(F) MM	0,23	0,17					34,0	38,3					10.04.2019-12:19	racova
173773-3	85	MTP(F) MM	0,10	0,07					44,3	48,0					10.04.2019-12:19	racova
173773-3	86	MTP(F) MM	0,13	0,10					47,6	52,1					10.04.2019-12:19	racova
173773-3	87	MTP(F) MM	0,16	0,09					48,2	51,2					10.04.2019-12:19	racova
173773-3	88	MTP(F) MM	0,10	0,06					47,9	51,5					10.04.2019-12:19	racova
173773-3	89	MTP(F) MM	0,15	0,09					47,9	51,3					10.04.2019-12:19	racova
173773-3	90	MTP(F) MM	0,19	0,18					46,8	48,8					10.04.2019-12:19	racova
173773-3	91	MTP(F) MM	0,09	0,17					37,8	38,8					10.04.2019-12:19	racova
173773-3	92	MTP(F) MM	0,18	0,14					43,6	44,9					10.04.2019-12:19	racova
173773-3	93	MTP(F) MM	0,18	0,10					36,8	39,2					10.04.2019-12:19	racova
173773-3	94	MTP(F) MM	0,24	0,20					42,2	42,8					10.04.2019-12:19	racova
173773-3	95	MTP(F) MM	0,21	0,16					46,0	49,3					10.04.2019-12:19	racova
173773-3	96	MTP(F) MM	0,14	0,12					41,7	42,0					10.04.2019-12:19	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-3	97	MTP(F) MM	0,22	0,19					40,8	41,8					10.04.2019-12:25	racova
173773-3	98	MTP(F) MM	0,17	0,12					37,6	35,1					10.04.2019-12:25	racova
173773-3	99	MTP(F) MM	0,22	0,21					40,9	39,9					10.04.2019-12:25	racova
173773-3	100	MTP(F) MM	0,28	0,23					40,6	42,3					10.04.2019-12:25	racova
173773-3	101	MTP(F) MM	0,45	0,39					39,1	40,5					10.04.2019-12:25	racova
173773-3	102	MTP(F) MM	0,34	0,28					35,9	39,1					10.04.2019-12:25	racova
173773-3	103	MTP(F) MM	0,33	0,29					42,0	39,0					10.04.2019-12:25	racova
173773-3	104	MTP(F) MM	0,31	0,28					41,3	38,8					10.04.2019-12:25	racova
173773-3	105	MTP(F) MM	0,24	0,20					41,3	38,9					10.04.2019-12:25	racova
173773-3	106	MTP(F) MM	0,20	0,15					37,7	38,9					10.04.2019-12:25	racova
173773-3	107	MTP(F) MM	0,21	0,17					36,7	39,1					10.04.2019-12:25	racova
173773-3	108	MTP(F) MM	0,18	0,10					41,7	38,9					10.04.2019-12:25	racova
173773-3	109	MTP(F) MM	0,11	0,06					44,0	48,3					10.04.2019-12:25	racova
173773-3	110	MTP(F) MM	0,19	0,16					47,9	52,2					10.04.2019-12:25	racova
173773-3	111	MTP(F) MM	0,15	0,11					47,8	51,0					10.04.2019-12:25	racova
173773-3	112	MTP(F) MM	0,11	0,06					48,4	53,2					10.04.2019-12:25	racova
173773-3	113	MTP(F) MM	0,14	0,08					48,4	52,5					10.04.2019-12:25	racova
173773-3	114	MTP(F) MM	0,28	0,23					46,3	49,3					10.04.2019-12:25	racova
173773-3	115	MTP(F) MM	0,19	0,26					37,7	38,8					10.04.2019-12:25	racova
173773-3	116	MTP(F) MM	0,21	0,18					44,1	45,1					10.04.2019-12:25	racova
173773-3	117	MTP(F) MM	0,26	0,17					36,7	39,1					10.04.2019-12:25	racova
173773-3	118	MTP(F) MM	0,21	0,18					42,0	42,8					10.04.2019-12:25	racova
173773-3	119	MTP(F) MM	0,21	0,18					46,4	49,6					10.04.2019-12:25	racova
173773-3	120	MTP(F) MM	0,10	0,08					41,5	42,3					10.04.2019-12:25	racova
173773-3	121	MTP(F) MM	0,16	0,16					34,0	37,7					10.04.2019-12:31	racova
173773-3	122	MTP(F) MM	0,12	0,09					37,5	35,3					10.04.2019-12:31	racova
173773-3	123	MTP(F) MM	0,19	0,14					38,2	39,2					10.04.2019-12:31	racova
173773-3	124	MTP(F) MM	0,10	0,04					38,8	41,3					10.04.2019-12:31	racova
173773-3	125	MTP(F) MM	0,32	0,26					33,4	37,8					10.04.2019-12:31	racova
173773-3	126	MTP(F) MM	0,21	0,17					35,9	39,1					10.04.2019-12:31	racova
173773-3	127	MTP(F) MM	0,30	0,25					40,6	39,0					10.04.2019-12:31	racova
173773-3	128	MTP(F) MM	0,15	0,10					41,7	38,8					10.04.2019-12:31	racova
173773-3	129	MTP(F) MM	0,17	0,10					41,4	39,0					10.04.2019-12:31	racova
173773-3	130	MTP(F) MM	0,27	0,21					37,7	39,0					10.04.2019-12:31	racova
173773-3	131	MTP(F) MM	0,30	0,26					37,0	39,1					10.04.2019-12:31	racova
173773-3	132	MTP(F) MM	0,21	0,16					42,3	39,1					10.04.2019-12:31	racova
173773-3	133	MTP(F) MM	0,13	0,09					43,9	48,1					10.04.2019-12:31	racova
173773-3	134	MTP(F) MM	0,20	0,17					48,0	52,1					10.04.2019-12:31	racova
173773-3	135	MTP(F) MM	0,25	0,23					46,1	51,2					10.04.2019-12:31	racova
173773-3	136	MTP(F) MM	0,15	0,11					49,0	51,8					10.04.2019-12:31	racova
173773-3	137	MTP(F) MM	0,16	0,10					47,7	51,2					10.04.2019-12:31	racova
173773-3	138	MTP(F) MM	0,23	0,19					46,9	48,8					10.04.2019-12:31	racova
173773-3	139	MTP(F) MM	0,19	0,27					37,8	38,6					10.04.2019-12:31	racova
173773-3	140	MTP(F) MM	0,24	0,20					43,8	44,9					10.04.2019-12:31	racova
173773-3	141	MTP(F) MM	0,23	0,11					37,0	39,1					10.04.2019-12:31	racova
173773-3	142	MTP(F) MM	0,20	0,17					42,2	42,8					10.04.2019-12:31	racova
173773-3	143	MTP(F) MM	0,19	0,14					46,7	48,9					10.04.2019-12:31	racova
173773-3	144	MTP(F) MM	0,10	0,08					41,5	41,9					10.04.2019-12:31	racova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-4	1	LC MM	0,19												10.04.2019-09:11	belaiova
173773-4	2	LC MM	0,19												10.04.2019-09:11	belaiova
173773-4	3	LC MM	0,32												10.04.2019-09:11	belaiova
173773-4	4	LC MM	0,32												10.04.2019-09:11	belaiova
173773-4	5	LC MM	0,32												10.04.2019-09:11	belaiova
173773-4	6	LC MM	0,37												10.04.2019-09:11	belaiova
173773-4	7	LC MM	0,37												10.04.2019-09:11	belaiova
173773-4	8	LC MM	0,38												10.04.2019-09:11	belaiova
173773-4	9	LC MM	0,21												10.04.2019-09:11	belaiova
173773-4	10	LC MM	0,21												10.04.2019-09:11	belaiova
173773-4	11	LC MM	0,21												10.04.2019-09:11	belaiova
173773-4	12	LC MM	0,20												10.04.2019-09:11	belaiova
173773-4	13	LC MM	0,32												10.04.2019-09:15	belaiova
173773-4	14	LC MM	0,19												10.04.2019-09:15	belaiova
173773-4	15	LC MM	0,19												10.04.2019-09:15	belaiova
173773-4	16	LC MM	0,35												10.04.2019-09:15	belaiova
173773-4	17	LC MM	0,16												10.04.2019-09:15	belaiova
173773-4	18	LC MM	0,37												10.04.2019-09:15	belaiova
173773-4	19	LC MM	0,18												10.04.2019-09:15	belaiova
173773-4	20	LC MM	0,17												10.04.2019-09:15	belaiova
173773-4	21	LC MM	0,36												10.04.2019-09:15	belaiova
173773-4	22	LC MM	0,20												10.04.2019-09:15	belaiova
173773-4	23	LC MM	0,33												10.04.2019-09:15	belaiova
173773-4	24	LC MM	0,33												10.04.2019-09:15	belaiova
173773-4	25	LC MM	0,16												10.04.2019-09:24	belaiova
173773-4	26	LC MM	0,13												10.04.2019-09:24	belaiova
173773-4	27	LC MM	0,14												10.04.2019-09:24	belaiova
173773-4	28	LC MM	0,16												10.04.2019-09:24	belaiova
173773-4	29	LC MM	0,13												10.04.2019-09:24	belaiova
173773-4	30	LC MM	0,31												10.04.2019-09:24	belaiova
173773-4	31	LC MM	0,24												10.04.2019-09:24	belaiova
173773-4	32	LC MM	0,20												10.04.2019-09:24	belaiova
173773-4	33	LC MM	0,13												10.04.2019-09:24	belaiova
173773-4	34	LC MM	0,29												10.04.2019-09:24	belaiova
173773-4	35	LC MM	0,14												10.04.2019-09:24	belaiova
173773-4	36	LC MM	0,17												10.04.2019-09:24	belaiova
173773-4	37	LC MM	0,26												10.04.2019-09:26	belaiova
173773-4	38	LC MM	0,18												10.04.2019-09:26	belaiova
173773-4	39	LC MM	0,14												10.04.2019-09:26	belaiova
173773-4	40	LC MM	0,09												10.04.2019-09:26	belaiova
173773-4	41	LC MM	0,10												10.04.2019-09:26	belaiova
173773-4	42	LC MM	0,11												10.04.2019-09:26	belaiova
173773-4	43	LC MM	0,12												10.04.2019-09:26	belaiova
173773-4	44	LC MM	0,12												10.04.2019-09:26	belaiova
173773-4	45	LC MM	0,15												10.04.2019-09:26	belaiova
173773-4	46	LC MM	0,15												10.04.2019-09:26	belaiova
173773-4	47	LC MM	0,11												10.04.2019-09:26	belaiova
173773-4	48	LC MM	0,14												10.04.2019-09:26	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38
 144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-4	49	LC MM	0,25												10.04.2019-09:27	belaiova
173773-4	50	LC MM	0,17												10.04.2019-09:27	belaiova
173773-4	51	LC MM	0,12												10.04.2019-09:27	belaiova
173773-4	52	LC MM	0,14												10.04.2019-09:27	belaiova
173773-4	53	LC MM	0,22												10.04.2019-09:27	belaiova
173773-4	54	LC MM	0,14												10.04.2019-09:27	belaiova
173773-4	55	LC MM	0,29												10.04.2019-09:27	belaiova
173773-4	56	LC MM	0,09												10.04.2019-09:27	belaiova
173773-4	57	LC MM	0,12												10.04.2019-09:27	belaiova
173773-4	58	LC MM	0,11												10.04.2019-09:27	belaiova
173773-4	59	LC MM	0,11												10.04.2019-09:27	belaiova
173773-4	60	LC MM	0,13												10.04.2019-09:27	belaiova
173773-4	61	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	62	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	63	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	64	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	65	LC MM	0,35												10.04.2019-09:12	belaiova
173773-4	66	LC MM	0,35												10.04.2019-09:12	belaiova
173773-4	67	LC MM	0,35												10.04.2019-09:12	belaiova
173773-4	68	LC MM	0,35												10.04.2019-09:12	belaiova
173773-4	69	LC MM	0,35												10.04.2019-09:12	belaiova
173773-4	70	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	71	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	72	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	73	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	74	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	75	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	76	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	77	LC MM	0,34												10.04.2019-09:12	belaiova
173773-4	78	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	79	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	80	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	81	LC MM	0,18												10.04.2019-09:12	belaiova
173773-4	82	LC MM	0,20												10.04.2019-09:12	belaiova
173773-4	83	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	84	LC MM	0,19												10.04.2019-09:12	belaiova
173773-4	85	LC MM	0,26												10.04.2019-09:13	belaiova
173773-4	86	LC MM	0,26												10.04.2019-09:13	belaiova
173773-4	87	LC MM	0,26												10.04.2019-09:13	belaiova
173773-4	88	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	89	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	90	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	91	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	92	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	93	LC MM	0,32												10.04.2019-09:13	belaiova
173773-4	94	LC MM	0,34												10.04.2019-09:13	belaiova
173773-4	95	LC MM	0,33												10.04.2019-09:13	belaiova
173773-4	96	LC MM	0,34												10.04.2019-09:13	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40

20,0 20,0

173773-4	97	LC MM	0,27												10.04.2019-09:18	belaiova
173773-4	98	LC MM	0,17												10.04.2019-09:18	belaiova
173773-4	99	LC MM	0,13												10.04.2019-09:18	belaiova
173773-4	100	LC MM	0,14												10.04.2019-09:18	belaiova
173773-4	101	LC MM	0,16												10.04.2019-09:18	belaiova
173773-4	102	LC MM	0,19												10.04.2019-09:18	belaiova
173773-4	103	LC MM	0,13												10.04.2019-09:18	belaiova
173773-4	104	LC MM	0,28												10.04.2019-09:18	belaiova
173773-4	105	LC MM	0,26												10.04.2019-09:18	belaiova
173773-4	106	LC MM	0,24												10.04.2019-09:18	belaiova
173773-4	107	LC MM	0,24												10.04.2019-09:18	belaiova
173773-4	108	LC MM	0,27												10.04.2019-09:18	belaiova
173773-4	109	LC MM	0,10												10.04.2019-09:20	belaiova
173773-4	110	LC MM	0,12												10.04.2019-09:20	belaiova
173773-4	111	LC MM	0,09												10.04.2019-09:20	belaiova
173773-4	112	LC MM	0,12												10.04.2019-09:20	belaiova
173773-4	113	LC MM	0,21												10.04.2019-09:20	belaiova
173773-4	114	LC MM	0,09												10.04.2019-09:20	belaiova
173773-4	115	LC MM	0,23												10.04.2019-09:20	belaiova
173773-4	116	LC MM	0,15												10.04.2019-09:20	belaiova
173773-4	117	LC MM	0,11												10.04.2019-09:20	belaiova
173773-4	118	LC MM	0,14												10.04.2019-09:20	belaiova
173773-4	119	LC MM	0,12												10.04.2019-09:20	belaiova
173773-4	120	LC MM	0,14												10.04.2019-09:20	belaiova
173773-4	121	LC MM	0,13												10.04.2019-09:21	belaiova
173773-4	122	LC MM	0,14												10.04.2019-09:21	belaiova
173773-4	123	LC MM	0,14												10.04.2019-09:21	belaiova
173773-4	124	LC MM	0,28												10.04.2019-09:21	belaiova
173773-4	125	LC MM	0,24												10.04.2019-09:21	belaiova
173773-4	126	LC MM	0,34												10.04.2019-09:21	belaiova
173773-4	127	LC MM	0,34												10.04.2019-09:21	belaiova
173773-4	128	LC MM	0,19												10.04.2019-09:21	belaiova
173773-4	129	LC MM	0,17												10.04.2019-09:21	belaiova
173773-4	130	LC MM	0,14												10.04.2019-09:21	belaiova
173773-4	131	LC MM	0,18												10.04.2019-09:21	belaiova
173773-4	132	LC MM	0,20												10.04.2019-09:21	belaiova
173773-4	133	LC MM	0,13												10.04.2019-09:23	belaiova
173773-4	134	LC MM	0,10												10.04.2019-09:23	belaiova
173773-4	135	LC MM	0,14												10.04.2019-09:23	belaiova
173773-4	136	LC MM	0,20												10.04.2019-09:23	belaiova
173773-4	137	LC MM	0,22												10.04.2019-09:23	belaiova
173773-4	138	LC MM	0,09												10.04.2019-09:23	belaiova
173773-4	139	LC MM	0,12												10.04.2019-09:23	belaiova
173773-4	140	LC MM	0,12												10.04.2019-09:23	belaiova
173773-4	141	LC MM	0,13												10.04.2019-09:23	belaiova
173773-4	142	LC MM	0,16												10.04.2019-09:23	belaiova
173773-4	143	LC MM	0,22												10.04.2019-09:23	belaiova
173773-4	144	LC MM	0,09												10.04.2019-09:23	belaiova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-4	1	MTP(F) MM	0,37	0,26					21,9	25,5					10.04.2019-12:43	butvinova
173773-4	2	MTP(F) MM	0,26	0,17					32,5	42,2					10.04.2019-12:43	butvinova
173773-4	3	MTP(F) MM	0,21	0,16					34,4	39,0					10.04.2019-12:43	butvinova
173773-4	4	MTP(F) MM	0,21	0,14					32,5	37,6					10.04.2019-12:43	butvinova
173773-4	5	MTP(F) MM	0,23	0,16					39,3	45,0					10.04.2019-12:43	butvinova
173773-4	6	MTP(F) MM	0,21	0,17					40,1	45,5					10.04.2019-12:43	butvinova
173773-4	7	MTP(F) MM	0,23	0,16					39,8	45,4					10.04.2019-12:43	butvinova
173773-4	8	MTP(F) MM	0,29	0,22					40,8	46,0					10.04.2019-12:43	butvinova
173773-4	9	MTP(F) MM	0,25	0,18					42,2	48,7					10.04.2019-12:43	butvinova
173773-4	10	MTP(F) MM	0,22	0,13					47,7	52,5					10.04.2019-12:43	butvinova
173773-4	11	MTP(F) MM	0,19	0,14					48,2	52,3					10.04.2019-12:43	butvinova
173773-4	12	MTP(F) MM	0,17	0,11					48,7	51,8					10.04.2019-12:43	butvinova
173773-4	13	MTP(F) MM	0,21	0,18					41,7	39,3					10.04.2019-12:43	butvinova
173773-4	14	MTP(F) MM	0,17	0,12					49,2	53,2					10.04.2019-12:43	butvinova
173773-4	15	MTP(F) MM	0,18	0,11					49,1	53,3					10.04.2019-12:43	butvinova
173773-4	16	MTP(F) MM	0,21	0,15					48,7	52,5					10.04.2019-12:43	butvinova
173773-4	17	MTP(F) MM	0,23	0,19					49,8	53,4					10.04.2019-12:43	butvinova
173773-4	18	MTP(F) MM	0,20	0,16					41,3	40,1					10.04.2019-12:43	butvinova
173773-4	19	MTP(F) MM	0,19	0,13					50,1	53,4					10.04.2019-12:43	butvinova
173773-4	20	MTP(F) MM	0,26	0,19					49,2	52,5					10.04.2019-12:43	butvinova
173773-4	21	MTP(F) MM	0,27	0,20					48,3	52,5					10.04.2019-12:43	butvinova
173773-4	22	MTP(F) MM	0,29	0,22					48,8	53,5					10.04.2019-12:43	butvinova
173773-4	23	MTP(F) MM	0,35	0,29					48,9	53,4					10.04.2019-12:43	butvinova
173773-4	24	MTP(F) MM	0,29	0,22					49,0	53,0					10.04.2019-12:43	butvinova
173773-4	25	MTP(F) MM	0,23	0,16					45,6	48,6					10.04.2019-12:50	butvinova
173773-4	26	MTP(F) MM	0,25	0,13					40,7	44,4					10.04.2019-12:50	butvinova
173773-4	27	MTP(F) MM	0,23	0,17					43,3	45,1					10.04.2019-12:50	butvinova
173773-4	28	MTP(F) MM	0,31	0,22					42,3	45,6					10.04.2019-12:50	butvinova
173773-4	29	MTP(F) MM	0,18	0,11					46,7	49,8					10.04.2019-12:50	butvinova
173773-4	30	MTP(F) MM	0,20	0,15					47,3	51,7					10.04.2019-12:50	butvinova
173773-4	31	MTP(F) MM	0,27	0,23					45,5	50,4					10.04.2019-12:50	butvinova
173773-4	32	MTP(F) MM	0,31	0,23					40,0	46,0					10.04.2019-12:50	butvinova
173773-4	33	MTP(F) MM	0,31	0,22					37,0	42,6					10.04.2019-12:50	butvinova
173773-4	34	MTP(F) MM	0,31	0,22					37,9	43,9					10.04.2019-12:50	butvinova
173773-4	35	MTP(F) MM	0,28	0,24					44,1	50,1					10.04.2019-12:50	butvinova
173773-4	36	MTP(F) MM	0,19	0,10					34,3	39,3					10.04.2019-12:50	butvinova
173773-4	37	MTP(F) MM	0,19	0,18					41,5	39,2					10.04.2019-12:50	butvinova
173773-4	38	MTP(F) MM	0,13	0,08					45,8	49,3					10.04.2019-12:50	butvinova
173773-4	39	MTP(F) MM	0,21	0,13					45,2	49,3					10.04.2019-12:50	butvinova
173773-4	40	MTP(F) MM	0,21	0,17					48,8	52,4					10.04.2019-12:50	butvinova
173773-4	41	MTP(F) MM	0,20	0,14					49,3	52,2					10.04.2019-12:50	butvinova
173773-4	42	MTP(F) MM	0,25	0,22					41,5	40,1					10.04.2019-12:50	butvinova
173773-4	43	MTP(F) MM	0,21	0,15					49,2	52,9					10.04.2019-12:50	butvinova
173773-4	44	MTP(F) MM	0,25	0,16					50,3	53,7					10.04.2019-12:50	butvinova
173773-4	45	MTP(F) MM	0,29	0,21					49,9	53,2					10.04.2019-12:50	butvinova
173773-4	46	MTP(F) MM	0,29	0,22					48,4	51,5					10.04.2019-12:50	butvinova
173773-4	47	MTP(F) MM	0,36	0,28					49,8	53,7					10.04.2019-12:50	butvinova
173773-4	48	MTP(F) MM	0,22	0,17					44,8	50,9					10.04.2019-12:50	butvinova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,38

144 MTP(F) MM 0,48 0,40 20,0 20,0

173773-4	49	MTP(F) MM	0,27	0,21					46,9	49,0					10.04.2019-12:54	butvinova
173773-4	50	MTP(F) MM	0,24	0,11					40,9	44,6					10.04.2019-12:54	butvinova
173773-4	51	MTP(F) MM	0,19	0,11					44,5	45,5					10.04.2019-12:54	butvinova
173773-4	52	MTP(F) MM	0,28	0,24					45,6	48,0					10.04.2019-12:54	butvinova
173773-4	53	MTP(F) MM	0,23	0,16					47,2	50,9					10.04.2019-12:54	butvinova
173773-4	54	MTP(F) MM	0,25	0,22					47,9	52,9					10.04.2019-12:54	butvinova
173773-4	55	MTP(F) MM	0,32	0,28					47,0	52,3					10.04.2019-12:54	butvinova
173773-4	56	MTP(F) MM	0,24	0,18					39,4	44,6					10.04.2019-12:54	butvinova
173773-4	57	MTP(F) MM	0,24	0,19					37,3	43,4					10.04.2019-12:54	butvinova
173773-4	58	MTP(F) MM	0,25	0,16					41,9	48,3					10.04.2019-12:54	butvinova
173773-4	59	MTP(F) MM	0,19	0,11					44,1	50,4					10.04.2019-12:54	butvinova
173773-4	60	MTP(F) MM	0,22	0,14					37,3	42,6					10.04.2019-12:54	butvinova
173773-4	61	MTP(F) MM	0,26	0,27					41,6	39,2					10.04.2019-12:54	butvinova
173773-4	62	MTP(F) MM	0,18	0,12					48,1	51,4					10.04.2019-12:54	butvinova
173773-4	63	MTP(F) MM	0,24	0,18					47,8	51,7					10.04.2019-12:54	butvinova
173773-4	64	MTP(F) MM	0,37	0,34					50,9	53,6					10.04.2019-12:54	butvinova
173773-4	65	MTP(F) MM	0,28	0,21					50,2	53,2					10.04.2019-12:54	butvinova
173773-4	66	MTP(F) MM	0,19	0,13					41,3	40,3					10.04.2019-12:54	butvinova
173773-4	67	MTP(F) MM	0,25	0,17					48,6	52,6					10.04.2019-12:54	butvinova
173773-4	68	MTP(F) MM	0,30	0,20					48,1	51,9					10.04.2019-12:54	butvinova
173773-4	69	MTP(F) MM	0,36	0,26					47,0	50,3					10.04.2019-12:54	butvinova
173773-4	70	MTP(F) MM	0,23	0,15					45,0	48,6					10.04.2019-12:54	butvinova
173773-4	71	MTP(F) MM	0,18	0,12					49,3	54,1					10.04.2019-12:54	butvinova
173773-4	72	MTP(F) MM	0,27	0,22					50,0	54,0					10.04.2019-12:54	butvinova
173773-4	73	MTP(F) MM	0,22	0,16					46,7	49,4					10.04.2019-12:59	butvinova
173773-4	74	MTP(F) MM	0,28	0,14					40,8	44,6					10.04.2019-12:59	butvinova
173773-4	75	MTP(F) MM	0,17	0,11					44,4	45,4					10.04.2019-12:59	butvinova
173773-4	76	MTP(F) MM	0,21	0,15					45,5	47,9					10.04.2019-12:59	butvinova
173773-4	77	MTP(F) MM	0,18	0,10					47,9	50,6					10.04.2019-12:59	butvinova
173773-4	78	MTP(F) MM	0,16	0,09					49,3	53,3					10.04.2019-12:59	butvinova
173773-4	79	MTP(F) MM	0,19	0,14					49,6	53,0					10.04.2019-12:59	butvinova
173773-4	80	MTP(F) MM	0,28	0,19					49,7	52,7					10.04.2019-12:59	butvinova
173773-4	81	MTP(F) MM	0,20	0,14					48,6	52,1					10.04.2019-12:59	butvinova
173773-4	82	MTP(F) MM	0,20	0,13					48,9	52,8					10.04.2019-12:59	butvinova
173773-4	83	MTP(F) MM	0,22	0,16					48,6	53,5					10.04.2019-12:59	butvinova
173773-4	84	MTP(F) MM	0,19	0,11					47,2	52,2					10.04.2019-12:59	butvinova
173773-4	85	MTP(F) MM	0,21	0,20					41,8	39,2					10.04.2019-12:59	butvinova
173773-4	86	MTP(F) MM	0,23	0,17					49,5	52,9					10.04.2019-12:59	butvinova
173773-4	87	MTP(F) MM	0,26	0,16					49,6	52,8					10.04.2019-12:59	butvinova
173773-4	88	MTP(F) MM	0,25	0,22					50,7	53,3					10.04.2019-12:59	butvinova
173773-4	89	MTP(F) MM	0,34	0,28					49,4	52,7					10.04.2019-12:59	butvinova
173773-4	90	MTP(F) MM	0,24	0,22					41,6	40,4					10.04.2019-12:59	butvinova
173773-4	91	MTP(F) MM	0,30	0,24					51,2	53,4					10.04.2019-12:59	butvinova
173773-4	92	MTP(F) MM	0,32	0,25					48,3	54,4					10.04.2019-12:59	butvinova
173773-4	93	MTP(F) MM	0,26	0,20					50,1	53,7					10.04.2019-12:59	butvinova
173773-4	94	MTP(F) MM	0,38	0,26					49,3	52,2					10.04.2019-12:59	butvinova
173773-4	95	MTP(F) MM	0,24	0,16					49,6	54,7					10.04.2019-12:59	butvinova
173773-4	96	MTP(F) MM	0,28	0,23					43,3	49,6					10.04.2019-12:59	butvinova

TEST REPORT

Internal order Nr.: **173773**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-AA0-90D/00/0038.60**

Customers PN: **RPC_C2**

Description: **06x MTP(F) - 144x LC/PC 144F OM4 PRETERM 38.6M FL06/FL16 PS**

Quantity: **4**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	144 LC MM		0,38														
	144 MTP(F) MM		0,48	0,40				20,0	20,0								
173773-4	97	MTP(F) MM	0,26	0,20				47,4	50,7						10.04.2019-13:04	butvinova	
173773-4	98	MTP(F) MM	0,29	0,14				41,2	44,5						10.04.2019-13:04	butvinova	
173773-4	99	MTP(F) MM	0,19	0,17				44,8	45,5						10.04.2019-13:04	butvinova	
173773-4	100	MTP(F) MM	0,42	0,35				42,4	47,1						10.04.2019-13:04	butvinova	
173773-4	101	MTP(F) MM	0,22	0,14				44,0	49,1						10.04.2019-13:04	butvinova	
173773-4	102	MTP(F) MM	0,17	0,11				44,6	50,6						10.04.2019-13:04	butvinova	
173773-4	103	MTP(F) MM	0,31	0,25				38,3	44,2						10.04.2019-13:04	butvinova	
173773-4	104	MTP(F) MM	0,35	0,26				34,5	39,8						10.04.2019-13:04	butvinova	
173773-4	105	MTP(F) MM	0,39	0,29				31,6	36,9						10.04.2019-13:04	butvinova	
173773-4	106	MTP(F) MM	0,23	0,16				34,6	40,3						10.04.2019-13:04	butvinova	
173773-4	107	MTP(F) MM	0,24	0,18				33,6	39,3						10.04.2019-13:04	butvinova	
173773-4	108	MTP(F) MM	0,19	0,11				28,5	33,1						10.04.2019-13:04	butvinova	
173773-4	109	MTP(F) MM	0,19	0,18				41,8	39,2						10.04.2019-13:04	butvinova	
173773-4	110	MTP(F) MM	0,22	0,16				49,0	52,5						10.04.2019-13:04	butvinova	
173773-4	111	MTP(F) MM	0,23	0,17				49,5	53,5						10.04.2019-13:04	butvinova	
173773-4	112	MTP(F) MM	0,26	0,22				49,5	53,0						10.04.2019-13:04	butvinova	
173773-4	113	MTP(F) MM	0,27	0,19				50,1	54,0						10.04.2019-13:04	butvinova	
173773-4	114	MTP(F) MM	0,21	0,15				41,4	40,3						10.04.2019-13:04	butvinova	
173773-4	115	MTP(F) MM	0,28	0,19				49,9	53,7						10.04.2019-13:04	butvinova	
173773-4	116	MTP(F) MM	0,39	0,29				50,6	53,7						10.04.2019-13:04	butvinova	
173773-4	117	MTP(F) MM	0,32	0,22				49,1	53,3						10.04.2019-13:04	butvinova	
173773-4	118	MTP(F) MM	0,22	0,14				49,4	52,1						10.04.2019-13:04	butvinova	
173773-4	119	MTP(F) MM	0,23	0,16				51,1	53,5						10.04.2019-13:04	butvinova	
173773-4	120	MTP(F) MM	0,32	0,28				50,4	55,0						10.04.2019-13:04	butvinova	
173773-4	121	MTP(F) MM	0,26	0,19				46,0	49,3						10.04.2019-13:08	butvinova	
173773-4	122	MTP(F) MM	0,36	0,23				41,0	44,6						10.04.2019-13:08	butvinova	
173773-4	123	MTP(F) MM	0,17	0,12				43,9	45,5						10.04.2019-13:08	butvinova	
173773-4	124	MTP(F) MM	0,30	0,27				42,6	46,8						10.04.2019-13:08	butvinova	
173773-4	125	MTP(F) MM	0,21	0,13				44,1	48,9						10.04.2019-13:08	butvinova	
173773-4	126	MTP(F) MM	0,22	0,18				45,0	50,3						10.04.2019-13:08	butvinova	
173773-4	127	MTP(F) MM	0,34	0,29				42,4	48,2						10.04.2019-13:08	butvinova	
173773-4	128	MTP(F) MM	0,34	0,27				41,2	46,8						10.04.2019-13:08	butvinova	
173773-4	129	MTP(F) MM	0,34	0,25				37,8	44,0						10.04.2019-13:08	butvinova	
173773-4	130	MTP(F) MM	0,30	0,21				40,9	47,3						10.04.2019-13:08	butvinova	
173773-4	131	MTP(F) MM	0,33	0,28				47,7	52,7						10.04.2019-13:08	butvinova	
173773-4	132	MTP(F) MM	0,23	0,17				41,1	46,8						10.04.2019-13:08	butvinova	
173773-4	133	MTP(F) MM	0,17	0,17				41,6	39,2						10.04.2019-13:08	butvinova	
173773-4	134	MTP(F) MM	0,17	0,13				47,9	52,1						10.04.2019-13:08	butvinova	
173773-4	135	MTP(F) MM	0,20	0,14				47,8	51,2						10.04.2019-13:08	butvinova	
173773-4	136	MTP(F) MM	0,26	0,22				47,6	51,2						10.04.2019-13:08	butvinova	
173773-4	137	MTP(F) MM	0,25	0,18				49,2	52,7						10.04.2019-13:08	butvinova	
173773-4	138	MTP(F) MM	0,17	0,12				41,4	40,3						10.04.2019-13:08	butvinova	
173773-4	139	MTP(F) MM	0,25	0,17				48,8	53,2						10.04.2019-13:08	butvinova	
173773-4	140	MTP(F) MM	0,35	0,27				48,8	52,8						10.04.2019-13:08	butvinova	
173773-4	141	MTP(F) MM	0,29	0,19				49,4	53,0						10.04.2019-13:08	butvinova	
173773-4	142	MTP(F) MM	0,25	0,16				49,5	53,5						10.04.2019-13:08	butvinova	
173773-4	143	MTP(F) MM	0,29	0,21				50,5	53,7						10.04.2019-13:08	butvinova	
173773-4	144	MTP(F) MM	0,24	0,19				50,0	53,8						10.04.2019-13:08	butvinova	