

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	1	LC MM	0,20												10.04.2019-07:49	belaiova
173774-1	2	LC MM	0,22												10.04.2019-07:49	belaiova
173774-1	3	LC MM	0,27												10.04.2019-07:49	belaiova
173774-1	4	LC MM	0,18												10.04.2019-07:49	belaiova
173774-1	5	LC MM	0,20												10.04.2019-07:49	belaiova
173774-1	6	LC MM	0,39												10.04.2019-07:49	belaiova
173774-1	7	LC MM	0,18												10.04.2019-07:49	belaiova
173774-1	8	LC MM	0,18												10.04.2019-07:49	belaiova
173774-1	9	LC MM	0,19												10.04.2019-07:49	belaiova
173774-1	10	LC MM	0,24												10.04.2019-07:49	belaiova
173774-1	11	LC MM	0,23												10.04.2019-07:49	belaiova
173774-1	12	LC MM	0,19												10.04.2019-07:49	belaiova
173774-1	13	LC MM	0,21												10.04.2019-08:07	belaiova
173774-1	14	LC MM	0,36												10.04.2019-08:07	belaiova
173774-1	15	LC MM	0,26												10.04.2019-08:07	belaiova
173774-1	16	LC MM	0,18												10.04.2019-08:07	belaiova
173774-1	17	LC MM	0,17												10.04.2019-08:07	belaiova
173774-1	18	LC MM	0,17												10.04.2019-08:07	belaiova
173774-1	19	LC MM	0,13												10.04.2019-08:07	belaiova
173774-1	20	LC MM	0,16												10.04.2019-08:07	belaiova
173774-1	21	LC MM	0,15												10.04.2019-08:07	belaiova
173774-1	22	LC MM	0,13												10.04.2019-08:07	belaiova
173774-1	23	LC MM	0,11												10.04.2019-08:07	belaiova
173774-1	24	LC MM	0,12												10.04.2019-08:07	belaiova
173774-1	25	LC MM	0,11												10.04.2019-08:08	belaiova
173774-1	26	LC MM	0,16												10.04.2019-08:08	belaiova
173774-1	27	LC MM	0,12												10.04.2019-08:08	belaiova
173774-1	28	LC MM	0,12												10.04.2019-08:08	belaiova
173774-1	29	LC MM	0,17												10.04.2019-08:08	belaiova
173774-1	30	LC MM	0,16												10.04.2019-08:08	belaiova
173774-1	31	LC MM	0,23												10.04.2019-08:08	belaiova
173774-1	32	LC MM	0,24												10.04.2019-08:08	belaiova
173774-1	33	LC MM	0,20												10.04.2019-08:08	belaiova
173774-1	34	LC MM	0,13												10.04.2019-08:08	belaiova
173774-1	35	LC MM	0,10												10.04.2019-08:08	belaiova
173774-1	36	LC MM	0,19												10.04.2019-08:08	belaiova
173774-1	37	LC MM	0,18												10.04.2019-08:09	belaiova
173774-1	38	LC MM	0,16												10.04.2019-08:09	belaiova
173774-1	39	LC MM	0,22												10.04.2019-08:09	belaiova
173774-1	40	LC MM	0,19												10.04.2019-08:09	belaiova
173774-1	41	LC MM	0,14												10.04.2019-08:09	belaiova
173774-1	42	LC MM	0,13												10.04.2019-08:09	belaiova
173774-1	43	LC MM	0,19												10.04.2019-08:09	belaiova
173774-1	44	LC MM	0,18												10.04.2019-08:09	belaiova
173774-1	45	LC MM	0,14												10.04.2019-08:09	belaiova
173774-1	46	LC MM	0,28												10.04.2019-08:09	belaiova
173774-1	47	LC MM	0,23												10.04.2019-08:09	belaiova
173774-1	48	LC MM	0,24												10.04.2019-08:09	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	49	LC MM	0,29												10.04.2019-07:50	belaiova
173774-1	50	LC MM	0,21												10.04.2019-07:50	belaiova
173774-1	51	LC MM	0,33												10.04.2019-07:50	belaiova
173774-1	52	LC MM	0,20												10.04.2019-07:50	belaiova
173774-1	53	LC MM	0,25												10.04.2019-07:50	belaiova
173774-1	54	LC MM	0,18												10.04.2019-07:50	belaiova
173774-1	55	LC MM	0,20												10.04.2019-07:50	belaiova
173774-1	56	LC MM	0,24												10.04.2019-07:50	belaiova
173774-1	57	LC MM	0,18												10.04.2019-07:50	belaiova
173774-1	58	LC MM	0,19												10.04.2019-07:50	belaiova
173774-1	59	LC MM	0,17												10.04.2019-07:50	belaiova
173774-1	60	LC MM	0,19												10.04.2019-07:50	belaiova
173774-1	61	LC MM	0,24												10.04.2019-07:52	belaiova
173774-1	62	LC MM	0,23												10.04.2019-07:52	belaiova
173774-1	63	LC MM	0,31												10.04.2019-07:52	belaiova
173774-1	64	LC MM	0,19												10.04.2019-07:52	belaiova
173774-1	65	LC MM	0,24												10.04.2019-07:52	belaiova
173774-1	66	LC MM	0,23												10.04.2019-07:52	belaiova
173774-1	67	LC MM	0,19												10.04.2019-07:52	belaiova
173774-1	68	LC MM	0,23												10.04.2019-07:52	belaiova
173774-1	69	LC MM	0,16												10.04.2019-07:52	belaiova
173774-1	70	LC MM	0,21												10.04.2019-07:52	belaiova
173774-1	71	LC MM	0,21												10.04.2019-07:52	belaiova
173774-1	72	LC MM	0,19												10.04.2019-07:52	belaiova
173774-1	73	LC MM	0,20												10.04.2019-07:54	belaiova
173774-1	74	LC MM	0,25												10.04.2019-07:54	belaiova
173774-1	75	LC MM	0,24												10.04.2019-07:54	belaiova
173774-1	76	LC MM	0,31												10.04.2019-07:54	belaiova
173774-1	77	LC MM	0,19												10.04.2019-07:54	belaiova
173774-1	78	LC MM	0,17												10.04.2019-07:54	belaiova
173774-1	79	LC MM	0,19												10.04.2019-07:54	belaiova
173774-1	80	LC MM	0,23												10.04.2019-07:54	belaiova
173774-1	81	LC MM	0,22												10.04.2019-07:54	belaiova
173774-1	82	LC MM	0,22												10.04.2019-07:54	belaiova
173774-1	83	LC MM	0,19												10.04.2019-07:54	belaiova
173774-1	84	LC MM	0,19												10.04.2019-07:54	belaiova
173774-1	85	LC MM	0,15												10.04.2019-07:56	belaiova
173774-1	86	LC MM	0,17												10.04.2019-07:56	belaiova
173774-1	87	LC MM	0,19												10.04.2019-07:56	belaiova
173774-1	88	LC MM	0,18												10.04.2019-07:56	belaiova
173774-1	89	LC MM	0,20												10.04.2019-07:56	belaiova
173774-1	90	LC MM	0,13												10.04.2019-07:56	belaiova
173774-1	91	LC MM	0,17												10.04.2019-07:56	belaiova
173774-1	92	LC MM	0,16												10.04.2019-07:56	belaiova
173774-1	93	LC MM	0,15												10.04.2019-07:56	belaiova
173774-1	94	LC MM	0,40												10.04.2019-07:56	belaiova
173774-1	95	LC MM	0,30												10.04.2019-07:56	belaiova
173774-1	96	LC MM	0,24												10.04.2019-07:56	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	97	LC MM													10.04.2019-07:58	belaiova
173774-1	98	LC MM													10.04.2019-07:58	belaiova
173774-1	99	LC MM													10.04.2019-07:58	belaiova
173774-1	100	LC MM													10.04.2019-07:58	belaiova
173774-1	101	LC MM													10.04.2019-07:58	belaiova
173774-1	102	LC MM													10.04.2019-07:58	belaiova
173774-1	103	LC MM													10.04.2019-07:58	belaiova
173774-1	104	LC MM													10.04.2019-07:58	belaiova
173774-1	105	LC MM													10.04.2019-07:58	belaiova
173774-1	106	LC MM													10.04.2019-07:58	belaiova
173774-1	107	LC MM													10.04.2019-07:58	belaiova
173774-1	108	LC MM													10.04.2019-07:58	belaiova
173774-1	109	LC MM													10.04.2019-07:59	belaiova
173774-1	110	LC MM													10.04.2019-07:59	belaiova
173774-1	111	LC MM													10.04.2019-07:59	belaiova
173774-1	112	LC MM													10.04.2019-07:59	belaiova
173774-1	113	LC MM													10.04.2019-07:59	belaiova
173774-1	114	LC MM													10.04.2019-07:59	belaiova
173774-1	115	LC MM													10.04.2019-07:59	belaiova
173774-1	116	LC MM													10.04.2019-07:59	belaiova
173774-1	117	LC MM													10.04.2019-07:59	belaiova
173774-1	118	LC MM													10.04.2019-07:59	belaiova
173774-1	119	LC MM													10.04.2019-07:59	belaiova
173774-1	120	LC MM													10.04.2019-07:59	belaiova
173774-1	121	LC MM													10.04.2019-08:01	belaiova
173774-1	122	LC MM													10.04.2019-08:01	belaiova
173774-1	123	LC MM													10.04.2019-08:01	belaiova
173774-1	124	LC MM													10.04.2019-08:01	belaiova
173774-1	125	LC MM													10.04.2019-08:01	belaiova
173774-1	126	LC MM													10.04.2019-08:01	belaiova
173774-1	127	LC MM													10.04.2019-08:01	belaiova
173774-1	128	LC MM													10.04.2019-08:01	belaiova
173774-1	129	LC MM													10.04.2019-08:01	belaiova
173774-1	130	LC MM													10.04.2019-08:01	belaiova
173774-1	131	LC MM													10.04.2019-08:01	belaiova
173774-1	132	LC MM													10.04.2019-08:01	belaiova
173774-1	133	LC MM													10.04.2019-08:05	belaiova
173774-1	134	LC MM													10.04.2019-08:05	belaiova
173774-1	135	LC MM													10.04.2019-08:05	belaiova
173774-1	136	LC MM													10.04.2019-08:05	belaiova
173774-1	137	LC MM													10.04.2019-08:05	belaiova
173774-1	138	LC MM													10.04.2019-08:05	belaiova
173774-1	139	LC MM													10.04.2019-08:05	belaiova
173774-1	140	LC MM													10.04.2019-08:05	belaiova
173774-1	141	LC MM													10.04.2019-08:05	belaiova
173774-1	142	LC MM													10.04.2019-08:05	belaiova
173774-1	143	LC MM													10.04.2019-08:05	belaiova
173774-1	144	LC MM													10.04.2019-08:05	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	1	MTP(M) MM	0,09	0,39					41,5	33,1					10.04.2019-09:59	racova
173774-1	2	MTP(M) MM	0,16	0,04					37,3	40,0					10.04.2019-09:59	racova
173774-1	3	MTP(M) MM	0,24	0,29					44,2	45,5					10.04.2019-09:59	racova
173774-1	4	MTP(M) MM	0,04	0,01					47,5	51,3					10.04.2019-09:59	racova
173774-1	5	MTP(M) MM	0,16	0,09					48,9	52,4					10.04.2019-09:59	racova
173774-1	6	MTP(M) MM	0,15	0,08					46,7	51,7					10.04.2019-09:59	racova
173774-1	7	MTP(M) MM	0,18	0,11					48,5	52,0					10.04.2019-09:59	racova
173774-1	8	MTP(M) MM	0,19	0,12					47,3	51,7					10.04.2019-09:59	racova
173774-1	9	MTP(M) MM	0,15	0,10					46,0	51,6					10.04.2019-09:59	racova
173774-1	10	MTP(M) MM	0,17	0,08					43,8	50,2					10.04.2019-09:59	racova
173774-1	11	MTP(M) MM	0,16	0,08					46,9	51,4					10.04.2019-09:59	racova
173774-1	12	MTP(M) MM	0,21	0,14					41,7	48,6					10.04.2019-09:59	racova
173774-1	13	MTP(M) MM	0,14	0,25					39,8	37,2					10.04.2019-09:59	racova
173774-1	14	MTP(M) MM	0,07	0,06					46,7	50,2					10.04.2019-09:59	racova
173774-1	15	MTP(M) MM	0,19	0,12					48,1	52,0					10.04.2019-09:59	racova
173774-1	16	MTP(M) MM	0,29	0,21					47,7	52,4					10.04.2019-09:59	racova
173774-1	17	MTP(M) MM	0,21	0,16					48,5	52,7					10.04.2019-09:59	racova
173774-1	18	MTP(M) MM	0,25	0,16					48,2	52,3					10.04.2019-09:59	racova
173774-1	19	MTP(M) MM	0,25	0,19					47,8	51,5					10.04.2019-09:59	racova
173774-1	20	MTP(M) MM	0,34	0,29					47,9	52,8					10.04.2019-09:59	racova
173774-1	21	MTP(M) MM	0,34	0,27					47,3	52,2					10.04.2019-09:59	racova
173774-1	22	MTP(M) MM	0,19	0,14					47,0	51,7					10.04.2019-09:59	racova
173774-1	23	MTP(M) MM	0,33	0,28					47,4	52,0					10.04.2019-09:59	racova
173774-1	24	MTP(M) MM	0,51	0,39					34,5	41,9					10.04.2019-09:59	racova
173774-1	25	MTP(M) MM	0,11	0,39					41,0	33,1					10.04.2019-10:07	racova
173774-1	26	MTP(M) MM	0,15	0,05					37,5	40,1					10.04.2019-10:07	racova
173774-1	27	MTP(M) MM	0,01	0,04					45,1	46,7					10.04.2019-10:07	racova
173774-1	28	MTP(M) MM	0,22	0,18					47,5	51,9					10.04.2019-10:07	racova
173774-1	29	MTP(M) MM	0,29	0,23					47,9	51,0					10.04.2019-10:07	racova
173774-1	30	MTP(M) MM	0,23	0,16					47,0	51,9					10.04.2019-10:07	racova
173774-1	31	MTP(M) MM	0,23	0,19					47,5	52,7					10.04.2019-10:07	racova
173774-1	32	MTP(M) MM	0,20	0,12					45,6	52,4					10.04.2019-10:07	racova
173774-1	33	MTP(M) MM	0,35	0,31					40,2	46,7					10.04.2019-10:07	racova
173774-1	34	MTP(M) MM	0,35	0,31					33,5	40,0					10.04.2019-10:07	racova
173774-1	35	MTP(M) MM	0,23	0,17					39,4	47,2					10.04.2019-10:07	racova
173774-1	36	MTP(M) MM	0,23	0,13					36,1	43,0					10.04.2019-10:07	racova
173774-1	37	MTP(M) MM	0,12	0,27					39,4	37,3					10.04.2019-10:07	racova
173774-1	38	MTP(M) MM	0,05	0,05					46,4	49,6					10.04.2019-10:07	racova
173774-1	39	MTP(M) MM	0,17	0,10					47,6	52,0					10.04.2019-10:07	racova
173774-1	40	MTP(M) MM	0,22	0,15					47,6	50,9					10.04.2019-10:07	racova
173774-1	41	MTP(M) MM	0,22	0,15					48,8	52,9					10.04.2019-10:07	racova
173774-1	42	MTP(M) MM	0,27	0,22					48,3	52,1					10.04.2019-10:07	racova
173774-1	43	MTP(M) MM	0,22	0,17					47,8	53,0					10.04.2019-10:07	racova
173774-1	44	MTP(M) MM	0,34	0,28					48,1	51,8					10.04.2019-10:07	racova
173774-1	45	MTP(M) MM	0,28	0,19					47,9	51,7					10.04.2019-10:07	racova
173774-1	46	MTP(M) MM	0,23	0,20					48,1	52,1					10.04.2019-10:07	racova
173774-1	47	MTP(M) MM	0,35	0,30					47,0	51,5					10.04.2019-10:07	racova
173774-1	48	MTP(M) MM	0,48	0,38					48,1	51,8					10.04.2019-10:07	racova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	49	MTP(M) MM	0,08	0,05					38,7	39,8					10.04.2019-10:32	racova
173774-1	50	MTP(M) MM	0,15	0,09					43,3	48,9					10.04.2019-10:32	racova
173774-1	51	MTP(M) MM	0,32	0,24					39,0	45,0					10.04.2019-10:32	racova
173774-1	52	MTP(M) MM	0,20	0,16					43,7	47,5					10.04.2019-10:32	racova
173774-1	53	MTP(M) MM	0,48	0,40					30,5	37,0					10.04.2019-10:32	racova
173774-1	54	MTP(M) MM	0,21	0,16					40,6	46,9					10.04.2019-10:32	racova
173774-1	55	MTP(M) MM	0,26	0,20					40,3	44,6					10.04.2019-10:32	racova
173774-1	56	MTP(M) MM	0,12	0,06					41,8	44,6					10.04.2019-10:32	racova
173774-1	57	MTP(M) MM	0,26	0,23					44,2	46,9					10.04.2019-10:32	racova
173774-1	58	MTP(M) MM	0,47	0,39					47,0	50,7					10.04.2019-10:32	racova
173774-1	59	MTP(M) MM	0,27	0,17					48,5	52,7					10.04.2019-10:32	racova
173774-1	60	MTP(M) MM	0,30	0,22					47,0	50,1					10.04.2019-10:32	racova
173774-1	61	MTP(M) MM	0,21	0,16					44,9	47,5					10.04.2019-10:32	racova
173774-1	62	MTP(M) MM	0,26	0,20					47,9	51,7					10.04.2019-10:32	racova
173774-1	63	MTP(M) MM	0,25	0,21					47,8	52,4					10.04.2019-10:32	racova
173774-1	64	MTP(M) MM	0,29	0,21					47,5	52,3					10.04.2019-10:32	racova
173774-1	65	MTP(M) MM	0,17	0,10					48,0	52,9					10.04.2019-10:32	racova
173774-1	66	MTP(M) MM	0,28	0,22					49,1	53,4					10.04.2019-10:32	racova
173774-1	67	MTP(M) MM	0,27	0,22					48,5	53,3					10.04.2019-10:32	racova
173774-1	68	MTP(M) MM	0,29	0,20					48,1	53,4					10.04.2019-10:32	racova
173774-1	69	MTP(M) MM	0,25	0,16					49,1	52,2					10.04.2019-10:32	racova
173774-1	70	MTP(M) MM	0,24	0,18					49,3	52,0					10.04.2019-10:32	racova
173774-1	71	MTP(M) MM	0,18	0,11					48,0	52,5					10.04.2019-10:32	racova
173774-1	72	MTP(M) MM	0,30	0,22					47,6	52,1					10.04.2019-10:32	racova
173774-1	73	MTP(M) MM	0,18	0,14					26,4	30,4					10.04.2019-10:45	racova
173774-1	74	MTP(M) MM	0,21	0,15					37,7	44,6					10.04.2019-10:45	racova
173774-1	75	MTP(M) MM	0,28	0,19					32,0	37,5					10.04.2019-10:45	racova
173774-1	76	MTP(M) MM	0,14	0,06					30,7	37,3					10.04.2019-10:45	racova
173774-1	77	MTP(M) MM	0,41	0,32					29,4	35,2					10.04.2019-10:45	racova
173774-1	78	MTP(M) MM	0,18	0,10					38,3	44,4					10.04.2019-10:45	racova
173774-1	79	MTP(M) MM	0,23	0,17					39,2	43,8					10.04.2019-10:45	racova
173774-1	80	MTP(M) MM	0,22	0,15					40,5	44,0					10.04.2019-10:45	racova
173774-1	81	MTP(M) MM	0,23	0,19					42,5	47,0					10.04.2019-10:45	racova
173774-1	82	MTP(M) MM	0,30	0,22					25,9	31,5					10.04.2019-10:45	racova
173774-1	83	MTP(M) MM	0,21	0,13					48,0	52,3					10.04.2019-10:45	racova
173774-1	84	MTP(M) MM	0,34	0,26					46,6	50,0					10.04.2019-10:45	racova
173774-1	85	MTP(M) MM	0,19	0,13					44,6	48,5					10.04.2019-10:45	racova
173774-1	86	MTP(M) MM	0,19	0,13					47,8	51,6					10.04.2019-10:45	racova
173774-1	87	MTP(M) MM	0,25	0,16					48,0	52,5					10.04.2019-10:45	racova
173774-1	88	MTP(M) MM	0,38	0,26					47,2	51,5					10.04.2019-10:45	racova
173774-1	89	MTP(M) MM	0,17	0,09					48,7	52,9					10.04.2019-10:45	racova
173774-1	90	MTP(M) MM	0,16	0,11					49,0	52,5					10.04.2019-10:45	racova
173774-1	91	MTP(M) MM	0,20	0,15					49,0	52,6					10.04.2019-10:45	racova
173774-1	92	MTP(M) MM	0,28	0,22					48,1	52,3					10.04.2019-10:45	racova
173774-1	93	MTP(M) MM	0,28	0,22					47,5	51,7					10.04.2019-10:45	racova
173774-1	94	MTP(M) MM	0,32	0,25					48,3	52,0					10.04.2019-10:45	racova
173774-1	95	MTP(M) MM	0,31	0,22					46,3	50,6					10.04.2019-10:45	racova
173774-1	96	MTP(M) MM	0,25	0,19					47,9	51,6					10.04.2019-10:45	racova

TEST REPORT

Internal order Nr.: **173774**

Customers PO: **CA7647404**

Order Nr.: **71435**

Ordered by: Accounts Payable Service, FP Department, CERN

Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-1	97	MTP(M) MM	0,12	0,11					40,0	40,3					10.04.2019-10:54	racova
173774-1	98	MTP(M) MM	0,32	0,24					48,3	52,1					10.04.2019-10:54	racova
173774-1	99	MTP(M) MM	0,20	0,16					47,0	49,9					10.04.2019-10:54	racova
173774-1	100	MTP(M) MM	0,34	0,28					45,8	48,2					10.04.2019-10:54	racova
173774-1	101	MTP(M) MM	0,48	0,40					47,4	50,9					10.04.2019-10:54	racova
173774-1	102	MTP(M) MM	0,31	0,24					47,2	49,5					10.04.2019-10:54	racova
173774-1	103	MTP(M) MM	0,39	0,33					44,5	46,2					10.04.2019-10:54	racova
173774-1	104	MTP(M) MM	0,27	0,20					44,4	45,4					10.04.2019-10:54	racova
173774-1	105	MTP(M) MM	0,28	0,23					45,3	47,2					10.04.2019-10:54	racova
173774-1	106	MTP(M) MM	0,21	0,14					47,2	51,6					10.04.2019-10:54	racova
173774-1	107	MTP(M) MM	0,17	0,10					46,8	52,1					10.04.2019-10:54	racova
173774-1	108	MTP(M) MM	0,24	0,16					46,3	50,0					10.04.2019-10:54	racova
173774-1	109	MTP(M) MM	0,17	0,10					45,1	48,1					10.04.2019-10:54	racova
173774-1	110	MTP(M) MM	0,27	0,21					46,8	51,3					10.04.2019-10:54	racova
173774-1	111	MTP(M) MM	0,19	0,12					48,1	51,7					10.04.2019-10:54	racova
173774-1	112	MTP(M) MM	0,19	0,12					48,8	52,0					10.04.2019-10:54	racova
173774-1	113	MTP(M) MM	0,16	0,07					47,9	52,0					10.04.2019-10:54	racova
173774-1	114	MTP(M) MM	0,20	0,12					48,3	52,9					10.04.2019-10:54	racova
173774-1	115	MTP(M) MM	0,23	0,15					47,7	52,9					10.04.2019-10:54	racova
173774-1	116	MTP(M) MM	0,29	0,21					47,9	53,5					10.04.2019-10:54	racova
173774-1	117	MTP(M) MM	0,28	0,18					47,8	51,7					10.04.2019-10:54	racova
173774-1	118	MTP(M) MM	0,20	0,12					48,5	51,4					10.04.2019-10:54	racova
173774-1	119	MTP(M) MM	0,25	0,19					47,1	51,3					10.04.2019-10:54	racova
173774-1	120	MTP(M) MM	0,18	0,14					48,0	52,7					10.04.2019-10:54	racova
173774-1	121	MTP(M) MM	0,23	0,22					39,9	40,4					10.04.2019-11:01	racova
173774-1	122	MTP(M) MM	0,24	0,20					47,7	51,9					10.04.2019-11:01	racova
173774-1	123	MTP(M) MM	0,31	0,24					44,3	49,4					10.04.2019-11:01	racova
173774-1	124	MTP(M) MM	0,14	0,08					42,2	46,4					10.04.2019-11:01	racova
173774-1	125	MTP(M) MM	0,48	0,37					25,4	28,0					10.04.2019-11:01	racova
173774-1	126	MTP(M) MM	0,23	0,17					39,0	44,4					10.04.2019-11:01	racova
173774-1	127	MTP(M) MM	0,31	0,24					35,6	40,8					10.04.2019-11:01	racova
173774-1	128	MTP(M) MM	0,19	0,13					32,6	38,2					10.04.2019-11:01	racova
173774-1	129	MTP(M) MM	0,19	0,13					34,4	40,3					10.04.2019-11:01	racova
173774-1	130	MTP(M) MM	0,31	0,25					35,6	42,3					10.04.2019-11:01	racova
173774-1	131	MTP(M) MM	0,37	0,32					35,5	41,6					10.04.2019-11:01	racova
173774-1	132	MTP(M) MM	0,29	0,23					31,6	37,3					10.04.2019-11:01	racova
173774-1	133	MTP(M) MM	0,16	0,10					44,5	47,7					10.04.2019-11:01	racova
173774-1	134	MTP(M) MM	0,30	0,25					47,8	50,7					10.04.2019-11:01	racova
173774-1	135	MTP(M) MM	0,19	0,14					47,6	52,2					10.04.2019-11:01	racova
173774-1	136	MTP(M) MM	0,18	0,12					47,0	51,3					10.04.2019-11:01	racova
173774-1	137	MTP(M) MM	0,18	0,10					48,0	51,0					10.04.2019-11:01	racova
173774-1	138	MTP(M) MM	0,19	0,13					48,0	52,3					10.04.2019-11:01	racova
173774-1	139	MTP(M) MM	0,26	0,20					49,0	51,8					10.04.2019-11:01	racova
173774-1	140	MTP(M) MM	0,27	0,20					47,5	51,6					10.04.2019-11:01	racova
173774-1	141	MTP(M) MM	0,20	0,11					47,9	51,7					10.04.2019-11:01	racova
173774-1	142	MTP(M) MM	0,21	0,15					48,1	51,1					10.04.2019-11:01	racova
173774-1	143	MTP(M) MM	0,26	0,20					46,0	50,9					10.04.2019-11:01	racova
173774-1	144	MTP(M) MM	0,11	0,05					47,4	51,9					10.04.2019-11:01	racova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	1	LC MM	0,43												10.04.2019-07:20	belaiova
173774-2	2	LC MM	0,16												10.04.2019-07:20	belaiova
173774-2	3	LC MM	0,29												10.04.2019-07:20	belaiova
173774-2	4	LC MM	0,22												10.04.2019-07:20	belaiova
173774-2	5	LC MM	0,19												10.04.2019-07:20	belaiova
173774-2	6	LC MM	0,15												10.04.2019-07:20	belaiova
173774-2	7	LC MM	0,16												10.04.2019-07:20	belaiova
173774-2	8	LC MM	0,19												10.04.2019-07:20	belaiova
173774-2	9	LC MM	0,19												10.04.2019-07:20	belaiova
173774-2	10	LC MM	0,23												10.04.2019-07:20	belaiova
173774-2	11	LC MM	0,16												10.04.2019-07:20	belaiova
173774-2	12	LC MM	0,14												10.04.2019-07:20	belaiova
173774-2	13	LC MM	0,22												10.04.2019-07:18	belaiova
173774-2	14	LC MM	0,20												10.04.2019-07:18	belaiova
173774-2	15	LC MM	0,19												10.04.2019-07:18	belaiova
173774-2	16	LC MM	0,23												10.04.2019-07:18	belaiova
173774-2	17	LC MM	0,18												10.04.2019-07:18	belaiova
173774-2	18	LC MM	0,20												10.04.2019-07:18	belaiova
173774-2	19	LC MM	0,22												10.04.2019-07:18	belaiova
173774-2	20	LC MM	0,20												10.04.2019-07:18	belaiova
173774-2	21	LC MM	0,31												10.04.2019-07:18	belaiova
173774-2	22	LC MM	0,17												10.04.2019-07:18	belaiova
173774-2	23	LC MM	0,24												10.04.2019-07:18	belaiova
173774-2	24	LC MM	0,23												10.04.2019-07:18	belaiova
173774-2	25	LC MM	0,20												10.04.2019-07:21	belaiova
173774-2	26	LC MM	0,20												10.04.2019-07:21	belaiova
173774-2	27	LC MM	0,18												10.04.2019-07:21	belaiova
173774-2	28	LC MM	0,18												10.04.2019-07:21	belaiova
173774-2	29	LC MM	0,17												10.04.2019-07:21	belaiova
173774-2	30	LC MM	0,23												10.04.2019-07:21	belaiova
173774-2	31	LC MM	0,20												10.04.2019-07:21	belaiova
173774-2	32	LC MM	0,18												10.04.2019-07:21	belaiova
173774-2	33	LC MM	0,30												10.04.2019-07:21	belaiova
173774-2	34	LC MM	0,17												10.04.2019-07:21	belaiova
173774-2	35	LC MM	0,23												10.04.2019-07:21	belaiova
173774-2	36	LC MM	0,19												10.04.2019-07:21	belaiova
173774-2	37	LC MM	0,19												10.04.2019-07:16	belaiova
173774-2	38	LC MM	0,22												10.04.2019-07:16	belaiova
173774-2	39	LC MM	0,17												10.04.2019-07:16	belaiova
173774-2	40	LC MM	0,20												10.04.2019-07:16	belaiova
173774-2	41	LC MM	0,22												10.04.2019-07:16	belaiova
173774-2	42	LC MM	0,17												10.04.2019-07:16	belaiova
173774-2	43	LC MM	0,23												10.04.2019-07:16	belaiova
173774-2	44	LC MM	0,31												10.04.2019-07:16	belaiova
173774-2	45	LC MM	0,19												10.04.2019-07:16	belaiova
173774-2	46	LC MM	0,22												10.04.2019-07:16	belaiova
173774-2	47	LC MM	0,22												10.04.2019-07:16	belaiova
173774-2	48	LC MM	0,16												10.04.2019-07:16	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	49	LC MM	0,14												10.04.2019-07:30	belaiova
173774-2	50	LC MM	0,14												10.04.2019-07:30	belaiova
173774-2	51	LC MM	0,26												10.04.2019-07:30	belaiova
173774-2	52	LC MM	0,15												10.04.2019-07:30	belaiova
173774-2	53	LC MM	0,21												10.04.2019-07:30	belaiova
173774-2	54	LC MM	0,17												10.04.2019-07:30	belaiova
173774-2	55	LC MM	0,16												10.04.2019-07:30	belaiova
173774-2	56	LC MM	0,22												10.04.2019-07:30	belaiova
173774-2	57	LC MM	0,20												10.04.2019-07:30	belaiova
173774-2	58	LC MM	0,15												10.04.2019-07:30	belaiova
173774-2	59	LC MM	0,15												10.04.2019-07:30	belaiova
173774-2	60	LC MM	0,16												10.04.2019-07:30	belaiova
173774-2	61	LC MM	0,13												10.04.2019-07:40	belaiova
173774-2	62	LC MM	0,19												10.04.2019-07:40	belaiova
173774-2	63	LC MM	0,17												10.04.2019-07:40	belaiova
173774-2	64	LC MM	0,18												10.04.2019-07:40	belaiova
173774-2	65	LC MM	0,20												10.04.2019-07:40	belaiova
173774-2	66	LC MM	0,21												10.04.2019-07:40	belaiova
173774-2	67	LC MM	0,26												10.04.2019-07:40	belaiova
173774-2	68	LC MM	0,30												10.04.2019-07:40	belaiova
173774-2	69	LC MM	0,27												10.04.2019-07:40	belaiova
173774-2	70	LC MM	0,14												10.04.2019-07:40	belaiova
173774-2	71	LC MM	0,15												10.04.2019-07:40	belaiova
173774-2	72	LC MM	0,19												10.04.2019-07:40	belaiova
173774-2	73	LC MM	0,18												10.04.2019-07:43	belaiova
173774-2	74	LC MM	0,30												10.04.2019-07:43	belaiova
173774-2	75	LC MM	0,26												10.04.2019-07:43	belaiova
173774-2	76	LC MM	0,17												10.04.2019-07:43	belaiova
173774-2	77	LC MM	0,17												10.04.2019-07:43	belaiova
173774-2	78	LC MM	0,17												10.04.2019-07:43	belaiova
173774-2	79	LC MM	0,32												10.04.2019-07:43	belaiova
173774-2	80	LC MM	0,18												10.04.2019-07:43	belaiova
173774-2	81	LC MM	0,18												10.04.2019-07:43	belaiova
173774-2	82	LC MM	0,19												10.04.2019-07:43	belaiova
173774-2	83	LC MM	0,30												10.04.2019-07:43	belaiova
173774-2	84	LC MM	0,19												10.04.2019-07:43	belaiova
173774-2	85	LC MM	0,19												10.04.2019-07:23	belaiova
173774-2	86	LC MM	0,20												10.04.2019-07:23	belaiova
173774-2	87	LC MM	0,20												10.04.2019-07:23	belaiova
173774-2	88	LC MM	0,22												10.04.2019-07:23	belaiova
173774-2	89	LC MM	0,25												10.04.2019-07:23	belaiova
173774-2	90	LC MM	0,25												10.04.2019-07:23	belaiova
173774-2	91	LC MM	0,15												10.04.2019-07:23	belaiova
173774-2	92	LC MM	0,20												10.04.2019-07:23	belaiova
173774-2	93	LC MM	0,18												10.04.2019-07:23	belaiova
173774-2	94	LC MM	0,19												10.04.2019-07:23	belaiova
173774-2	95	LC MM	0,19												10.04.2019-07:23	belaiova
173774-2	96	LC MM	0,22												10.04.2019-07:23	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	97	LC MM													0,15	10.04.2019-07:25	belaiova
173774-2	98	LC MM													0,27	10.04.2019-07:25	belaiova
173774-2	99	LC MM													0,15	10.04.2019-07:25	belaiova
173774-2	100	LC MM													0,21	10.04.2019-07:25	belaiova
173774-2	101	LC MM													0,17	10.04.2019-07:25	belaiova
173774-2	102	LC MM													0,20	10.04.2019-07:25	belaiova
173774-2	103	LC MM													0,18	10.04.2019-07:25	belaiova
173774-2	104	LC MM													0,16	10.04.2019-07:25	belaiova
173774-2	105	LC MM													0,12	10.04.2019-07:25	belaiova
173774-2	106	LC MM													0,29	10.04.2019-07:25	belaiova
173774-2	107	LC MM													0,14	10.04.2019-07:25	belaiova
173774-2	108	LC MM													0,17	10.04.2019-07:25	belaiova
173774-2	109	LC MM													0,21	10.04.2019-07:26	belaiova
173774-2	110	LC MM													0,16	10.04.2019-07:26	belaiova
173774-2	111	LC MM													0,15	10.04.2019-07:26	belaiova
173774-2	112	LC MM													0,33	10.04.2019-07:26	belaiova
173774-2	113	LC MM													0,14	10.04.2019-07:26	belaiova
173774-2	114	LC MM													0,24	10.04.2019-07:26	belaiova
173774-2	115	LC MM													0,28	10.04.2019-07:26	belaiova
173774-2	116	LC MM													0,19	10.04.2019-07:26	belaiova
173774-2	117	LC MM													0,17	10.04.2019-07:26	belaiova
173774-2	118	LC MM													0,18	10.04.2019-07:26	belaiova
173774-2	119	LC MM													0,29	10.04.2019-07:26	belaiova
173774-2	120	LC MM													0,17	10.04.2019-07:26	belaiova
173774-2	121	LC MM													0,15	10.04.2019-07:27	belaiova
173774-2	122	LC MM													0,16	10.04.2019-07:27	belaiova
173774-2	123	LC MM													0,20	10.04.2019-07:27	belaiova
173774-2	124	LC MM													0,17	10.04.2019-07:27	belaiova
173774-2	125	LC MM													0,15	10.04.2019-07:27	belaiova
173774-2	126	LC MM													0,30	10.04.2019-07:27	belaiova
173774-2	127	LC MM													0,39	10.04.2019-07:27	belaiova
173774-2	128	LC MM													0,14	10.04.2019-07:27	belaiova
173774-2	129	LC MM													0,19	10.04.2019-07:27	belaiova
173774-2	130	LC MM													0,29	10.04.2019-07:27	belaiova
173774-2	131	LC MM													0,17	10.04.2019-07:27	belaiova
173774-2	132	LC MM													0,18	10.04.2019-07:27	belaiova
173774-2	133	LC MM													0,16	10.04.2019-07:29	belaiova
173774-2	134	LC MM													0,17	10.04.2019-07:29	belaiova
173774-2	135	LC MM													0,15	10.04.2019-07:29	belaiova
173774-2	136	LC MM													0,14	10.04.2019-07:29	belaiova
173774-2	137	LC MM													0,19	10.04.2019-07:29	belaiova
173774-2	138	LC MM													0,20	10.04.2019-07:29	belaiova
173774-2	139	LC MM													0,15	10.04.2019-07:29	belaiova
173774-2	140	LC MM													0,20	10.04.2019-07:29	belaiova
173774-2	141	LC MM													0,13	10.04.2019-07:29	belaiova
173774-2	142	LC MM													0,24	10.04.2019-07:29	belaiova
173774-2	143	LC MM													0,26	10.04.2019-07:29	belaiova
173774-2	144	LC MM													0,17	10.04.2019-07:29	belaiova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	1	MTP(M) MM	0,28	0,14					46,3	51,5					10.04.2019-09:55	butvinova
173774-2	2	MTP(M) MM	0,26	0,16					50,1	54,6					10.04.2019-09:55	butvinova
173774-2	3	MTP(M) MM	0,29	0,19					49,1	53,1					10.04.2019-09:55	butvinova
173774-2	4	MTP(M) MM	0,22	0,12					49,1	53,7					10.04.2019-09:55	butvinova
173774-2	5	MTP(M) MM	0,22	0,12					50,9	54,5					10.04.2019-09:55	butvinova
173774-2	6	MTP(M) MM	0,22	0,13					49,7	54,7					10.04.2019-09:55	butvinova
173774-2	7	MTP(M) MM	0,35	0,25					50,4	53,9					10.04.2019-09:55	butvinova
173774-2	8	MTP(M) MM	0,41	0,30					50,6	53,3					10.04.2019-09:55	butvinova
173774-2	9	MTP(M) MM	0,30	0,19					50,7	55,0					10.04.2019-09:55	butvinova
173774-2	10	MTP(M) MM	0,31	0,17					49,9	54,2					10.04.2019-09:55	butvinova
173774-2	11	MTP(M) MM	0,21	0,13					50,2	53,8					10.04.2019-09:55	butvinova
173774-2	12	MTP(M) MM	0,20	0,11					49,9	54,3					10.04.2019-09:55	butvinova
173774-2	13	MTP(M) MM	0,21	0,13					46,4	49,6					10.04.2019-09:55	butvinova
173774-2	14	MTP(M) MM	0,17	0,09					50,1	53,9					10.04.2019-09:55	butvinova
173774-2	15	MTP(M) MM	0,24	0,15					49,6	52,4					10.04.2019-09:55	butvinova
173774-2	16	MTP(M) MM	0,28	0,14					43,8	45,3					10.04.2019-09:55	butvinova
173774-2	17	MTP(M) MM	0,25	0,18					47,8	52,6					10.04.2019-09:55	butvinova
173774-2	18	MTP(M) MM	0,20	0,12					41,2	40,5					10.04.2019-09:55	butvinova
173774-2	19	MTP(M) MM	0,24	0,15					49,9	52,8					10.04.2019-09:55	butvinova
173774-2	20	MTP(M) MM	0,32	0,22					49,8	52,4					10.04.2019-09:55	butvinova
173774-2	21	MTP(M) MM	0,37	0,26					48,8	52,6					10.04.2019-09:55	butvinova
173774-2	22	MTP(M) MM	0,30	0,19					49,5	52,1					10.04.2019-09:55	butvinova
173774-2	23	MTP(M) MM	0,31	0,21					49,0	53,3					10.04.2019-09:55	butvinova
173774-2	24	MTP(M) MM	0,25	0,18					46,0	49,0					10.04.2019-09:55	butvinova
173774-2	25	MTP(M) MM	0,25	0,15					40,6	47,2					10.04.2019-10:00	butvinova
173774-2	26	MTP(M) MM	0,26	0,15					50,0	53,8					10.04.2019-10:00	butvinova
173774-2	27	MTP(M) MM	0,34	0,24					49,0	52,8					10.04.2019-10:00	butvinova
173774-2	28	MTP(M) MM	0,48	0,34					50,9	54,3					10.04.2019-10:00	butvinova
173774-2	29	MTP(M) MM	0,26	0,16					49,7	52,8					10.04.2019-10:00	butvinova
173774-2	30	MTP(M) MM	0,28	0,19					50,7	53,8					10.04.2019-10:00	butvinova
173774-2	31	MTP(M) MM	0,43	0,35					49,0	53,2					10.04.2019-10:00	butvinova
173774-2	32	MTP(M) MM	0,40	0,28					49,4	53,2					10.04.2019-10:00	butvinova
173774-2	33	MTP(M) MM	0,40	0,27					49,9	53,5					10.04.2019-10:00	butvinova
173774-2	34	MTP(M) MM	0,45	0,34					50,5	54,3					10.04.2019-10:00	butvinova
173774-2	35	MTP(M) MM	0,30	0,22					49,5	52,6					10.04.2019-10:00	butvinova
173774-2	36	MTP(M) MM	0,23	0,11					49,8	53,5					10.04.2019-10:00	butvinova
173774-2	37	MTP(M) MM	0,22	0,15					47,1	50,1					10.04.2019-10:00	butvinova
173774-2	38	MTP(M) MM	0,18	0,10					48,3	52,3					10.04.2019-10:00	butvinova
173774-2	39	MTP(M) MM	0,26	0,16					48,5	52,1					10.04.2019-10:00	butvinova
173774-2	40	MTP(M) MM	0,37	0,22					42,8	45,2					10.04.2019-10:00	butvinova
173774-2	41	MTP(M) MM	0,31	0,22					48,1	52,8					10.04.2019-10:00	butvinova
173774-2	42	MTP(M) MM	0,35	0,29					41,6	40,4					10.04.2019-10:00	butvinova
173774-2	43	MTP(M) MM	0,27	0,17					49,6	53,6					10.04.2019-10:00	butvinova
173774-2	44	MTP(M) MM	0,42	0,30					49,5	52,5					10.04.2019-10:00	butvinova
173774-2	45	MTP(M) MM	0,27	0,17					48,0	51,7					10.04.2019-10:00	butvinova
173774-2	46	MTP(M) MM	0,34	0,22					48,5	52,1					10.04.2019-10:00	butvinova
173774-2	47	MTP(M) MM	0,37	0,27					49,0	51,6					10.04.2019-10:00	butvinova
173774-2	48	MTP(M) MM	0,21	0,16					46,6	49,0					10.04.2019-10:00	butvinova

TEST REPORT

Internal order Nr.: **173774**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	49	MTP(M) MM	0,24	0,13					31,4	36,8					10.04.2019-10:05	butvinova
173774-2	50	MTP(M) MM	0,25	0,15					49,9	54,4					10.04.2019-10:05	butvinova
173774-2	51	MTP(M) MM	0,43	0,30					48,9	52,7					10.04.2019-10:05	butvinova
173774-2	52	MTP(M) MM	0,37	0,27					48,2	53,5					10.04.2019-10:05	butvinova
173774-2	53	MTP(M) MM	0,28	0,17					49,9	54,5					10.04.2019-10:05	butvinova
173774-2	54	MTP(M) MM	0,31	0,24					50,1	55,2					10.04.2019-10:05	butvinova
173774-2	55	MTP(M) MM	0,43	0,34					43,6	50,4					10.04.2019-10:05	butvinova
173774-2	56	MTP(M) MM	0,34	0,24					46,9	53,1					10.04.2019-10:05	butvinova
173774-2	57	MTP(M) MM	0,38	0,29					51,1	55,3					10.04.2019-10:05	butvinova
173774-2	58	MTP(M) MM	0,48	0,32					50,2	55,1					10.04.2019-10:05	butvinova
173774-2	59	MTP(M) MM	0,34	0,23					51,4	54,7					10.04.2019-10:05	butvinova
173774-2	60	MTP(M) MM	0,27	0,16					50,7	54,0					10.04.2019-10:05	butvinova
173774-2	61	MTP(M) MM	0,19	0,13					47,5	50,1					10.04.2019-10:05	butvinova
173774-2	62	MTP(M) MM	0,19	0,10					50,7	53,9					10.04.2019-10:05	butvinova
173774-2	63	MTP(M) MM	0,26	0,18					49,6	53,5					10.04.2019-10:05	butvinova
173774-2	64	MTP(M) MM	0,44	0,28					43,6	45,3					10.04.2019-10:05	butvinova
173774-2	65	MTP(M) MM	0,30	0,21					50,1	54,7					10.04.2019-10:05	butvinova
173774-2	66	MTP(M) MM	0,29	0,22					41,4	40,5					10.04.2019-10:05	butvinova
173774-2	67	MTP(M) MM	0,30	0,19					50,5	54,2					10.04.2019-10:05	butvinova
173774-2	68	MTP(M) MM	0,34	0,20					50,4	53,7					10.04.2019-10:05	butvinova
173774-2	69	MTP(M) MM	0,34	0,22					50,4	52,6					10.04.2019-10:05	butvinova
173774-2	70	MTP(M) MM	0,24	0,13					50,0	53,8					10.04.2019-10:05	butvinova
173774-2	71	MTP(M) MM	0,32	0,22					48,8	53,5					10.04.2019-10:05	butvinova
173774-2	72	MTP(M) MM	0,18	0,12					46,5	49,2					10.04.2019-10:05	butvinova
173774-2	73	MTP(M) MM	0,26	0,16					47,0	52,1					10.04.2019-10:09	butvinova
173774-2	74	MTP(M) MM	0,28	0,17					50,4	54,3					10.04.2019-10:09	butvinova
173774-2	75	MTP(M) MM	0,32	0,20					52,2	54,0					10.04.2019-10:09	butvinova
173774-2	76	MTP(M) MM	0,28	0,18					46,7	52,4					10.04.2019-10:09	butvinova
173774-2	77	MTP(M) MM	0,23	0,13					51,1	53,8					10.04.2019-10:09	butvinova
173774-2	78	MTP(M) MM	0,27	0,17					51,9	54,0					10.04.2019-10:09	butvinova
173774-2	79	MTP(M) MM	0,30	0,23					51,7	53,6					10.04.2019-10:09	butvinova
173774-2	80	MTP(M) MM	0,40	0,27					51,1	54,3					10.04.2019-10:09	butvinova
173774-2	81	MTP(M) MM	0,26	0,17					50,0	54,9					10.04.2019-10:09	butvinova
173774-2	82	MTP(M) MM	0,33	0,21					50,6	52,9					10.04.2019-10:09	butvinova
173774-2	83	MTP(M) MM	0,24	0,15					50,0	53,5					10.04.2019-10:09	butvinova
173774-2	84	MTP(M) MM	0,26	0,15					50,1	53,3					10.04.2019-10:09	butvinova
173774-2	85	MTP(M) MM	0,24	0,15					22,1	26,2					10.04.2019-10:09	butvinova
173774-2	86	MTP(M) MM	0,24	0,16					47,6	52,3					10.04.2019-10:09	butvinova
173774-2	87	MTP(M) MM	0,22	0,12					48,5	53,8					10.04.2019-10:09	butvinova
173774-2	88	MTP(M) MM	0,35	0,18					42,7	45,3					10.04.2019-10:09	butvinova
173774-2	89	MTP(M) MM	0,27	0,17					49,9	54,0					10.04.2019-10:09	butvinova
173774-2	90	MTP(M) MM	0,25	0,18					41,5	40,4					10.04.2019-10:09	butvinova
173774-2	91	MTP(M) MM	0,23	0,14					51,3	54,8					10.04.2019-10:09	butvinova
173774-2	92	MTP(M) MM	0,35	0,24					51,6	55,5					10.04.2019-10:09	butvinova
173774-2	93	MTP(M) MM	0,29	0,20					51,8	54,7					10.04.2019-10:09	butvinova
173774-2	94	MTP(M) MM	0,31	0,17					51,1	53,6					10.04.2019-10:09	butvinova
173774-2	95	MTP(M) MM	0,28	0,17					50,4	54,6					10.04.2019-10:09	butvinova
173774-2	96	MTP(M) MM	0,27	0,22					46,8	49,3					10.04.2019-10:09	butvinova

TEST REPORT

Internal order Nr.: **173774**

Customers PO: **CA7647404**

Order Nr.: **71435**

Ordered by: Accounts Payable Service, FP Department, CERN

Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0054.50**

Customers PN: **RPC_C3_minus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 54.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,44
 144 MTP(M) MM 0,54 0,43 20,0 20,0

173774-2	97	MTP(M) MM	0,27	0,18					49,5	52,5					10.04.2019-10:14	butvinova
173774-2	98	MTP(M) MM	0,29	0,17					51,6	54,6					10.04.2019-10:14	butvinova
173774-2	99	MTP(M) MM	0,28	0,20					50,3	53,8					10.04.2019-10:14	butvinova
173774-2	100	MTP(M) MM	0,43	0,31					50,9	54,0					10.04.2019-10:14	butvinova
173774-2	101	MTP(M) MM	0,27	0,16					50,7	54,7					10.04.2019-10:14	butvinova
173774-2	102	MTP(M) MM	0,26	0,17					50,4	54,0					10.04.2019-10:14	butvinova
173774-2	103	MTP(M) MM	0,41	0,32					47,5	52,5					10.04.2019-10:14	butvinova
173774-2	104	MTP(M) MM	0,43	0,30					49,7	54,6					10.04.2019-10:14	butvinova
173774-2	105	MTP(M) MM	0,35	0,22					50,5	53,9					10.04.2019-10:14	butvinova
173774-2	106	MTP(M) MM	0,25	0,15					48,1	52,9					10.04.2019-10:14	butvinova
173774-2	107	MTP(M) MM	0,20	0,11					48,6	54,5					10.04.2019-10:14	butvinova
173774-2	108	MTP(M) MM	0,19	0,09					50,9	54,3					10.04.2019-10:14	butvinova
173774-2	109	MTP(M) MM	0,24	0,17					47,5	50,4					10.04.2019-10:14	butvinova
173774-2	110	MTP(M) MM	0,22	0,14					50,2	53,9					10.04.2019-10:14	butvinova
173774-2	111	MTP(M) MM	0,22	0,13					50,0	53,8					10.04.2019-10:14	butvinova
173774-2	112	MTP(M) MM	0,38	0,20					43,3	45,2					10.04.2019-10:14	butvinova
173774-2	113	MTP(M) MM	0,28	0,18					51,3	54,6					10.04.2019-10:14	butvinova
173774-2	114	MTP(M) MM	0,30	0,20					34,7	37,6					10.04.2019-10:14	butvinova
173774-2	115	MTP(M) MM	0,28	0,17					51,4	54,4					10.04.2019-10:14	butvinova
173774-2	116	MTP(M) MM	0,40	0,28					50,6	54,7					10.04.2019-10:14	butvinova
173774-2	117	MTP(M) MM	0,34	0,21					50,2	53,4					10.04.2019-10:14	butvinova
173774-2	118	MTP(M) MM	0,25	0,13					51,3	53,3					10.04.2019-10:14	butvinova
173774-2	119	MTP(M) MM	0,28	0,18					50,2	54,0					10.04.2019-10:14	butvinova
173774-2	120	MTP(M) MM	0,19	0,15					46,9	49,3					10.04.2019-10:14	butvinova
173774-2	121	MTP(M) MM	0,28	0,17					50,7	53,3					10.04.2019-10:18	butvinova
173774-2	122	MTP(M) MM	0,27	0,17					50,9	54,1					10.04.2019-10:18	butvinova
173774-2	123	MTP(M) MM	0,34	0,23					51,0	53,8					10.04.2019-10:18	butvinova
173774-2	124	MTP(M) MM	0,30	0,22					50,5	53,3					10.04.2019-10:18	butvinova
173774-2	125	MTP(M) MM	0,27	0,16					50,4	53,6					10.04.2019-10:18	butvinova
173774-2	126	MTP(M) MM	0,25	0,17					50,5	53,5					10.04.2019-10:18	butvinova
173774-2	127	MTP(M) MM	0,38	0,28					50,4	55,0					10.04.2019-10:18	butvinova
173774-2	128	MTP(M) MM	0,27	0,17					50,9	53,9					10.04.2019-10:18	butvinova
173774-2	129	MTP(M) MM	0,28	0,17					50,6	54,6					10.04.2019-10:18	butvinova
173774-2	130	MTP(M) MM	0,33	0,22					50,7	53,4					10.04.2019-10:18	butvinova
173774-2	131	MTP(M) MM	0,29	0,21					49,9	54,3					10.04.2019-10:18	butvinova
173774-2	132	MTP(M) MM	0,25	0,16					50,3	52,8					10.04.2019-10:18	butvinova
173774-2	133	MTP(M) MM	0,26	0,18					25,8	29,9					10.04.2019-10:18	butvinova
173774-2	134	MTP(M) MM	0,24	0,16					47,4	52,8					10.04.2019-10:18	butvinova
173774-2	135	MTP(M) MM	0,21	0,14					44,4	50,8					10.04.2019-10:18	butvinova
173774-2	136	MTP(M) MM	0,35	0,18					42,1	45,2					10.04.2019-10:18	butvinova
173774-2	137	MTP(M) MM	0,24	0,14					47,0	52,9					10.04.2019-10:18	butvinova
173774-2	138	MTP(M) MM	0,21	0,13					41,4	40,5					10.04.2019-10:18	butvinova
173774-2	139	MTP(M) MM	0,25	0,15					45,8	51,6					10.04.2019-10:18	butvinova
173774-2	140	MTP(M) MM	0,33	0,22					45,9	52,2					10.04.2019-10:18	butvinova
173774-2	141	MTP(M) MM	0,35	0,21					47,6	53,2					10.04.2019-10:18	butvinova
173774-2	142	MTP(M) MM	0,26	0,14					47,1	53,4					10.04.2019-10:18	butvinova
173774-2	143	MTP(M) MM	0,26	0,17					50,8	53,6					10.04.2019-10:18	butvinova
173774-2	144	MTP(M) MM	0,23	0,20					41,9	45,9					10.04.2019-10:18	butvinova