

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-1	1	LC MM	0,16												10.04.2019-06:35	bombarova
173775-1	2	LC MM	0,18												10.04.2019-06:35	bombarova
173775-1	3	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	4	LC MM	0,16												10.04.2019-06:35	bombarova
173775-1	5	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	6	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	7	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	8	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	9	LC MM	0,22												10.04.2019-06:35	bombarova
173775-1	10	LC MM	0,23												10.04.2019-06:35	bombarova
173775-1	11	LC MM	0,16												10.04.2019-06:35	bombarova
173775-1	12	LC MM	0,14												10.04.2019-06:35	bombarova
173775-1	13	LC MM	0,29												10.04.2019-07:05	bombarova
173775-1	14	LC MM	0,28												10.04.2019-07:05	bombarova
173775-1	15	LC MM	0,19												10.04.2019-07:05	bombarova
173775-1	16	LC MM	0,24												10.04.2019-07:05	bombarova
173775-1	17	LC MM	0,19												10.04.2019-07:05	bombarova
173775-1	18	LC MM	0,18												10.04.2019-07:05	bombarova
173775-1	19	LC MM	0,18												10.04.2019-07:05	bombarova
173775-1	20	LC MM	0,19												10.04.2019-07:05	bombarova
173775-1	21	LC MM	0,21												10.04.2019-07:05	bombarova
173775-1	22	LC MM	0,21												10.04.2019-07:05	bombarova
173775-1	23	LC MM	0,21												10.04.2019-07:05	bombarova
173775-1	24	LC MM	0,17												10.04.2019-07:05	bombarova
173775-1	25	LC MM	0,19												10.04.2019-07:10	bombarova
173775-1	26	LC MM	0,29												10.04.2019-07:10	bombarova
173775-1	27	LC MM	0,20												10.04.2019-07:10	bombarova
173775-1	28	LC MM	0,25												10.04.2019-07:10	bombarova
173775-1	29	LC MM	0,33												10.04.2019-07:10	bombarova
173775-1	30	LC MM	0,26												10.04.2019-07:10	bombarova
173775-1	31	LC MM	0,21												10.04.2019-07:10	bombarova
173775-1	32	LC MM	0,23												10.04.2019-07:10	bombarova
173775-1	33	LC MM	0,28												10.04.2019-07:10	bombarova
173775-1	34	LC MM	0,23												10.04.2019-07:10	bombarova
173775-1	35	LC MM	0,20												10.04.2019-07:10	bombarova
173775-1	36	LC MM	0,17												10.04.2019-07:10	bombarova
173775-1	37	LC MM	0,24												10.04.2019-07:12	bombarova
173775-1	38	LC MM	0,33												10.04.2019-07:12	bombarova
173775-1	39	LC MM	0,33												10.04.2019-07:12	bombarova
173775-1	40	LC MM	0,21												10.04.2019-07:12	bombarova
173775-1	41	LC MM	0,21												10.04.2019-07:12	bombarova
173775-1	42	LC MM	0,21												10.04.2019-07:12	bombarova
173775-1	43	LC MM	0,21												10.04.2019-07:12	bombarova
173775-1	44	LC MM	0,23												10.04.2019-07:12	bombarova
173775-1	45	LC MM	0,23												10.04.2019-07:12	bombarova
173775-1	46	LC MM	0,32												10.04.2019-07:12	bombarova
173775-1	47	LC MM	0,23												10.04.2019-07:12	bombarova
173775-1	48	LC MM	0,25												10.04.2019-07:12	bombarova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-1	49	LC MM	0,13												10.04.2019-06:39	bombarova
173775-1	50	LC MM	0,19												10.04.2019-06:39	bombarova
173775-1	51	LC MM	0,19												10.04.2019-06:39	bombarova
173775-1	52	LC MM	0,14												10.04.2019-06:39	bombarova
173775-1	53	LC MM	0,17												10.04.2019-06:39	bombarova
173775-1	54	LC MM	0,14												10.04.2019-06:39	bombarova
173775-1	55	LC MM	0,18												10.04.2019-06:39	bombarova
173775-1	56	LC MM	0,12												10.04.2019-06:39	bombarova
173775-1	57	LC MM	0,18												10.04.2019-06:39	bombarova
173775-1	58	LC MM	0,14												10.04.2019-06:39	bombarova
173775-1	59	LC MM	0,18												10.04.2019-06:39	bombarova
173775-1	60	LC MM	0,23												10.04.2019-06:39	bombarova
173775-1	61	LC MM	0,20												10.04.2019-06:42	bombarova
173775-1	62	LC MM	0,19												10.04.2019-06:42	bombarova
173775-1	63	LC MM	0,22												10.04.2019-06:42	bombarova
173775-1	64	LC MM	0,25												10.04.2019-06:42	bombarova
173775-1	65	LC MM	0,23												10.04.2019-06:42	bombarova
173775-1	66	LC MM	0,25												10.04.2019-06:42	bombarova
173775-1	67	LC MM	0,22												10.04.2019-06:42	bombarova
173775-1	68	LC MM	0,23												10.04.2019-06:42	bombarova
173775-1	69	LC MM	0,16												10.04.2019-06:42	bombarova
173775-1	70	LC MM	0,23												10.04.2019-06:42	bombarova
173775-1	71	LC MM	0,24												10.04.2019-06:42	bombarova
173775-1	72	LC MM	0,21												10.04.2019-06:42	bombarova
173775-1	73	LC MM	0,17												10.04.2019-06:44	bombarova
173775-1	74	LC MM	0,21												10.04.2019-06:44	bombarova
173775-1	75	LC MM	0,15												10.04.2019-06:44	bombarova
173775-1	76	LC MM	0,16												10.04.2019-06:44	bombarova
173775-1	77	LC MM	0,15												10.04.2019-06:44	bombarova
173775-1	78	LC MM	0,18												10.04.2019-06:44	bombarova
173775-1	79	LC MM	0,17												10.04.2019-06:44	bombarova
173775-1	80	LC MM	0,20												10.04.2019-06:44	bombarova
173775-1	81	LC MM	0,22												10.04.2019-06:44	bombarova
173775-1	82	LC MM	0,21												10.04.2019-06:44	bombarova
173775-1	83	LC MM	0,17												10.04.2019-06:44	bombarova
173775-1	84	LC MM	0,18												10.04.2019-06:44	bombarova
173775-1	85	LC MM	0,14												10.04.2019-06:48	bombarova
173775-1	86	LC MM	0,19												10.04.2019-06:48	bombarova
173775-1	87	LC MM	0,17												10.04.2019-06:48	bombarova
173775-1	88	LC MM	0,15												10.04.2019-06:48	bombarova
173775-1	89	LC MM	0,12												10.04.2019-06:48	bombarova
173775-1	90	LC MM	0,24												10.04.2019-06:48	bombarova
173775-1	91	LC MM	0,15												10.04.2019-06:48	bombarova
173775-1	92	LC MM	0,13												10.04.2019-06:48	bombarova
173775-1	93	LC MM	0,25												10.04.2019-06:48	bombarova
173775-1	94	LC MM	0,16												10.04.2019-06:48	bombarova
173775-1	95	LC MM	0,27												10.04.2019-06:48	bombarova
173775-1	96	LC MM	0,19												10.04.2019-06:48	bombarova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-1	97	LC MM	0,29												10.04.2019-06:50	bombarova
173775-1	98	LC MM	0,29												10.04.2019-06:50	bombarova
173775-1	99	LC MM	0,13												10.04.2019-06:50	bombarova
173775-1	100	LC MM	0,23												10.04.2019-06:50	bombarova
173775-1	101	LC MM	0,14												10.04.2019-06:50	bombarova
173775-1	102	LC MM	0,31												10.04.2019-06:50	bombarova
173775-1	103	LC MM	0,28												10.04.2019-06:50	bombarova
173775-1	104	LC MM	0,20												10.04.2019-06:50	bombarova
173775-1	105	LC MM	0,22												10.04.2019-06:50	bombarova
173775-1	106	LC MM	0,23												10.04.2019-06:50	bombarova
173775-1	107	LC MM	0,16												10.04.2019-06:50	bombarova
173775-1	108	LC MM	0,28												10.04.2019-06:50	bombarova
173775-1	109	LC MM	0,19												10.04.2019-06:54	bombarova
173775-1	110	LC MM	0,20												10.04.2019-06:54	bombarova
173775-1	111	LC MM	0,16												10.04.2019-06:54	bombarova
173775-1	112	LC MM	0,22												10.04.2019-06:54	bombarova
173775-1	113	LC MM	0,18												10.04.2019-06:54	bombarova
173775-1	114	LC MM	0,24												10.04.2019-06:54	bombarova
173775-1	115	LC MM	0,26												10.04.2019-06:54	bombarova
173775-1	116	LC MM	0,22												10.04.2019-06:54	bombarova
173775-1	117	LC MM	0,25												10.04.2019-06:54	bombarova
173775-1	118	LC MM	0,19												10.04.2019-06:54	bombarova
173775-1	119	LC MM	0,19												10.04.2019-06:54	bombarova
173775-1	120	LC MM	0,31												10.04.2019-06:54	bombarova
173775-1	121	LC MM	0,24												10.04.2019-06:59	bombarova
173775-1	122	LC MM	0,32												10.04.2019-06:59	bombarova
173775-1	123	LC MM	0,19												10.04.2019-06:59	bombarova
173775-1	124	LC MM	0,25												10.04.2019-06:59	bombarova
173775-1	125	LC MM	0,20												10.04.2019-06:59	bombarova
173775-1	126	LC MM	0,31												10.04.2019-06:59	bombarova
173775-1	127	LC MM	0,27												10.04.2019-06:59	bombarova
173775-1	128	LC MM	0,26												10.04.2019-06:59	bombarova
173775-1	129	LC MM	0,32												10.04.2019-06:59	bombarova
173775-1	130	LC MM	0,22												10.04.2019-06:59	bombarova
173775-1	131	LC MM	0,20												10.04.2019-06:59	bombarova
173775-1	132	LC MM	0,27												10.04.2019-06:59	bombarova
173775-1	133	LC MM	0,20												10.04.2019-07:03	bombarova
173775-1	134	LC MM	0,26												10.04.2019-07:03	bombarova
173775-1	135	LC MM	0,33												10.04.2019-07:03	bombarova
173775-1	136	LC MM	0,23												10.04.2019-07:03	bombarova
173775-1	137	LC MM	0,23												10.04.2019-07:03	bombarova
173775-1	138	LC MM	0,32												10.04.2019-07:03	bombarova
173775-1	139	LC MM	0,22												10.04.2019-07:03	bombarova
173775-1	140	LC MM	0,30												10.04.2019-07:03	bombarova
173775-1	141	LC MM	0,27												10.04.2019-07:03	bombarova
173775-1	142	LC MM	0,18												10.04.2019-07:03	bombarova
173775-1	143	LC MM	0,19												10.04.2019-07:03	bombarova
173775-1	144	LC MM	0,32												10.04.2019-07:03	bombarova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-1	1	MTP(M) MM	0,32	0,20					48,2	52,5					10.04.2019-08:22	butvinova
173775-1	2	MTP(M) MM	0,42	0,29					48,9	51,6					10.04.2019-08:22	butvinova
173775-1	3	MTP(M) MM	0,36	0,25					49,0	53,7					10.04.2019-08:22	butvinova
173775-1	4	MTP(M) MM	0,40	0,28					48,0	53,1					10.04.2019-08:22	butvinova
173775-1	5	MTP(M) MM	0,38	0,25					48,8	53,8					10.04.2019-08:22	butvinova
173775-1	6	MTP(M) MM	0,40	0,30					48,8	52,9					10.04.2019-08:22	butvinova
173775-1	7	MTP(M) MM	0,43	0,31					48,3	52,9					10.04.2019-08:22	butvinova
173775-1	8	MTP(M) MM	0,37	0,24					49,9	52,4					10.04.2019-08:22	butvinova
173775-1	9	MTP(M) MM	0,46	0,30					48,6	51,2					10.04.2019-08:22	butvinova
173775-1	10	MTP(M) MM	0,38	0,23					48,5	54,2					10.04.2019-08:22	butvinova
173775-1	11	MTP(M) MM	0,29	0,20					48,3	51,9					10.04.2019-08:22	butvinova
173775-1	12	MTP(M) MM	0,18	0,09					40,9	44,0					10.04.2019-08:22	butvinova
173775-1	13	MTP(M) MM	0,24	0,13					49,3	53,0					10.04.2019-08:22	butvinova
173775-1	14	MTP(M) MM	0,20	0,08					49,6	53,3					10.04.2019-08:22	butvinova
173775-1	15	MTP(M) MM	0,21	0,09					50,5	53,1					10.04.2019-08:22	butvinova
173775-1	16	MTP(M) MM	0,30	0,19					50,0	53,4					10.04.2019-08:22	butvinova
173775-1	17	MTP(M) MM	0,16	0,06					51,0	54,9					10.04.2019-08:22	butvinova
173775-1	18	MTP(M) MM	0,15	0,05					41,2	40,3					10.04.2019-08:22	butvinova
173775-1	19	MTP(M) MM	0,18	0,08					51,0	53,7					10.04.2019-08:22	butvinova
173775-1	20	MTP(M) MM	0,31	0,18					50,1	53,8					10.04.2019-08:22	butvinova
173775-1	21	MTP(M) MM	0,22	0,11					50,0	54,0					10.04.2019-08:22	butvinova
173775-1	22	MTP(M) MM	0,22	0,12					49,3	54,0					10.04.2019-08:22	butvinova
173775-1	23	MTP(M) MM	0,26	0,17					48,7	54,7					10.04.2019-08:22	butvinova
173775-1	24	MTP(M) MM	0,35	0,23					40,5	44,2					10.04.2019-08:22	butvinova
173775-1	25	MTP(M) MM	0,32	0,20					49,8	53,2					10.04.2019-08:33	butvinova
173775-1	26	MTP(M) MM	0,37	0,23					49,2	53,9					10.04.2019-08:33	butvinova
173775-1	27	MTP(M) MM	0,36	0,23					52,0	54,3					10.04.2019-08:33	butvinova
173775-1	28	MTP(M) MM	0,34	0,21					47,6	52,3					10.04.2019-08:33	butvinova
173775-1	29	MTP(M) MM	0,35	0,23					51,9	54,6					10.04.2019-08:33	butvinova
173775-1	30	MTP(M) MM	0,39	0,30					49,5	53,2					10.04.2019-08:33	butvinova
173775-1	31	MTP(M) MM	0,37	0,28					51,0	54,5					10.04.2019-08:33	butvinova
173775-1	32	MTP(M) MM	0,25	0,13					50,4	54,9					10.04.2019-08:33	butvinova
173775-1	33	MTP(M) MM	0,40	0,26					51,7	55,6					10.04.2019-08:33	butvinova
173775-1	34	MTP(M) MM	0,37	0,25					50,8	55,1					10.04.2019-08:33	butvinova
173775-1	35	MTP(M) MM	0,35	0,26					50,8	54,5					10.04.2019-08:33	butvinova
173775-1	36	MTP(M) MM	0,29	0,17					41,2	44,1					10.04.2019-08:33	butvinova
173775-1	37	MTP(M) MM	0,31	0,20					49,1	53,2					10.04.2019-08:33	butvinova
173775-1	38	MTP(M) MM	0,21	0,10					50,2	54,3					10.04.2019-08:33	butvinova
173775-1	39	MTP(M) MM	0,27	0,14					50,7	54,4					10.04.2019-08:33	butvinova
173775-1	40	MTP(M) MM	0,33	0,23					50,2	53,3					10.04.2019-08:33	butvinova
173775-1	41	MTP(M) MM	0,20	0,09					51,5	53,9					10.04.2019-08:33	butvinova
173775-1	42	MTP(M) MM	0,27	0,20					41,3	40,3					10.04.2019-08:33	butvinova
173775-1	43	MTP(M) MM	0,22	0,12					50,8	56,1					10.04.2019-08:33	butvinova
173775-1	44	MTP(M) MM	0,31	0,17					50,0	54,4					10.04.2019-08:33	butvinova
173775-1	45	MTP(M) MM	0,25	0,14					49,7	54,6					10.04.2019-08:33	butvinova
173775-1	46	MTP(M) MM	0,38	0,27					50,3	53,1					10.04.2019-08:33	butvinova
173775-1	47	MTP(M) MM	0,41	0,29					49,5	53,5					10.04.2019-08:33	butvinova
173775-1	48	MTP(M) MM	0,32	0,23					41,3	44,2					10.04.2019-08:33	butvinova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-1	49	MTP(M) MM	0,28	0,16					46,6	50,7					10.04.2019-08:40	butvinova
173775-1	50	MTP(M) MM	0,30	0,18					47,7	51,7					10.04.2019-08:40	butvinova
173775-1	51	MTP(M) MM	0,46	0,32					48,3	52,4					10.04.2019-08:40	butvinova
173775-1	52	MTP(M) MM	0,49	0,38					48,8	52,2					10.04.2019-08:40	butvinova
173775-1	53	MTP(M) MM	0,47	0,34					49,8	52,9					10.04.2019-08:40	butvinova
173775-1	54	MTP(M) MM	0,38	0,29					48,7	53,0					10.04.2019-08:40	butvinova
173775-1	55	MTP(M) MM	0,37	0,27					49,1	52,7					10.04.2019-08:40	butvinova
173775-1	56	MTP(M) MM	0,20	0,10					49,2	53,6					10.04.2019-08:40	butvinova
173775-1	57	MTP(M) MM	0,34	0,24					49,1	53,4					10.04.2019-08:40	butvinova
173775-1	58	MTP(M) MM	0,49	0,34					46,8	52,3					10.04.2019-08:40	butvinova
173775-1	59	MTP(M) MM	0,28	0,17					49,2	54,2					10.04.2019-08:40	butvinova
173775-1	60	MTP(M) MM	0,31	0,19					29,0	37,7					10.04.2019-08:40	butvinova
173775-1	61	MTP(M) MM	0,24	0,14					49,8	53,3					10.04.2019-08:40	butvinova
173775-1	62	MTP(M) MM	0,24	0,12					49,5	53,7					10.04.2019-08:40	butvinova
173775-1	63	MTP(M) MM	0,22	0,12					49,9	55,1					10.04.2019-08:40	butvinova
173775-1	64	MTP(M) MM	0,35	0,24					49,5	52,8					10.04.2019-08:40	butvinova
173775-1	65	MTP(M) MM	0,23	0,11					48,5	54,5					10.04.2019-08:40	butvinova
173775-1	66	MTP(M) MM	0,21	0,12					39,2	40,0					10.04.2019-08:40	butvinova
173775-1	67	MTP(M) MM	0,22	0,10					36,2	41,8					10.04.2019-08:40	butvinova
173775-1	68	MTP(M) MM	0,26	0,11					22,2	26,3					10.04.2019-08:40	butvinova
173775-1	69	MTP(M) MM	0,23	0,09					45,2	52,6					10.04.2019-08:40	butvinova
173775-1	70	MTP(M) MM	0,23	0,12					37,0	43,0					10.04.2019-08:40	butvinova
173775-1	71	MTP(M) MM	0,16	0,06					37,9	44,2					10.04.2019-08:40	butvinova
173775-1	72	MTP(M) MM	0,25	0,15					41,2	44,1					10.04.2019-08:40	butvinova
173775-1	73	MTP(M) MM	0,34	0,22					49,0	52,4					10.04.2019-08:46	butvinova
173775-1	74	MTP(M) MM	0,49	0,35					48,3	52,9					10.04.2019-08:46	butvinova
173775-1	75	MTP(M) MM	0,52	0,38					49,6	53,2					10.04.2019-08:46	butvinova
173775-1	76	MTP(M) MM	0,46	0,36					48,4	52,7					10.04.2019-08:46	butvinova
173775-1	77	MTP(M) MM	0,45	0,31					50,3	54,0					10.04.2019-08:46	butvinova
173775-1	78	MTP(M) MM	0,38	0,27					49,0	52,6					10.04.2019-08:46	butvinova
173775-1	79	MTP(M) MM	0,32	0,23					49,7	52,3					10.04.2019-08:46	butvinova
173775-1	80	MTP(M) MM	0,32	0,18					48,9	53,3					10.04.2019-08:46	butvinova
173775-1	81	MTP(M) MM	0,39	0,22					49,6	53,9					10.04.2019-08:46	butvinova
173775-1	82	MTP(M) MM	0,36	0,24					49,7	53,0					10.04.2019-08:46	butvinova
173775-1	83	MTP(M) MM	0,34	0,23					48,8	52,9					10.04.2019-08:46	butvinova
173775-1	84	MTP(M) MM	0,28	0,17					40,9	44,1					10.04.2019-08:46	butvinova
173775-1	85	MTP(M) MM	0,33	0,21					48,9	52,5					10.04.2019-08:46	butvinova
173775-1	86	MTP(M) MM	0,20	0,10					49,5	53,0					10.04.2019-08:46	butvinova
173775-1	87	MTP(M) MM	0,28	0,14					49,5	53,5					10.04.2019-08:46	butvinova
173775-1	88	MTP(M) MM	0,29	0,20					49,5	53,1					10.04.2019-08:46	butvinova
173775-1	89	MTP(M) MM	0,25	0,13					49,5	53,4					10.04.2019-08:46	butvinova
173775-1	90	MTP(M) MM	0,24	0,17					40,5	40,3					10.04.2019-08:46	butvinova
173775-1	91	MTP(M) MM	0,25	0,15					49,4	53,7					10.04.2019-08:46	butvinova
173775-1	92	MTP(M) MM	0,23	0,12					49,7	53,8					10.04.2019-08:46	butvinova
173775-1	93	MTP(M) MM	0,31	0,19					50,1	54,8					10.04.2019-08:46	butvinova
173775-1	94	MTP(M) MM	0,33	0,19					50,3	53,6					10.04.2019-08:46	butvinova
173775-1	95	MTP(M) MM	0,24	0,13					49,4	53,9					10.04.2019-08:46	butvinova
173775-1	96	MTP(M) MM	0,34	0,24					33,0	42,8					10.04.2019-08:46	butvinova

# TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: **Accounts Payable Service, FP Department, CERN**  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: **144 LC MM** 0,33

**144 MTP(M) MM** 0,55 0,43 20,0 20,0

173775-1	97	MTP(M) MM	0,32	0,17					41,3	44,2					10.04.2019-09:24	butvinova
173775-1	98	MTP(M) MM	0,20	0,08					41,9	41,7					10.04.2019-09:24	butvinova
173775-1	99	MTP(M) MM	0,21	0,10					41,3	44,5					10.04.2019-09:24	butvinova
173775-1	100	MTP(M) MM	0,41	0,26					41,2	44,7					10.04.2019-09:24	butvinova
173775-1	101	MTP(M) MM	0,19	0,10					42,9	42,9					10.04.2019-09:24	butvinova
173775-1	102	MTP(M) MM	0,23	0,14					44,6	45,5					10.04.2019-09:24	butvinova
173775-1	103	MTP(M) MM	0,32	0,24					41,8	42,8					10.04.2019-09:24	butvinova
173775-1	104	MTP(M) MM	0,36	0,23					42,1	43,1					10.04.2019-09:24	butvinova
173775-1	105	MTP(M) MM	0,31	0,19					42,2	44,8					10.04.2019-09:24	butvinova
173775-1	106	MTP(M) MM	0,22	0,13					35,9	40,3					10.04.2019-09:24	butvinova
173775-1	107	MTP(M) MM	0,23	0,14					36,3	42,0					10.04.2019-09:24	butvinova
173775-1	108	MTP(M) MM	0,20	0,08					24,1	28,4					10.04.2019-09:24	butvinova
173775-1	109	MTP(M) MM	0,28	0,18					45,7	47,8					10.04.2019-09:24	butvinova
173775-1	110	MTP(M) MM	0,22	0,13					50,0	53,8					10.04.2019-09:24	butvinova
173775-1	111	MTP(M) MM	0,26	0,16					51,1	54,4					10.04.2019-09:24	butvinova
173775-1	112	MTP(M) MM	0,24	0,17					49,6	53,1					10.04.2019-09:24	butvinova
173775-1	113	MTP(M) MM	0,24	0,13					49,3	53,5					10.04.2019-09:24	butvinova
173775-1	114	MTP(M) MM	0,23	0,14					41,0	40,1					10.04.2019-09:24	butvinova
173775-1	115	MTP(M) MM	0,22	0,09					40,8	44,8					10.04.2019-09:24	butvinova
173775-1	116	MTP(M) MM	0,38	0,18					41,1	45,5					10.04.2019-09:24	butvinova
173775-1	117	MTP(M) MM	0,32	0,15					41,2	39,7					10.04.2019-09:24	butvinova
173775-1	118	MTP(M) MM	0,28	0,15					48,5	54,1					10.04.2019-09:24	butvinova
173775-1	119	MTP(M) MM	0,25	0,15					39,1	45,5					10.04.2019-09:24	butvinova
173775-1	120	MTP(M) MM	0,30	0,21					23,9	28,0					10.04.2019-09:24	butvinova
173775-1	121	MTP(M) MM	0,32	0,13					41,7	44,3					10.04.2019-09:29	butvinova
173775-1	122	MTP(M) MM	0,18	0,09					42,4	42,0					10.04.2019-09:29	butvinova
173775-1	123	MTP(M) MM	0,23	0,08					41,6	44,9					10.04.2019-09:29	butvinova
173775-1	124	MTP(M) MM	0,17	0,05					41,2	44,9					10.04.2019-09:29	butvinova
173775-1	125	MTP(M) MM	0,15	0,07					43,4	43,4					10.04.2019-09:29	butvinova
173775-1	126	MTP(M) MM	0,17	0,11					45,4	46,2					10.04.2019-09:29	butvinova
173775-1	127	MTP(M) MM	0,28	0,21					43,4	43,2					10.04.2019-09:29	butvinova
173775-1	128	MTP(M) MM	0,20	0,10					43,5	43,6					10.04.2019-09:29	butvinova
173775-1	129	MTP(M) MM	0,18	0,09					44,9	45,5					10.04.2019-09:29	butvinova
173775-1	130	MTP(M) MM	0,28	0,18					46,2	47,7					10.04.2019-09:29	butvinova
173775-1	131	MTP(M) MM	0,27	0,19					46,3	48,6					10.04.2019-09:29	butvinova
173775-1	132	MTP(M) MM	0,22	0,14					43,5	43,5					10.04.2019-09:29	butvinova
173775-1	133	MTP(M) MM	0,23	0,14					46,5	47,8					10.04.2019-09:29	butvinova
173775-1	134	MTP(M) MM	0,21	0,12					49,6	53,0					10.04.2019-09:29	butvinova
173775-1	135	MTP(M) MM	0,22	0,13					51,1	54,4					10.04.2019-09:29	butvinova
173775-1	136	MTP(M) MM	0,24	0,17					50,5	55,2					10.04.2019-09:29	butvinova
173775-1	137	MTP(M) MM	0,28	0,17					52,4	53,6					10.04.2019-09:29	butvinova
173775-1	138	MTP(M) MM	0,28	0,20					41,8	40,0					10.04.2019-09:29	butvinova
173775-1	139	MTP(M) MM	0,23	0,11					41,2	45,0					10.04.2019-09:29	butvinova
173775-1	140	MTP(M) MM	0,46	0,24					41,5	45,7					10.04.2019-09:29	butvinova
173775-1	141	MTP(M) MM	0,35	0,17					41,7	39,9					10.04.2019-09:29	butvinova
173775-1	142	MTP(M) MM	0,25	0,13					49,5	53,3					10.04.2019-09:29	butvinova
173775-1	143	MTP(M) MM	0,33	0,22					50,3	54,6					10.04.2019-09:29	butvinova
173775-1	144	MTP(M) MM	0,31	0,24					47,2	50,4					10.04.2019-09:29	butvinova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-2	1	LC MM	0,27												10.04.2019-07:19	bombarova
173775-2	2	LC MM	0,18												10.04.2019-07:19	bombarova
173775-2	3	LC MM	0,21												10.04.2019-07:19	bombarova
173775-2	4	LC MM	0,17												10.04.2019-07:19	bombarova
173775-2	5	LC MM	0,21												10.04.2019-07:19	bombarova
173775-2	6	LC MM	0,18												10.04.2019-07:19	bombarova
173775-2	7	LC MM	0,16												10.04.2019-07:19	bombarova
173775-2	8	LC MM	0,19												10.04.2019-07:19	bombarova
173775-2	9	LC MM	0,31												10.04.2019-07:19	bombarova
173775-2	10	LC MM	0,32												10.04.2019-07:19	bombarova
173775-2	11	LC MM	0,16												10.04.2019-07:19	bombarova
173775-2	12	LC MM	0,22												10.04.2019-07:19	bombarova
173775-2	13	LC MM	0,21												10.04.2019-08:16	bombarova
173775-2	14	LC MM	0,21												10.04.2019-08:16	bombarova
173775-2	15	LC MM	0,23												10.04.2019-08:16	bombarova
173775-2	16	LC MM	0,17												10.04.2019-08:16	bombarova
173775-2	17	LC MM	0,27												10.04.2019-08:16	bombarova
173775-2	18	LC MM	0,26												10.04.2019-08:16	bombarova
173775-2	19	LC MM	0,20												10.04.2019-08:16	bombarova
173775-2	20	LC MM	0,32												10.04.2019-08:16	bombarova
173775-2	21	LC MM	0,21												10.04.2019-08:16	bombarova
173775-2	22	LC MM	0,18												10.04.2019-08:16	bombarova
173775-2	23	LC MM	0,27												10.04.2019-08:16	bombarova
173775-2	24	LC MM	0,21												10.04.2019-08:16	bombarova
173775-2	25	LC MM	0,27												10.04.2019-08:18	bombarova
173775-2	26	LC MM	0,24												10.04.2019-08:18	bombarova
173775-2	27	LC MM	0,18												10.04.2019-08:18	bombarova
173775-2	28	LC MM	0,29												10.04.2019-08:18	bombarova
173775-2	29	LC MM	0,17												10.04.2019-08:18	bombarova
173775-2	30	LC MM	0,22												10.04.2019-08:18	bombarova
173775-2	31	LC MM	0,23												10.04.2019-08:18	bombarova
173775-2	32	LC MM	0,22												10.04.2019-08:18	bombarova
173775-2	33	LC MM	0,27												10.04.2019-08:18	bombarova
173775-2	34	LC MM	0,22												10.04.2019-08:18	bombarova
173775-2	35	LC MM	0,17												10.04.2019-08:18	bombarova
173775-2	36	LC MM	0,22												10.04.2019-08:18	bombarova
173775-2	37	LC MM	0,20												10.04.2019-08:20	bombarova
173775-2	38	LC MM	0,22												10.04.2019-08:20	bombarova
173775-2	39	LC MM	0,21												10.04.2019-08:20	bombarova
173775-2	40	LC MM	0,32												10.04.2019-08:20	bombarova
173775-2	41	LC MM	0,18												10.04.2019-08:20	bombarova
173775-2	42	LC MM	0,17												10.04.2019-08:20	bombarova
173775-2	43	LC MM	0,22												10.04.2019-08:20	bombarova
173775-2	44	LC MM	0,19												10.04.2019-08:20	bombarova
173775-2	45	LC MM	0,18												10.04.2019-08:20	bombarova
173775-2	46	LC MM	0,21												10.04.2019-08:20	bombarova
173775-2	47	LC MM	0,24												10.04.2019-08:20	bombarova
173775-2	48	LC MM	0,23												10.04.2019-08:20	bombarova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-2	49	LC MM	0,17												10.04.2019-07:23	bombarova
173775-2	50	LC MM	0,20												10.04.2019-07:23	bombarova
173775-2	51	LC MM	0,21												10.04.2019-07:23	bombarova
173775-2	52	LC MM	0,17												10.04.2019-07:23	bombarova
173775-2	53	LC MM	0,25												10.04.2019-07:23	bombarova
173775-2	54	LC MM	0,22												10.04.2019-07:23	bombarova
173775-2	55	LC MM	0,27												10.04.2019-07:23	bombarova
173775-2	56	LC MM	0,20												10.04.2019-07:23	bombarova
173775-2	57	LC MM	0,14												10.04.2019-07:23	bombarova
173775-2	58	LC MM	0,22												10.04.2019-07:23	bombarova
173775-2	59	LC MM	0,20												10.04.2019-07:23	bombarova
173775-2	60	LC MM	0,24												10.04.2019-07:23	bombarova
173775-2	61	LC MM	0,32												10.04.2019-07:48	bombarova
173775-2	62	LC MM	0,27												10.04.2019-07:48	bombarova
173775-2	63	LC MM	0,33												10.04.2019-07:48	bombarova
173775-2	64	LC MM	0,22												10.04.2019-07:48	bombarova
173775-2	65	LC MM	0,27												10.04.2019-07:48	bombarova
173775-2	66	LC MM	0,26												10.04.2019-07:48	bombarova
173775-2	67	LC MM	0,22												10.04.2019-07:48	bombarova
173775-2	68	LC MM	0,33												10.04.2019-07:48	bombarova
173775-2	69	LC MM	0,33												10.04.2019-07:48	bombarova
173775-2	70	LC MM	0,23												10.04.2019-07:48	bombarova
173775-2	71	LC MM	0,30												10.04.2019-07:48	bombarova
173775-2	72	LC MM	0,22												10.04.2019-07:48	bombarova
173775-2	73	LC MM	0,24												10.04.2019-07:55	bombarova
173775-2	74	LC MM	0,30												10.04.2019-07:55	bombarova
173775-2	75	LC MM	0,29												10.04.2019-07:55	bombarova
173775-2	76	LC MM	0,22												10.04.2019-07:55	bombarova
173775-2	77	LC MM	0,22												10.04.2019-07:55	bombarova
173775-2	78	LC MM	0,21												10.04.2019-07:55	bombarova
173775-2	79	LC MM	0,21												10.04.2019-07:55	bombarova
173775-2	80	LC MM	0,21												10.04.2019-07:55	bombarova
173775-2	81	LC MM	0,27												10.04.2019-07:55	bombarova
173775-2	82	LC MM	0,30												10.04.2019-07:55	bombarova
173775-2	83	LC MM	0,33												10.04.2019-07:55	bombarova
173775-2	84	LC MM	0,21												10.04.2019-07:55	bombarova
173775-2	85	LC MM	0,27												10.04.2019-08:03	bombarova
173775-2	86	LC MM	0,17												10.04.2019-08:03	bombarova
173775-2	87	LC MM	0,20												10.04.2019-08:03	bombarova
173775-2	88	LC MM	0,21												10.04.2019-08:03	bombarova
173775-2	89	LC MM	0,20												10.04.2019-08:03	bombarova
173775-2	90	LC MM	0,17												10.04.2019-08:03	bombarova
173775-2	91	LC MM	0,17												10.04.2019-08:03	bombarova
173775-2	92	LC MM	0,17												10.04.2019-08:03	bombarova
173775-2	93	LC MM	0,20												10.04.2019-08:03	bombarova
173775-2	94	LC MM	0,21												10.04.2019-08:03	bombarova
173775-2	95	LC MM	0,20												10.04.2019-08:03	bombarova
173775-2	96	LC MM	0,28												10.04.2019-08:03	bombarova



## TEST REPORT

Internal order Nr.: **173775**

Customers PO: **CA7647404**

Order Nr.: **71435**

Ordered by: Accounts Payable Service, FP Department, CERN

Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33

144 MTP(M) MM 0,55 0,43

20,0 20,0

173775-2	97	LC MM	0,28												10.04.2019-08:05	bombarova
173775-2	98	LC MM	0,27												10.04.2019-08:05	bombarova
173775-2	99	LC MM	0,16												10.04.2019-08:05	bombarova
173775-2	100	LC MM	0,18												10.04.2019-08:05	bombarova
173775-2	101	LC MM	0,25												10.04.2019-08:05	bombarova
173775-2	102	LC MM	0,27												10.04.2019-08:05	bombarova
173775-2	103	LC MM	0,31												10.04.2019-08:05	bombarova
173775-2	104	LC MM	0,24												10.04.2019-08:05	bombarova
173775-2	105	LC MM	0,22												10.04.2019-08:05	bombarova
173775-2	106	LC MM	0,21												10.04.2019-08:05	bombarova
173775-2	107	LC MM	0,21												10.04.2019-08:05	bombarova
173775-2	108	LC MM	0,31												10.04.2019-08:05	bombarova
173775-2	109	LC MM	0,17												10.04.2019-08:09	bombarova
173775-2	110	LC MM	0,24												10.04.2019-08:09	bombarova
173775-2	111	LC MM	0,27												10.04.2019-08:09	bombarova
173775-2	112	LC MM	0,17												10.04.2019-08:09	bombarova
173775-2	113	LC MM	0,21												10.04.2019-08:09	bombarova
173775-2	114	LC MM	0,30												10.04.2019-08:09	bombarova
173775-2	115	LC MM	0,19												10.04.2019-08:09	bombarova
173775-2	116	LC MM	0,22												10.04.2019-08:09	bombarova
173775-2	117	LC MM	0,21												10.04.2019-08:09	bombarova
173775-2	118	LC MM	0,24												10.04.2019-08:09	bombarova
173775-2	119	LC MM	0,22												10.04.2019-08:09	bombarova
173775-2	120	LC MM	0,21												10.04.2019-08:09	bombarova
173775-2	121	LC MM	0,31												10.04.2019-08:11	bombarova
173775-2	122	LC MM	0,28												10.04.2019-08:11	bombarova
173775-2	123	LC MM	0,20												10.04.2019-08:11	bombarova
173775-2	124	LC MM	0,17												10.04.2019-08:11	bombarova
173775-2	125	LC MM	0,19												10.04.2019-08:11	bombarova
173775-2	126	LC MM	0,22												10.04.2019-08:11	bombarova
173775-2	127	LC MM	0,17												10.04.2019-08:11	bombarova
173775-2	128	LC MM	0,21												10.04.2019-08:11	bombarova
173775-2	129	LC MM	0,19												10.04.2019-08:11	bombarova
173775-2	130	LC MM	0,19												10.04.2019-08:11	bombarova
173775-2	131	LC MM	0,22												10.04.2019-08:11	bombarova
173775-2	132	LC MM	0,31												10.04.2019-08:11	bombarova
173775-2	133	LC MM	0,18												10.04.2019-08:14	bombarova
173775-2	134	LC MM	0,21												10.04.2019-08:14	bombarova
173775-2	135	LC MM	0,20												10.04.2019-08:14	bombarova
173775-2	136	LC MM	0,21												10.04.2019-08:14	bombarova
173775-2	137	LC MM	0,19												10.04.2019-08:14	bombarova
173775-2	138	LC MM	0,22												10.04.2019-08:14	bombarova
173775-2	139	LC MM	0,20												10.04.2019-08:14	bombarova
173775-2	140	LC MM	0,19												10.04.2019-08:14	bombarova
173775-2	141	LC MM	0,21												10.04.2019-08:14	bombarova
173775-2	142	LC MM	0,33												10.04.2019-08:14	bombarova
173775-2	143	LC MM	0,22												10.04.2019-08:14	bombarova
173775-2	144	LC MM	0,20												10.04.2019-08:14	bombarova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-2	1	MTP(M) MM	0,25	0,16					41,0	44,1					10.04.2019-11:23	butvinova
173775-2	2	MTP(M) MM	0,29	0,19					46,5	49,0					10.04.2019-11:23	butvinova
173775-2	3	MTP(M) MM	0,31	0,21					47,8	50,8					10.04.2019-11:23	butvinova
173775-2	4	MTP(M) MM	0,24	0,14					47,0	50,7					10.04.2019-11:23	butvinova
173775-2	5	MTP(M) MM	0,24	0,14					46,4	51,7					10.04.2019-11:23	butvinova
173775-2	6	MTP(M) MM	0,22	0,14					46,3	52,4					10.04.2019-11:23	butvinova
173775-2	7	MTP(M) MM	0,39	0,29					36,0	41,8					10.04.2019-11:23	butvinova
173775-2	8	MTP(M) MM	0,47	0,36					32,8	37,8					10.04.2019-11:23	butvinova
173775-2	9	MTP(M) MM	0,26	0,14					31,8	37,2					10.04.2019-11:23	butvinova
173775-2	10	MTP(M) MM	0,34	0,19					26,5	31,2					10.04.2019-11:23	butvinova
173775-2	11	MTP(M) MM	0,25	0,15					27,0	31,5					10.04.2019-11:23	butvinova
173775-2	12	MTP(M) MM	0,19	0,09					28,8	34,9					10.04.2019-11:23	butvinova
173775-2	13	MTP(M) MM	0,27	0,16					42,7	42,5					10.04.2019-11:23	butvinova
173775-2	14	MTP(M) MM	0,23	0,13					49,9	53,7					10.04.2019-11:23	butvinova
173775-2	15	MTP(M) MM	0,21	0,12					48,9	52,3					10.04.2019-11:23	butvinova
173775-2	16	MTP(M) MM	0,26	0,17					41,8	45,2					10.04.2019-11:23	butvinova
173775-2	17	MTP(M) MM	0,22	0,15					49,9	52,3					10.04.2019-11:23	butvinova
173775-2	18	MTP(M) MM	0,20	0,26					41,6	40,4					10.04.2019-11:23	butvinova
173775-2	19	MTP(M) MM	0,22	0,13					49,7	52,4					10.04.2019-11:23	butvinova
173775-2	20	MTP(M) MM	0,29	0,18					48,0	52,5					10.04.2019-11:23	butvinova
173775-2	21	MTP(M) MM	0,29	0,18					49,1	52,3					10.04.2019-11:23	butvinova
173775-2	22	MTP(M) MM	0,29	0,17					49,5	53,4					10.04.2019-11:23	butvinova
173775-2	23	MTP(M) MM	0,32	0,22					49,2	52,7					10.04.2019-11:23	butvinova
173775-2	24	MTP(M) MM	0,32	0,22					48,4	51,9					10.04.2019-11:23	butvinova
173775-2	25	MTP(M) MM	0,27	0,17					41,2	44,2					10.04.2019-11:29	butvinova
173775-2	26	MTP(M) MM	0,31	0,20					47,2	49,4					10.04.2019-11:29	butvinova
173775-2	27	MTP(M) MM	0,39	0,28					48,3	51,3					10.04.2019-11:29	butvinova
173775-2	28	MTP(M) MM	0,52	0,39					47,9	51,0					10.04.2019-11:29	butvinova
173775-2	29	MTP(M) MM	0,32	0,21					50,1	53,6					10.04.2019-11:29	butvinova
173775-2	30	MTP(M) MM	0,31	0,23					50,6	54,0					10.04.2019-11:29	butvinova
173775-2	31	MTP(M) MM	0,42	0,34					48,4	53,2					10.04.2019-11:29	butvinova
173775-2	32	MTP(M) MM	0,38	0,27					50,1	54,1					10.04.2019-11:29	butvinova
173775-2	33	MTP(M) MM	0,30	0,18					50,3	54,1					10.04.2019-11:29	butvinova
173775-2	34	MTP(M) MM	0,41	0,29					49,4	54,7					10.04.2019-11:29	butvinova
173775-2	35	MTP(M) MM	0,31	0,22					49,8	53,8					10.04.2019-11:29	butvinova
173775-2	36	MTP(M) MM	0,29	0,17					49,9	53,7					10.04.2019-11:29	butvinova
173775-2	37	MTP(M) MM	0,27	0,18					38,2	41,9					10.04.2019-11:29	butvinova
173775-2	38	MTP(M) MM	0,19	0,11					50,2	53,2					10.04.2019-11:29	butvinova
173775-2	39	MTP(M) MM	0,25	0,14					49,6	53,5					10.04.2019-11:29	butvinova
173775-2	40	MTP(M) MM	0,26	0,18					42,3	45,2					10.04.2019-11:29	butvinova
173775-2	41	MTP(M) MM	0,22	0,13					51,3	54,3					10.04.2019-11:29	butvinova
173775-2	42	MTP(M) MM	0,38	0,32					41,5	40,4					10.04.2019-11:29	butvinova
173775-2	43	MTP(M) MM	0,22	0,13					51,5	54,5					10.04.2019-11:29	butvinova
173775-2	44	MTP(M) MM	0,30	0,18					50,5	54,0					10.04.2019-11:29	butvinova
173775-2	45	MTP(M) MM	0,23	0,13					48,9	52,7					10.04.2019-11:29	butvinova
173775-2	46	MTP(M) MM	0,34	0,23					49,6	53,7					10.04.2019-11:29	butvinova
173775-2	47	MTP(M) MM	0,35	0,24					50,2	52,7					10.04.2019-11:29	butvinova
173775-2	48	MTP(M) MM	0,23	0,14					49,7	53,6					10.04.2019-11:29	butvinova

## TEST REPORT

Internal order Nr.: **173775**  
 Order Nr.: **71435**

Customers PO: **CA7647404**  
 Ordered by: Accounts Payable Service, FP Department, CERN  
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-2	49	MTP(M) MM	0,27	0,17					41,1	44,2					10.04.2019-12:04	butvinova
173775-2	50	MTP(M) MM	0,21	0,11					39,5	44,3					10.04.2019-12:04	butvinova
173775-2	51	MTP(M) MM	0,30	0,18					40,7	46,7					10.04.2019-12:04	butvinova
173775-2	52	MTP(M) MM	0,31	0,22					37,1	43,0					10.04.2019-12:04	butvinova
173775-2	53	MTP(M) MM	0,25	0,15					34,1	39,8					10.04.2019-12:04	butvinova
173775-2	54	MTP(M) MM	0,24	0,15					28,0	32,6					10.04.2019-12:04	butvinova
173775-2	55	MTP(M) MM	0,38	0,28					23,9	28,2					10.04.2019-12:04	butvinova
173775-2	56	MTP(M) MM	0,28	0,16					23,4	27,4					10.04.2019-12:04	butvinova
173775-2	57	MTP(M) MM	0,26	0,16					31,6	33,4					10.04.2019-12:04	butvinova
173775-2	58	MTP(M) MM	0,43	0,28					25,4	29,7					10.04.2019-12:04	butvinova
173775-2	59	MTP(M) MM	0,26	0,15					49,6	52,7					10.04.2019-12:04	butvinova
173775-2	60	MTP(M) MM	0,24	0,13					47,1	51,0					10.04.2019-12:04	butvinova
173775-2	61	MTP(M) MM	0,21	0,13					42,4	42,6					10.04.2019-12:04	butvinova
173775-2	62	MTP(M) MM	0,20	0,11					49,0	52,4					10.04.2019-12:04	butvinova
173775-2	63	MTP(M) MM	0,22	0,14					49,1	53,0					10.04.2019-12:04	butvinova
173775-2	64	MTP(M) MM	0,34	0,26					41,8	45,4					10.04.2019-12:04	butvinova
173775-2	65	MTP(M) MM	0,26	0,17					49,5	52,7					10.04.2019-12:04	butvinova
173775-2	66	MTP(M) MM	0,22	0,14					40,9	40,3					10.04.2019-12:04	butvinova
173775-2	67	MTP(M) MM	0,25	0,14					50,4	53,7					10.04.2019-12:04	butvinova
173775-2	68	MTP(M) MM	0,32	0,19					50,0	52,8					10.04.2019-12:04	butvinova
173775-2	69	MTP(M) MM	0,28	0,16					49,7	52,6					10.04.2019-12:04	butvinova
173775-2	70	MTP(M) MM	0,21	0,10					50,3	53,2					10.04.2019-12:04	butvinova
173775-2	71	MTP(M) MM	0,25	0,14					49,6	52,2					10.04.2019-12:04	butvinova
173775-2	72	MTP(M) MM	0,25	0,16					48,8	51,9					10.04.2019-12:04	butvinova
173775-2	73	MTP(M) MM	0,26	0,14					28,1	38,9					10.04.2019-12:09	butvinova
173775-2	74	MTP(M) MM	0,32	0,20					46,6	49,5					10.04.2019-12:09	butvinova
173775-2	75	MTP(M) MM	0,44	0,33					48,0	51,4					10.04.2019-12:09	butvinova
173775-2	76	MTP(M) MM	0,35	0,25					47,4	50,4					10.04.2019-12:09	butvinova
173775-2	77	MTP(M) MM	0,27	0,16					50,0	52,6					10.04.2019-12:09	butvinova
173775-2	78	MTP(M) MM	0,27	0,16					50,6	54,5					10.04.2019-12:09	butvinova
173775-2	79	MTP(M) MM	0,37	0,26					50,0	53,3					10.04.2019-12:09	butvinova
173775-2	80	MTP(M) MM	0,40	0,27					49,4	53,2					10.04.2019-12:09	butvinova
173775-2	81	MTP(M) MM	0,25	0,15					48,9	52,8					10.04.2019-12:09	butvinova
173775-2	82	MTP(M) MM	0,32	0,20					48,7	52,3					10.04.2019-12:09	butvinova
173775-2	83	MTP(M) MM	0,26	0,16					49,1	52,4					10.04.2019-12:09	butvinova
173775-2	84	MTP(M) MM	0,25	0,13					46,1	50,3					10.04.2019-12:09	butvinova
173775-2	85	MTP(M) MM	0,25	0,14					24,2	28,3					10.04.2019-12:09	butvinova
173775-2	86	MTP(M) MM	0,17	0,09					49,7	53,6					10.04.2019-12:09	butvinova
173775-2	87	MTP(M) MM	0,22	0,12					49,4	52,9					10.04.2019-12:09	butvinova
173775-2	88	MTP(M) MM	0,26	0,18					42,0	45,3					10.04.2019-12:09	butvinova
173775-2	89	MTP(M) MM	0,34	0,24					50,8	53,8					10.04.2019-12:09	butvinova
173775-2	90	MTP(M) MM	0,26	0,20					41,5	40,3					10.04.2019-12:09	butvinova
173775-2	91	MTP(M) MM	0,46	0,33					48,9	52,9					10.04.2019-12:09	butvinova
173775-2	92	MTP(M) MM	0,36	0,24					50,4	53,7					10.04.2019-12:09	butvinova
173775-2	93	MTP(M) MM	0,27	0,17					49,8	53,0					10.04.2019-12:09	butvinova
173775-2	94	MTP(M) MM	0,28	0,14					49,5	52,4					10.04.2019-12:09	butvinova
173775-2	95	MTP(M) MM	0,27	0,15					50,0	53,3					10.04.2019-12:09	butvinova
173775-2	96	MTP(M) MM	0,28	0,19					49,1	52,6					10.04.2019-12:09	butvinova

## TEST REPORT

Internal order Nr.: **173775**

Customers PO: **CA7647404**

Order Nr.: **71435**

Ordered by: Accounts Payable Service, FP Department, CERN

Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-620-AA0-90D/00/0057.50**

Customers PN: **RPC\_C3\_plus**

Description: **06x MTP(M) - 144x LC/PC 144F OM4 PRETERM 57.5M FL06/FL16 PS**

Quantity: **2**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 144 LC MM 0,33  
 144 MTP(M) MM 0,55 0,43 20,0 20,0

173775-2	97	MTP(M) MM	0,26	0,15					41,0	44,3					10.04.2019-12:15	butvinova
173775-2	98	MTP(M) MM	0,31	0,19					46,8	49,3					10.04.2019-12:15	butvinova
173775-2	99	MTP(M) MM	0,29	0,21					47,9	50,9					10.04.2019-12:15	butvinova
173775-2	100	MTP(M) MM	0,45	0,33					47,5	50,6					10.04.2019-12:15	butvinova
173775-2	101	MTP(M) MM	0,25	0,14					49,3	52,5					10.04.2019-12:15	butvinova
173775-2	102	MTP(M) MM	0,21	0,11					50,0	53,3					10.04.2019-12:15	butvinova
173775-2	103	MTP(M) MM	0,35	0,26					49,3	52,4					10.04.2019-12:15	butvinova
173775-2	104	MTP(M) MM	0,35	0,22					48,9	53,1					10.04.2019-12:15	butvinova
173775-2	105	MTP(M) MM	0,30	0,18					49,3	53,1					10.04.2019-12:15	butvinova
173775-2	106	MTP(M) MM	0,26	0,16					50,3	53,8					10.04.2019-12:15	butvinova
173775-2	107	MTP(M) MM	0,21	0,12					48,6	52,6					10.04.2019-12:15	butvinova
173775-2	108	MTP(M) MM	0,17	0,07					47,4	51,2					10.04.2019-12:15	butvinova
173775-2	109	MTP(M) MM	0,26	0,17					42,6	42,5					10.04.2019-12:15	butvinova
173775-2	110	MTP(M) MM	0,25	0,16					49,0	53,3					10.04.2019-12:15	butvinova
173775-2	111	MTP(M) MM	0,26	0,16					49,3	52,8					10.04.2019-12:15	butvinova
173775-2	112	MTP(M) MM	0,26	0,18					42,1	45,2					10.04.2019-12:15	butvinova
173775-2	113	MTP(M) MM	0,31	0,19					50,8	53,9					10.04.2019-12:15	butvinova
173775-2	114	MTP(M) MM	0,24	0,15					41,4	40,3					10.04.2019-12:15	butvinova
173775-2	115	MTP(M) MM	0,30	0,18					50,6	53,3					10.04.2019-12:15	butvinova
173775-2	116	MTP(M) MM	0,36	0,24					48,3	53,1					10.04.2019-12:15	butvinova
173775-2	117	MTP(M) MM	0,31	0,18					50,5	53,2					10.04.2019-12:15	butvinova
173775-2	118	MTP(M) MM	0,23	0,11					50,4	53,9					10.04.2019-12:15	butvinova
173775-2	119	MTP(M) MM	0,25	0,15					48,5	53,7					10.04.2019-12:15	butvinova
173775-2	120	MTP(M) MM	0,31	0,23					33,6	38,9					10.04.2019-12:15	butvinova
173775-2	121	MTP(M) MM	0,29	0,17					40,9	44,3					10.04.2019-12:20	butvinova
173775-2	122	MTP(M) MM	0,26	0,17					46,4	49,2					10.04.2019-12:20	butvinova
173775-2	123	MTP(M) MM	0,29	0,19					47,2	50,7					10.04.2019-12:20	butvinova
173775-2	124	MTP(M) MM	0,27	0,20					47,6	50,7					10.04.2019-12:20	butvinova
173775-2	125	MTP(M) MM	0,26	0,16					49,0	51,8					10.04.2019-12:20	butvinova
173775-2	126	MTP(M) MM	0,28	0,20					49,7	52,7					10.04.2019-12:20	butvinova
173775-2	127	MTP(M) MM	0,44	0,35					48,9	52,8					10.04.2019-12:20	butvinova
173775-2	128	MTP(M) MM	0,31	0,21					49,7	53,5					10.04.2019-12:20	butvinova
173775-2	129	MTP(M) MM	0,27	0,16					50,8	54,0					10.04.2019-12:20	butvinova
173775-2	130	MTP(M) MM	0,38	0,26					49,8	54,3					10.04.2019-12:20	butvinova
173775-2	131	MTP(M) MM	0,34	0,25					50,5	54,3					10.04.2019-12:20	butvinova
173775-2	132	MTP(M) MM	0,31	0,21					47,6	53,0					10.04.2019-12:20	butvinova
173775-2	133	MTP(M) MM	0,23	0,14					42,7	42,4					10.04.2019-12:20	butvinova
173775-2	134	MTP(M) MM	0,26	0,18					50,4	54,0					10.04.2019-12:20	butvinova
173775-2	135	MTP(M) MM	0,27	0,18					49,7	53,7					10.04.2019-12:20	butvinova
173775-2	136	MTP(M) MM	0,31	0,23					42,1	45,3					10.04.2019-12:20	butvinova
173775-2	137	MTP(M) MM	0,29	0,18					50,8	54,3					10.04.2019-12:20	butvinova
173775-2	138	MTP(M) MM	0,26	0,19					41,5	40,5					10.04.2019-12:20	butvinova
173775-2	139	MTP(M) MM	0,27	0,16					29,1	33,5					10.04.2019-12:20	butvinova
173775-2	140	MTP(M) MM	0,38	0,27					50,0	53,6					10.04.2019-12:20	butvinova
173775-2	141	MTP(M) MM	0,35	0,21					43,9	50,8					10.04.2019-12:20	butvinova
173775-2	142	MTP(M) MM	0,23	0,12					44,2	50,6					10.04.2019-12:20	butvinova
173775-2	143	MTP(M) MM	0,31	0,20					49,2	52,9					10.04.2019-12:20	butvinova
173775-2	144	MTP(M) MM	0,31	0,24					49,1	53,3					10.04.2019-12:20	butvinova