

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-1	1	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	2	LC MM	0,02												08.04.2019-07:21	Sipos
173776-1	3	LC MM	0,03												08.04.2019-07:21	Sipos
173776-1	4	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	5	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	6	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	7	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	8	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	9	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	10	LC MM	0,03												08.04.2019-07:21	Sipos
173776-1	11	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	12	LC MM	0,01												08.04.2019-07:21	Sipos
173776-1	1	MTP(F) MM	0,05	0,06					48,2	54,5					09.04.2019-13:28	BOMBAROVA
173776-1	2	MTP(F) MM	0,10	0,10					49,8	54,1					09.04.2019-13:28	BOMBAROVA
173776-1	3	MTP(F) MM	0,15	0,13					50,4	54,8					09.04.2019-13:28	BOMBAROVA
173776-1	4	MTP(F) MM	0,07	0,06					48,4	52,9					09.04.2019-13:28	BOMBAROVA
173776-1	5	MTP(F) MM	0,15	0,05					43,5	45,1					09.04.2019-13:28	BOMBAROVA
173776-1	6	MTP(F) MM	0,13	0,03					45,0	41,2					09.04.2019-13:28	BOMBAROVA
173776-1	7	MTP(F) MM	0,02	0,05					45,7	50,1					09.04.2019-13:28	BOMBAROVA
173776-1	8	MTP(F) MM	0,01	0,13					41,9	42,8					09.04.2019-13:28	BOMBAROVA
173776-1	9	MTP(F) MM	0,06	0,09					41,7	39,3					09.04.2019-13:28	BOMBAROVA
173776-1	10	MTP(F) MM	0,16	0,07					44,9	45,2					09.04.2019-13:28	BOMBAROVA
173776-1	11	MTP(F) MM	0,04	0,01					44,2	46,0					09.04.2019-13:28	BOMBAROVA
173776-1	12	MTP(F) MM	0,10	0,04					42,0	45,3					09.04.2019-13:28	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-2	1	LC MM	0,03												08.04.2019-07:18	Sipos
173776-2	2	LC MM	0,06												08.04.2019-07:18	Sipos
173776-2	3	LC MM	0,04												08.04.2019-07:18	Sipos
173776-2	4	LC MM	0,03												08.04.2019-07:18	Sipos
173776-2	5	LC MM	0,01												08.04.2019-07:18	Sipos
173776-2	6	LC MM	0,02												08.04.2019-07:18	Sipos
173776-2	7	LC MM	0,03												08.04.2019-07:18	Sipos
173776-2	8	LC MM	0,02												08.04.2019-07:18	Sipos
173776-2	9	LC MM	0,01												08.04.2019-07:18	Sipos
173776-2	10	LC MM	0,01												08.04.2019-07:18	Sipos
173776-2	11	LC MM	0,01												08.04.2019-07:18	Sipos
173776-2	12	LC MM	0,01												08.04.2019-07:18	Sipos
173776-2	1	MTP(F) MM	0,05	0,07				49,8	55,1						09.04.2019-13:36	BOMBAROVA
173776-2	2	MTP(F) MM	0,09	0,08				50,7	53,6						09.04.2019-13:36	BOMBAROVA
173776-2	3	MTP(F) MM	0,08	0,10				50,8	56,3						09.04.2019-13:36	BOMBAROVA
173776-2	4	MTP(F) MM	0,08	0,07				50,1	53,0						09.04.2019-13:36	BOMBAROVA
173776-2	5	MTP(F) MM	0,16	0,06				43,9	45,2						09.04.2019-13:36	BOMBAROVA
173776-2	6	MTP(F) MM	0,13	0,02				46,0	41,3						09.04.2019-13:36	BOMBAROVA
173776-2	7	MTP(F) MM	0,03	0,05				45,7	50,1						09.04.2019-13:36	BOMBAROVA
173776-2	8	MTP(F) MM	0,01	0,14				41,6	42,7						09.04.2019-13:36	BOMBAROVA
173776-2	9	MTP(F) MM	0,06	0,09				42,2	39,3						09.04.2019-13:36	BOMBAROVA
173776-2	10	MTP(F) MM	0,13	0,03				44,7	45,2						09.04.2019-13:36	BOMBAROVA
173776-2	11	MTP(F) MM	0,05	0,01				44,1	46,1						09.04.2019-13:36	BOMBAROVA
173776-2	12	MTP(F) MM	0,09	0,04				45,2	45,3						09.04.2019-13:36	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-3	1	LC MM	0,02												08.04.2019-07:05	Sipos
173776-3	2	LC MM	0,02												08.04.2019-07:05	Sipos
173776-3	3	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	4	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	5	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	6	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	7	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	8	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	9	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	10	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	11	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	12	LC MM	0,01												08.04.2019-07:05	Sipos
173776-3	1	MTP(F) MM	0,06	0,09					47,6	53,0					09.04.2019-13:48	BOMBAROVA
173776-3	2	MTP(F) MM	0,10	0,09					49,4	54,0					09.04.2019-13:48	BOMBAROVA
173776-3	3	MTP(F) MM	0,07	0,09					50,5	54,9					09.04.2019-13:48	BOMBAROVA
173776-3	4	MTP(F) MM	0,07	0,06					49,4	53,7					09.04.2019-13:48	BOMBAROVA
173776-3	5	MTP(F) MM	0,16	0,06					43,8	45,2					09.04.2019-13:48	BOMBAROVA
173776-3	6	MTP(F) MM	0,23	0,05					46,1	41,3					09.04.2019-13:48	BOMBAROVA
173776-3	7	MTP(F) MM	0,03	0,07					45,7	50,1					09.04.2019-13:48	BOMBAROVA
173776-3	8	MTP(F) MM	0,01	0,15					42,3	42,8					09.04.2019-13:48	BOMBAROVA
173776-3	9	MTP(F) MM	0,07	0,11					41,9	39,3					09.04.2019-13:48	BOMBAROVA
173776-3	10	MTP(F) MM	0,16	0,10					45,5	45,2					09.04.2019-13:48	BOMBAROVA
173776-3	11	MTP(F) MM	0,07	0,03					44,3	46,0					09.04.2019-13:48	BOMBAROVA
173776-3	12	MTP(F) MM	0,10	0,05					44,4	45,4					09.04.2019-13:48	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-4	1	LC MM	0,04												08.04.2019-07:14	Sipos
173776-4	2	LC MM	0,10												08.04.2019-07:14	Sipos
173776-4	3	LC MM	0,04												08.04.2019-07:14	Sipos
173776-4	4	LC MM	0,04												08.04.2019-07:14	Sipos
173776-4	5	LC MM	0,01												08.04.2019-07:14	Sipos
173776-4	6	LC MM	0,01												08.04.2019-07:14	Sipos
173776-4	7	LC MM	0,03												08.04.2019-07:14	Sipos
173776-4	8	LC MM	0,02												08.04.2019-07:14	Sipos
173776-4	9	LC MM	0,03												08.04.2019-07:14	Sipos
173776-4	10	LC MM	0,02												08.04.2019-07:14	Sipos
173776-4	11	LC MM	0,01												08.04.2019-07:14	Sipos
173776-4	12	LC MM	0,01												08.04.2019-07:14	Sipos
173776-4	1	MTP(F) MM	0,06	0,09				43,9	49,5						09.04.2019-13:41	BOMBAROVA
173776-4	2	MTP(F) MM	0,10	0,09				50,3	53,8						09.04.2019-13:41	BOMBAROVA
173776-4	3	MTP(F) MM	0,09	0,10				48,9	54,0						09.04.2019-13:41	BOMBAROVA
173776-4	4	MTP(F) MM	0,07	0,06				49,5	53,0						09.04.2019-13:41	BOMBAROVA
173776-4	5	MTP(F) MM	0,17	0,08				43,7	45,1						09.04.2019-13:41	BOMBAROVA
173776-4	6	MTP(F) MM	0,14	0,01				45,9	41,3						09.04.2019-13:41	BOMBAROVA
173776-4	7	MTP(F) MM	0,04	0,08				45,6	49,9						09.04.2019-13:41	BOMBAROVA
173776-4	8	MTP(F) MM	0,01	0,17				41,5	42,8						09.04.2019-13:41	BOMBAROVA
173776-4	9	MTP(F) MM	0,07	0,10				41,7	39,3						09.04.2019-13:41	BOMBAROVA
173776-4	10	MTP(F) MM	0,33	0,24				45,4	45,2						09.04.2019-13:41	BOMBAROVA
173776-4	11	MTP(F) MM	0,05	0,02				44,1	46,1						09.04.2019-13:41	BOMBAROVA
173776-4	12	MTP(F) MM	0,10	0,05				44,7	45,3						09.04.2019-13:41	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-5	1	LC MM	0,16												08.04.2019-06:58	Sipos
173776-5	2	LC MM	0,03												08.04.2019-06:58	Sipos
173776-5	3	LC MM	0,02												08.04.2019-06:58	Sipos
173776-5	4	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	5	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	6	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	7	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	8	LC MM	0,02												08.04.2019-06:58	Sipos
173776-5	9	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	10	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	11	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	12	LC MM	0,01												08.04.2019-06:58	Sipos
173776-5	1	MTP(F) MM	0,29	0,24					31,1	35,6					09.04.2019-14:03	BOMBAROVA
173776-5	2	MTP(F) MM	0,09	0,10					49,7	53,5					09.04.2019-14:03	BOMBAROVA
173776-5	3	MTP(F) MM	0,09	0,14					48,4	53,6					09.04.2019-14:03	BOMBAROVA
173776-5	4	MTP(F) MM	0,07	0,08					49,3	52,8					09.04.2019-14:03	BOMBAROVA
173776-5	5	MTP(F) MM	0,19	0,11					43,0	45,0					09.04.2019-14:03	BOMBAROVA
173776-5	6	MTP(F) MM	0,14	0,01					46,1	41,3					09.04.2019-14:03	BOMBAROVA
173776-5	7	MTP(F) MM	0,05	0,10					46,4	50,2					09.04.2019-14:03	BOMBAROVA
173776-5	8	MTP(F) MM	0,02	0,16					42,0	42,7					09.04.2019-14:03	BOMBAROVA
173776-5	9	MTP(F) MM	0,07	0,14					41,9	39,2					09.04.2019-14:03	BOMBAROVA
173776-5	10	MTP(F) MM	0,13	0,07					45,4	45,1					09.04.2019-14:03	BOMBAROVA
173776-5	11	MTP(F) MM	0,05	0,02					44,3	46,0					09.04.2019-14:03	BOMBAROVA
173776-5	12	MTP(F) MM	0,08	0,04					45,5	45,3					09.04.2019-14:03	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-6	1	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	2	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	3	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	4	LC MM	0,04												08.04.2019-07:08	Sipos
173776-6	5	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	6	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	7	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	8	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	9	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	10	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	11	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	12	LC MM	0,01												08.04.2019-07:08	Sipos
173776-6	1	MTP(F) MM	0,04	0,05					47,9	53,6					09.04.2019-13:44	BOMBAROVA
173776-6	2	MTP(F) MM	0,08	0,10					49,3	53,0					09.04.2019-13:44	BOMBAROVA
173776-6	3	MTP(F) MM	0,06	0,08					49,8	55,1					09.04.2019-13:44	BOMBAROVA
173776-6	4	MTP(F) MM	0,05	0,04					49,5	52,8					09.04.2019-13:44	BOMBAROVA
173776-6	5	MTP(F) MM	0,15	0,05					43,5	45,1					09.04.2019-13:44	BOMBAROVA
173776-6	6	MTP(F) MM	0,11	0,03					46,1	41,3					09.04.2019-13:44	BOMBAROVA
173776-6	7	MTP(F) MM	0,01	0,04					45,7	49,9					09.04.2019-13:44	BOMBAROVA
173776-6	8	MTP(F) MM	0,03	0,12					42,0	42,8					09.04.2019-13:44	BOMBAROVA
173776-6	9	MTP(F) MM	0,05	0,10					41,6	39,3					09.04.2019-13:44	BOMBAROVA
173776-6	10	MTP(F) MM	0,11	0,03					45,7	45,2					09.04.2019-13:44	BOMBAROVA
173776-6	11	MTP(F) MM	0,02	0,01					44,3	46,0					09.04.2019-13:44	BOMBAROVA
173776-6	12	MTP(F) MM	0,07	0,01					44,7	45,4					09.04.2019-13:44	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-7	1	LC MM	0,02												08.04.2019-09:01	Sipos
173776-7	2	LC MM	0,02												08.04.2019-09:01	Sipos
173776-7	3	LC MM	0,05												08.04.2019-09:01	Sipos
173776-7	4	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	5	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	6	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	7	LC MM	0,03												08.04.2019-09:01	Sipos
173776-7	8	LC MM	0,07												08.04.2019-09:01	Sipos
173776-7	9	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	10	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	11	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	12	LC MM	0,01												08.04.2019-09:01	Sipos
173776-7	1	MTP(F) MM	0,05	0,06					27,9	32,5					09.04.2019-10:57	BOMBAROVA
173776-7	2	MTP(F) MM	0,07	0,07					42,7	49,4					09.04.2019-10:57	BOMBAROVA
173776-7	3	MTP(F) MM	0,09	0,09					26,6	30,5					09.04.2019-10:57	BOMBAROVA
173776-7	4	MTP(F) MM	0,05	0,04					49,8	53,2					09.04.2019-10:57	BOMBAROVA
173776-7	5	MTP(F) MM	0,06	0,05					44,4	45,3					09.04.2019-10:57	BOMBAROVA
173776-7	6	MTP(F) MM	0,06	0,03					45,6	40,8					09.04.2019-10:57	BOMBAROVA
173776-7	7	MTP(F) MM	0,03	0,05					44,9	48,9					09.04.2019-10:57	BOMBAROVA
173776-7	8	MTP(F) MM	0,04	0,09					41,5	44,2					09.04.2019-10:57	BOMBAROVA
173776-7	9	MTP(F) MM	0,04	0,05					42,0	39,8					09.04.2019-10:57	BOMBAROVA
173776-7	10	MTP(F) MM	0,05	0,04					46,8	45,2					09.04.2019-10:57	BOMBAROVA
173776-7	11	MTP(F) MM	0,01	0,02					42,9	45,7					09.04.2019-10:57	BOMBAROVA
173776-7	12	MTP(F) MM	0,04	0,03					46,0	45,2					09.04.2019-10:57	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25															
	12	MTP(F) MM	0,35	0,35							20,0	20,0						
173776-8	1	LC MM	0,04														08.04.2019-08:25	Sipos
173776-8	2	LC MM	0,04														08.04.2019-08:25	Sipos
173776-8	3	LC MM	0,02														08.04.2019-08:25	Sipos
173776-8	4	LC MM	0,02														08.04.2019-08:25	Sipos
173776-8	5	LC MM	0,01														08.04.2019-08:25	Sipos
173776-8	6	LC MM	0,01														08.04.2019-08:25	Sipos
173776-8	7	LC MM	0,03														08.04.2019-08:25	Sipos
173776-8	8	LC MM	0,03														08.04.2019-08:25	Sipos
173776-8	9	LC MM	0,04														08.04.2019-08:25	Sipos
173776-8	10	LC MM	0,02														08.04.2019-08:25	Sipos
173776-8	11	LC MM	0,01														08.04.2019-08:25	Sipos
173776-8	12	LC MM	0,01														08.04.2019-08:25	Sipos
173776-8	1	MTP(F) MM	0,05	0,07							50,2	55,5					09.04.2019-12:29	BOMBAROVA
173776-8	2	MTP(F) MM	0,08	0,09							49,6	56,0					09.04.2019-12:29	BOMBAROVA
173776-8	3	MTP(F) MM	0,06	0,08							52,1	54,7					09.04.2019-12:29	BOMBAROVA
173776-8	4	MTP(F) MM	0,05	0,05							49,8	53,2					09.04.2019-12:29	BOMBAROVA
173776-8	5	MTP(F) MM	0,13	0,06							43,8	45,2					09.04.2019-12:29	BOMBAROVA
173776-8	6	MTP(F) MM	0,10	0,01							46,3	41,4					09.04.2019-12:29	BOMBAROVA
173776-8	7	MTP(F) MM	0,03	0,06							46,5	50,4					09.04.2019-12:29	BOMBAROVA
173776-8	8	MTP(F) MM	0,01	0,12							41,8	43,4					09.04.2019-12:29	BOMBAROVA
173776-8	9	MTP(F) MM	0,06	0,10							42,0	39,6					09.04.2019-12:29	BOMBAROVA
173776-8	10	MTP(F) MM	0,10	0,04							46,5	45,3					09.04.2019-12:29	BOMBAROVA
173776-8	11	MTP(F) MM	0,03	0,03							43,5	45,8					09.04.2019-12:29	BOMBAROVA
173776-8	12	MTP(F) MM	0,06	0,03							46,3	45,4					09.04.2019-12:29	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-9	1	LC MM	0,03												08.04.2019-08:36	Sipos
173776-9	2	LC MM	0,03												08.04.2019-08:36	Sipos
173776-9	3	LC MM	0,06												08.04.2019-08:36	Sipos
173776-9	4	LC MM	0,03												08.04.2019-08:36	Sipos
173776-9	5	LC MM	0,01												08.04.2019-08:36	Sipos
173776-9	6	LC MM	0,01												08.04.2019-08:36	Sipos
173776-9	7	LC MM	0,01												08.04.2019-08:36	Sipos
173776-9	8	LC MM	0,04												08.04.2019-08:36	Sipos
173776-9	9	LC MM	0,02												08.04.2019-08:36	Sipos
173776-9	10	LC MM	0,03												08.04.2019-08:36	Sipos
173776-9	11	LC MM	0,01												08.04.2019-08:36	Sipos
173776-9	12	LC MM	0,02												08.04.2019-08:36	Sipos
173776-9	1	MTP(F) MM	0,04	0,05				49,8	55,0						09.04.2019-12:15	BOMBAROVA
173776-9	2	MTP(F) MM	0,06	0,06				50,4	55,1						09.04.2019-12:15	BOMBAROVA
173776-9	3	MTP(F) MM	0,06	0,08				49,5	56,4						09.04.2019-12:15	BOMBAROVA
173776-9	4	MTP(F) MM	0,06	0,05				50,2	53,3						09.04.2019-12:15	BOMBAROVA
173776-9	5	MTP(F) MM	0,10	0,03				44,0	45,2						09.04.2019-12:15	BOMBAROVA
173776-9	6	MTP(F) MM	0,08	0,02				46,5	41,3						09.04.2019-12:15	BOMBAROVA
173776-9	7	MTP(F) MM	0,03	0,06				45,5	50,3						09.04.2019-12:15	BOMBAROVA
173776-9	8	MTP(F) MM	0,01	0,11				41,7	43,5						09.04.2019-12:15	BOMBAROVA
173776-9	9	MTP(F) MM	0,04	0,05				41,9	39,6						09.04.2019-12:15	BOMBAROVA
173776-9	10	MTP(F) MM	0,07	0,03				46,0	45,3						09.04.2019-12:15	BOMBAROVA
173776-9	11	MTP(F) MM	0,01	0,01				43,5	45,8						09.04.2019-12:15	BOMBAROVA
173776-9	12	MTP(F) MM	0,05	0,03				46,0	45,3						09.04.2019-12:15	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-10	1	LC MM	0,04												08.04.2019-08:46	Sipos
173776-10	2	LC MM	0,03												08.04.2019-08:46	Sipos
173776-10	3	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	4	LC MM	0,05												08.04.2019-08:46	Sipos
173776-10	5	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	6	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	7	LC MM	0,02												08.04.2019-08:46	Sipos
173776-10	8	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	9	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	10	LC MM	0,03												08.04.2019-08:46	Sipos
173776-10	11	LC MM	0,01												08.04.2019-08:46	Sipos
173776-10	12	LC MM	0,02												08.04.2019-08:46	Sipos
173776-10	1	MTP(F) MM	0,05	0,06					50,8	55,6					09.04.2019-11:22	BOMBAROVA
173776-10	2	MTP(F) MM	0,05	0,07					51,4	53,5					09.04.2019-11:22	BOMBAROVA
173776-10	3	MTP(F) MM	0,06	0,08					51,9	56,5					09.04.2019-11:22	BOMBAROVA
173776-10	4	MTP(F) MM	0,05	0,06					50,2	53,3					09.04.2019-11:22	BOMBAROVA
173776-10	5	MTP(F) MM	0,09	0,04					44,4	45,3					09.04.2019-11:22	BOMBAROVA
173776-10	6	MTP(F) MM	0,07	0,01					47,2	41,2					09.04.2019-11:22	BOMBAROVA
173776-10	7	MTP(F) MM	0,03	0,07					45,0	49,6					09.04.2019-11:22	BOMBAROVA
173776-10	8	MTP(F) MM	0,01	0,09					41,7	43,8					09.04.2019-11:22	BOMBAROVA
173776-10	9	MTP(F) MM	0,04	0,07					42,3	39,7					09.04.2019-11:22	BOMBAROVA
173776-10	10	MTP(F) MM	0,07	0,05					46,7	45,2					09.04.2019-11:22	BOMBAROVA
173776-10	11	MTP(F) MM	0,03	0,03					42,9	45,8					09.04.2019-11:22	BOMBAROVA
173776-10	12	MTP(F) MM	0,06	0,06					46,2	45,3					09.04.2019-11:22	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-11	1	LC MM	0,07												08.04.2019-08:43	Sipos
173776-11	2	LC MM	0,03												08.04.2019-08:43	Sipos
173776-11	3	LC MM	0,04												08.04.2019-08:43	Sipos
173776-11	4	LC MM	0,06												08.04.2019-08:43	Sipos
173776-11	5	LC MM	0,01												08.04.2019-08:43	Sipos
173776-11	6	LC MM	0,08												08.04.2019-08:43	Sipos
173776-11	7	LC MM	0,03												08.04.2019-08:43	Sipos
173776-11	8	LC MM	0,01												08.04.2019-08:43	Sipos
173776-11	9	LC MM	0,01												08.04.2019-08:43	Sipos
173776-11	10	LC MM	0,01												08.04.2019-08:43	Sipos
173776-11	11	LC MM	0,03												08.04.2019-08:43	Sipos
173776-11	12	LC MM	0,01												08.04.2019-08:43	Sipos
173776-11	1	MTP(F) MM	0,05	0,06					49,8	53,5					09.04.2019-11:26	BOMBAROVA
173776-11	2	MTP(F) MM	0,06	0,07					50,3	52,4					09.04.2019-11:26	BOMBAROVA
173776-11	3	MTP(F) MM	0,06	0,08					50,5	55,0					09.04.2019-11:26	BOMBAROVA
173776-11	4	MTP(F) MM	0,05	0,05					49,8	52,5					09.04.2019-11:26	BOMBAROVA
173776-11	5	MTP(F) MM	0,09	0,04					44,0	45,2					09.04.2019-11:26	BOMBAROVA
173776-11	6	MTP(F) MM	0,07	0,01					46,0	41,3					09.04.2019-11:26	BOMBAROVA
173776-11	7	MTP(F) MM	0,03	0,07					45,0	49,6					09.04.2019-11:26	BOMBAROVA
173776-11	8	MTP(F) MM	0,01	0,08					41,2	43,8					09.04.2019-11:26	BOMBAROVA
173776-11	9	MTP(F) MM	0,04	0,05					42,0	39,6					09.04.2019-11:26	BOMBAROVA
173776-11	10	MTP(F) MM	0,06	0,03					46,8	45,2					09.04.2019-11:26	BOMBAROVA
173776-11	11	MTP(F) MM	0,02	0,02					43,1	45,7					09.04.2019-11:26	BOMBAROVA
173776-11	12	MTP(F) MM	0,06	0,05					46,8	45,3					09.04.2019-11:26	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-12	1	LC MM	0,09												08.04.2019-07:29	Sipos
173776-12	2	LC MM	0,23												08.04.2019-07:29	Sipos
173776-12	3	LC MM	0,04												08.04.2019-07:29	Sipos
173776-12	4	LC MM	0,17												08.04.2019-07:29	Sipos
173776-12	5	LC MM	0,02												08.04.2019-07:29	Sipos
173776-12	6	LC MM	0,02												08.04.2019-07:29	Sipos
173776-12	7	LC MM	0,03												08.04.2019-07:29	Sipos
173776-12	8	LC MM	0,03												08.04.2019-07:29	Sipos
173776-12	9	LC MM	0,18												08.04.2019-07:29	Sipos
173776-12	10	LC MM	0,02												08.04.2019-07:29	Sipos
173776-12	11	LC MM	0,02												08.04.2019-07:29	Sipos
173776-12	12	LC MM	0,03												08.04.2019-07:29	Sipos
173776-12	1	MTP(F) MM	0,04	0,05				48,8	54,0						09.04.2019-13:18	BOMBAROVA
173776-12	2	MTP(F) MM	0,06	0,07				50,0	55,0						09.04.2019-13:18	BOMBAROVA
173776-12	3	MTP(F) MM	0,06	0,08				50,5	55,2						09.04.2019-13:18	BOMBAROVA
173776-12	4	MTP(F) MM	0,06	0,05				49,8	53,4						09.04.2019-13:18	BOMBAROVA
173776-12	5	MTP(F) MM	0,14	0,05				43,5	45,1						09.04.2019-13:18	BOMBAROVA
173776-12	6	MTP(F) MM	0,12	0,02				46,1	41,3						09.04.2019-13:18	BOMBAROVA
173776-12	7	MTP(F) MM	0,03	0,09				46,3	49,8						09.04.2019-13:18	BOMBAROVA
173776-12	8	MTP(F) MM	0,01	0,15				41,9	42,9						09.04.2019-13:18	BOMBAROVA
173776-12	9	MTP(F) MM	0,05	0,10				41,8	39,4						09.04.2019-13:18	BOMBAROVA
173776-12	10	MTP(F) MM	0,12	0,04				46,1	45,2						09.04.2019-13:18	BOMBAROVA
173776-12	11	MTP(F) MM	0,03	0,01				43,4	45,9						09.04.2019-13:18	BOMBAROVA
173776-12	12	MTP(F) MM	0,07	0,03				45,5	45,3						09.04.2019-13:18	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-13	1	LC MM	0,01												08.04.2019-08:40	Sipos
173776-13	2	LC MM	0,02												08.04.2019-08:40	Sipos
173776-13	3	LC MM	0,03												08.04.2019-08:40	Sipos
173776-13	4	LC MM	0,04												08.04.2019-08:40	Sipos
173776-13	5	LC MM	0,01												08.04.2019-08:40	Sipos
173776-13	6	LC MM	0,01												08.04.2019-08:40	Sipos
173776-13	7	LC MM	0,03												08.04.2019-08:40	Sipos
173776-13	8	LC MM	0,01												08.04.2019-08:40	Sipos
173776-13	9	LC MM	0,02												08.04.2019-08:40	Sipos
173776-13	10	LC MM	0,04												08.04.2019-08:40	Sipos
173776-13	11	LC MM	0,05												08.04.2019-08:40	Sipos
173776-13	12	LC MM	0,01												08.04.2019-08:40	Sipos
173776-13	1	MTP(F) MM	0,05	0,08					50,9	55,1					09.04.2019-12:06	BOMBAROVA
173776-13	2	MTP(F) MM	0,07	0,09					50,7	55,1					09.04.2019-12:06	BOMBAROVA
173776-13	3	MTP(F) MM	0,05	0,08					51,1	55,3					09.04.2019-12:06	BOMBAROVA
173776-13	4	MTP(F) MM	0,05	0,05					49,3	53,0					09.04.2019-12:06	BOMBAROVA
173776-13	5	MTP(F) MM	0,10	0,02					44,1	45,2					09.04.2019-12:06	BOMBAROVA
173776-13	6	MTP(F) MM	0,08	0,02					46,6	41,2					09.04.2019-12:06	BOMBAROVA
173776-13	7	MTP(F) MM	0,01	0,02					45,7	50,0					09.04.2019-12:06	BOMBAROVA
173776-13	8	MTP(F) MM	0,02	0,07					41,8	43,5					09.04.2019-12:06	BOMBAROVA
173776-13	9	MTP(F) MM	0,04	0,05					41,7	39,6					09.04.2019-12:06	BOMBAROVA
173776-13	10	MTP(F) MM	0,07	0,02					46,2	45,3					09.04.2019-12:06	BOMBAROVA
173776-13	11	MTP(F) MM	0,01	0,01					43,3	45,7					09.04.2019-12:06	BOMBAROVA
173776-13	12	MTP(F) MM	0,04	0,02					46,2	45,3					09.04.2019-12:06	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-14	1	LC MM	0,05												08.04.2019-08:03	Sipos
173776-14	2	LC MM	0,03												08.04.2019-08:03	Sipos
173776-14	3	LC MM	0,08												08.04.2019-08:03	Sipos
173776-14	4	LC MM	0,03												08.04.2019-08:03	Sipos
173776-14	5	LC MM	0,03												08.04.2019-08:03	Sipos
173776-14	6	LC MM	0,03												08.04.2019-08:03	Sipos
173776-14	7	LC MM	0,02												08.04.2019-08:03	Sipos
173776-14	8	LC MM	0,01												08.04.2019-08:03	Sipos
173776-14	9	LC MM	0,05												08.04.2019-08:03	Sipos
173776-14	10	LC MM	0,01												08.04.2019-08:03	Sipos
173776-14	11	LC MM	0,01												08.04.2019-08:03	Sipos
173776-14	12	LC MM	0,03												08.04.2019-08:03	Sipos
173776-14	1	MTP(F) MM	0,03	0,04					51,4	54,2					09.04.2019-12:59	BOMBAROVA
173776-14	2	MTP(F) MM	0,06	0,07					50,5	54,2					09.04.2019-12:59	BOMBAROVA
173776-14	3	MTP(F) MM	0,05	0,08					49,2	54,8					09.04.2019-12:59	BOMBAROVA
173776-14	4	MTP(F) MM	0,07	0,08					38,0	44,0					09.04.2019-12:59	BOMBAROVA
173776-14	5	MTP(F) MM	0,13	0,05					43,8	45,2					09.04.2019-12:59	BOMBAROVA
173776-14	6	MTP(F) MM	0,12	0,01					46,2	41,3					09.04.2019-12:59	BOMBAROVA
173776-14	7	MTP(F) MM	0,02	0,06					45,9	50,3					09.04.2019-12:59	BOMBAROVA
173776-14	8	MTP(F) MM	0,03	0,11					41,5	43,2					09.04.2019-12:59	BOMBAROVA
173776-14	9	MTP(F) MM	0,05	0,10					42,0	39,5					09.04.2019-12:59	BOMBAROVA
173776-14	10	MTP(F) MM	0,10	0,04					46,4	45,2					09.04.2019-12:59	BOMBAROVA
173776-14	11	MTP(F) MM	0,04	0,03					43,8	45,9					09.04.2019-12:59	BOMBAROVA
173776-14	12	MTP(F) MM	0,06	0,03					45,6	45,5					09.04.2019-12:59	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: **Accounts Payable Service, FP Department, CERN**
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25															
	12	MTP(F) MM	0,35	0,35							20,0	20,0						
173776-15	1	LC MM	0,04												08.04.2019-08:29	Sipos		
173776-15	2	LC MM	0,03												08.04.2019-08:29	Sipos		
173776-15	3	LC MM	0,10												08.04.2019-08:29	Sipos		
173776-15	4	LC MM	0,08												08.04.2019-08:29	Sipos		
173776-15	5	LC MM	0,02												08.04.2019-08:29	Sipos		
173776-15	6	LC MM	0,02												08.04.2019-08:29	Sipos		
173776-15	7	LC MM	0,03												08.04.2019-08:29	Sipos		
173776-15	8	LC MM	0,03												08.04.2019-08:29	Sipos		
173776-15	9	LC MM	0,01												08.04.2019-08:29	Sipos		
173776-15	10	LC MM	0,04												08.04.2019-08:29	Sipos		
173776-15	11	LC MM	0,15												08.04.2019-08:29	Sipos		
173776-15	12	LC MM	0,05												08.04.2019-08:29	Sipos		
173776-15	1	MTP(F) MM	0,05	0,06							49,7	54,3					09.04.2019-12:24	BOMBAROVA
173776-15	2	MTP(F) MM	0,06	0,06							50,5	53,9					09.04.2019-12:24	BOMBAROVA
173776-15	3	MTP(F) MM	0,07	0,09							50,1	54,5					09.04.2019-12:24	BOMBAROVA
173776-15	4	MTP(F) MM	0,07	0,08							48,3	52,5					09.04.2019-12:24	BOMBAROVA
173776-15	5	MTP(F) MM	0,12	0,04							43,6	45,1					09.04.2019-12:24	BOMBAROVA
173776-15	6	MTP(F) MM	0,09	0,01							46,0	41,3					09.04.2019-12:24	BOMBAROVA
173776-15	7	MTP(F) MM	0,04	0,09							45,3	49,7					09.04.2019-12:24	BOMBAROVA
173776-15	8	MTP(F) MM	0,01	0,12							41,6	43,5					09.04.2019-12:24	BOMBAROVA
173776-15	9	MTP(F) MM	0,05	0,08							41,7	39,6					09.04.2019-12:24	BOMBAROVA
173776-15	10	MTP(F) MM	0,12	0,08							46,1	45,2					09.04.2019-12:24	BOMBAROVA
173776-15	11	MTP(F) MM	0,05	0,06							43,9	45,8					09.04.2019-12:24	BOMBAROVA
173776-15	12	MTP(F) MM	0,06	0,08							46,3	45,5					09.04.2019-12:24	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-16	1	LC MM	0,01												08.04.2019-08:11	Sipos
173776-16	2	LC MM	0,10												08.04.2019-08:11	Sipos
173776-16	3	LC MM	0,03												08.04.2019-08:11	Sipos
173776-16	4	LC MM	0,04												08.04.2019-08:11	Sipos
173776-16	5	LC MM	0,15												08.04.2019-08:11	Sipos
173776-16	6	LC MM	0,01												08.04.2019-08:11	Sipos
173776-16	7	LC MM	0,03												08.04.2019-08:11	Sipos
173776-16	8	LC MM	0,03												08.04.2019-08:11	Sipos
173776-16	9	LC MM	0,13												08.04.2019-08:11	Sipos
173776-16	10	LC MM	0,03												08.04.2019-08:11	Sipos
173776-16	11	LC MM	0,01												08.04.2019-08:11	Sipos
173776-16	12	LC MM	0,02												08.04.2019-08:11	Sipos
173776-16	1	MTP(F) MM	0,04	0,05					49,5	52,9					09.04.2019-12:48	BOMBAROVA
173776-16	2	MTP(F) MM	0,07	0,08					49,9	54,7					09.04.2019-12:48	BOMBAROVA
173776-16	3	MTP(F) MM	0,06	0,08					49,9	54,7					09.04.2019-12:48	BOMBAROVA
173776-16	4	MTP(F) MM	0,05	0,06					48,3	51,8					09.04.2019-12:48	BOMBAROVA
173776-16	5	MTP(F) MM	0,12	0,04					43,6	45,2					09.04.2019-12:48	BOMBAROVA
173776-16	6	MTP(F) MM	0,10	0,03					46,6	41,4					09.04.2019-12:48	BOMBAROVA
173776-16	7	MTP(F) MM	0,03	0,06					45,5	49,9					09.04.2019-12:48	BOMBAROVA
173776-16	8	MTP(F) MM	0,01	0,12					41,8	43,1					09.04.2019-12:48	BOMBAROVA
173776-16	9	MTP(F) MM	0,13	0,18					36,4	37,6					09.04.2019-12:48	BOMBAROVA
173776-16	10	MTP(F) MM	0,09	0,02					45,5	45,3					09.04.2019-12:48	BOMBAROVA
173776-16	11	MTP(F) MM	0,03	0,01					43,3	45,9					09.04.2019-12:48	BOMBAROVA
173776-16	12	MTP(F) MM	0,34	0,30					45,5	45,4					09.04.2019-12:48	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-17	1	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	2	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	3	LC MM	0,04												08.04.2019-07:25	Sipos
173776-17	4	LC MM	0,03												08.04.2019-07:25	Sipos
173776-17	5	LC MM	0,03												08.04.2019-07:25	Sipos
173776-17	6	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	7	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	8	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	9	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	10	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	11	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	12	LC MM	0,01												08.04.2019-07:25	Sipos
173776-17	1	MTP(F) MM	0,03	0,04					49,6	54,6					09.04.2019-13:23	BOMBAROVA
173776-17	2	MTP(F) MM	0,07	0,07					50,3	55,1					09.04.2019-13:23	BOMBAROVA
173776-17	3	MTP(F) MM	0,05	0,07					51,1	54,8					09.04.2019-13:23	BOMBAROVA
173776-17	4	MTP(F) MM	0,07	0,07					49,5	52,5					09.04.2019-13:23	BOMBAROVA
173776-17	5	MTP(F) MM	0,15	0,05					43,9	45,1					09.04.2019-13:23	BOMBAROVA
173776-17	6	MTP(F) MM	0,12	0,03					46,0	41,3					09.04.2019-13:23	BOMBAROVA
173776-17	7	MTP(F) MM	0,02	0,05					46,1	49,9					09.04.2019-13:23	BOMBAROVA
173776-17	8	MTP(F) MM	0,02	0,11					41,8	42,8					09.04.2019-13:23	BOMBAROVA
173776-17	9	MTP(F) MM	0,07	0,11					41,6	39,4					09.04.2019-13:23	BOMBAROVA
173776-17	10	MTP(F) MM	0,12	0,04					45,3	45,2					09.04.2019-13:23	BOMBAROVA
173776-17	11	MTP(F) MM	0,04	0,02					44,2	46,0					09.04.2019-13:23	BOMBAROVA
173776-17	12	MTP(F) MM	0,09	0,05					45,8	45,3					09.04.2019-13:23	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-18	1	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	2	LC MM	0,04												08.04.2019-07:56	Sipos
173776-18	3	LC MM	0,03												08.04.2019-07:56	Sipos
173776-18	4	LC MM	0,02												08.04.2019-07:56	Sipos
173776-18	5	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	6	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	7	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	8	LC MM	0,02												08.04.2019-07:56	Sipos
173776-18	9	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	10	LC MM	0,02												08.04.2019-07:56	Sipos
173776-18	11	LC MM	0,01												08.04.2019-07:56	Sipos
173776-18	12	LC MM	0,06												08.04.2019-07:56	Sipos
173776-18	1	MTP(F) MM	0,05	0,07					37,8	43,0					09.04.2019-13:04	BOMBAROVA
173776-18	2	MTP(F) MM	0,10	0,13					50,8	54,6					09.04.2019-13:04	BOMBAROVA
173776-18	3	MTP(F) MM	0,08	0,10					49,9	54,2					09.04.2019-13:04	BOMBAROVA
173776-18	4	MTP(F) MM	0,08	0,08					49,7	53,5					09.04.2019-13:04	BOMBAROVA
173776-18	5	MTP(F) MM	0,13	0,04					43,4	45,3					09.04.2019-13:04	BOMBAROVA
173776-18	6	MTP(F) MM	0,12	0,02					46,3	41,3					09.04.2019-13:04	BOMBAROVA
173776-18	7	MTP(F) MM	0,04	0,06					45,6	50,3					09.04.2019-13:04	BOMBAROVA
173776-18	8	MTP(F) MM	0,02	0,11					42,0	42,8					09.04.2019-13:04	BOMBAROVA
173776-18	9	MTP(F) MM	0,05	0,08					41,9	39,5					09.04.2019-13:04	BOMBAROVA
173776-18	10	MTP(F) MM	0,10	0,02					45,6	45,2					09.04.2019-13:04	BOMBAROVA
173776-18	11	MTP(F) MM	0,02	0,01					43,4	45,8					09.04.2019-13:04	BOMBAROVA
173776-18	12	MTP(F) MM	0,06	0,02					45,6	45,4					09.04.2019-13:04	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-19	1	LC MM	0,02												08.04.2019-08:58	Sipos
173776-19	2	LC MM	0,03												08.04.2019-08:58	Sipos
173776-19	3	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	4	LC MM	0,04												08.04.2019-08:58	Sipos
173776-19	5	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	6	LC MM	0,06												08.04.2019-08:58	Sipos
173776-19	7	LC MM	0,02												08.04.2019-08:58	Sipos
173776-19	8	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	9	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	10	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	11	LC MM	0,02												08.04.2019-08:58	Sipos
173776-19	12	LC MM	0,01												08.04.2019-08:58	Sipos
173776-19	1	MTP(F) MM	0,05	0,07					27,6	32,2					09.04.2019-11:02	BOMBAROVA
173776-19	2	MTP(F) MM	0,07	0,08					50,0	55,4					09.04.2019-11:02	BOMBAROVA
173776-19	3	MTP(F) MM	0,06	0,08					50,5	55,8					09.04.2019-11:02	BOMBAROVA
173776-19	4	MTP(F) MM	0,06	0,05					46,6	51,6					09.04.2019-11:02	BOMBAROVA
173776-19	5	MTP(F) MM	0,08	0,07					44,4	45,3					09.04.2019-11:02	BOMBAROVA
173776-19	6	MTP(F) MM	0,07	0,04					40,3	40,6					09.04.2019-11:02	BOMBAROVA
173776-19	7	MTP(F) MM	0,05	0,08					44,6	49,5					09.04.2019-11:02	BOMBAROVA
173776-19	8	MTP(F) MM	0,04	0,09					41,7	44,2					09.04.2019-11:02	BOMBAROVA
173776-19	9	MTP(F) MM	0,06	0,10					41,8	39,7					09.04.2019-11:02	BOMBAROVA
173776-19	10	MTP(F) MM	0,06	0,04					46,8	45,3					09.04.2019-11:02	BOMBAROVA
173776-19	11	MTP(F) MM	0,02	0,02					43,2	45,5					09.04.2019-11:02	BOMBAROVA
173776-19	12	MTP(F) MM	0,05	0,06					46,6	45,3					09.04.2019-11:02	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-20	1	LC MM	0,02												08.04.2019-09:04	Sipos
173776-20	2	LC MM	0,03												08.04.2019-09:04	Sipos
173776-20	3	LC MM	0,03												08.04.2019-09:04	Sipos
173776-20	4	LC MM	0,03												08.04.2019-09:04	Sipos
173776-20	5	LC MM	0,01												08.04.2019-09:04	Sipos
173776-20	6	LC MM	0,01												08.04.2019-09:04	Sipos
173776-20	7	LC MM	0,01												08.04.2019-09:04	Sipos
173776-20	8	LC MM	0,02												08.04.2019-09:04	Sipos
173776-20	9	LC MM	0,01												08.04.2019-09:04	Sipos
173776-20	10	LC MM	0,01												08.04.2019-09:04	Sipos
173776-20	11	LC MM	0,03												08.04.2019-09:04	Sipos
173776-20	12	LC MM	0,03												08.04.2019-09:04	Sipos
173776-20	1	MTP(F) MM	0,02	0,03					51,8	55,2					09.04.2019-10:51	BOMBAROVA
173776-20	2	MTP(F) MM	0,05	0,07					50,8	55,0					09.04.2019-10:51	BOMBAROVA
173776-20	3	MTP(F) MM	0,05	0,08					50,8	56,0					09.04.2019-10:51	BOMBAROVA
173776-20	4	MTP(F) MM	0,07	0,07					49,0	53,0					09.04.2019-10:51	BOMBAROVA
173776-20	5	MTP(F) MM	0,06	0,05					44,4	45,2					09.04.2019-10:51	BOMBAROVA
173776-20	6	MTP(F) MM	0,05	0,04					47,7	40,8					09.04.2019-10:51	BOMBAROVA
173776-20	7	MTP(F) MM	0,03	0,06					44,9	48,8					09.04.2019-10:51	BOMBAROVA
173776-20	8	MTP(F) MM	0,05	0,09					41,5	44,6					09.04.2019-10:51	BOMBAROVA
173776-20	9	MTP(F) MM	0,04	0,06					42,4	40,0					09.04.2019-10:51	BOMBAROVA
173776-20	10	MTP(F) MM	0,05	0,05					47,1	45,3					09.04.2019-10:51	BOMBAROVA
173776-20	11	MTP(F) MM	0,02	0,03					42,8	45,5					09.04.2019-10:51	BOMBAROVA
173776-20	12	MTP(F) MM	0,03	0,03					46,4	45,3					09.04.2019-10:51	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-21	1	LC MM	0,15												08.04.2019-07:48	Sipos
173776-21	2	LC MM	0,07												08.04.2019-07:48	Sipos
173776-21	3	LC MM	0,06												08.04.2019-07:48	Sipos
173776-21	4	LC MM	0,05												08.04.2019-07:48	Sipos
173776-21	5	LC MM	0,02												08.04.2019-07:48	Sipos
173776-21	6	LC MM	0,04												08.04.2019-07:48	Sipos
173776-21	7	LC MM	0,03												08.04.2019-07:48	Sipos
173776-21	8	LC MM	0,05												08.04.2019-07:48	Sipos
173776-21	9	LC MM	0,03												08.04.2019-07:48	Sipos
173776-21	10	LC MM	0,02												08.04.2019-07:48	Sipos
173776-21	11	LC MM	0,03												08.04.2019-07:48	Sipos
173776-21	12	LC MM	0,03												08.04.2019-07:48	Sipos
173776-21	1	MTP(F) MM	0,04	0,04				49,9	55,2						09.04.2019-13:13	BOMBAROVA
173776-21	2	MTP(F) MM	0,11	0,12				50,1	54,7						09.04.2019-13:13	BOMBAROVA
173776-21	3	MTP(F) MM	0,07	0,09				49,8	54,6						09.04.2019-13:13	BOMBAROVA
173776-21	4	MTP(F) MM	0,08	0,09				50,0	53,4						09.04.2019-13:13	BOMBAROVA
173776-21	5	MTP(F) MM	0,14	0,07				43,8	45,2						09.04.2019-13:13	BOMBAROVA
173776-21	6	MTP(F) MM	0,12	0,01				46,0	41,3						09.04.2019-13:13	BOMBAROVA
173776-21	7	MTP(F) MM	0,04	0,07				46,0	50,2						09.04.2019-13:13	BOMBAROVA
173776-21	8	MTP(F) MM	0,01	0,16				41,6	43,0						09.04.2019-13:13	BOMBAROVA
173776-21	9	MTP(F) MM	0,07	0,10				41,5	39,4						09.04.2019-13:13	BOMBAROVA
173776-21	10	MTP(F) MM	0,11	0,04				45,7	45,1						09.04.2019-13:13	BOMBAROVA
173776-21	11	MTP(F) MM	0,04	0,02				44,1	45,8						09.04.2019-13:13	BOMBAROVA
173776-21	12	MTP(F) MM	0,08	0,04				40,0	45,2						09.04.2019-13:13	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-22	1	LC MM	0,02												08.04.2019-08:50	Sipos
173776-22	2	LC MM	0,05												08.04.2019-08:50	Sipos
173776-22	3	LC MM	0,03												08.04.2019-08:50	Sipos
173776-22	4	LC MM	0,05												08.04.2019-08:50	Sipos
173776-22	5	LC MM	0,01												08.04.2019-08:50	Sipos
173776-22	6	LC MM	0,01												08.04.2019-08:50	Sipos
173776-22	7	LC MM	0,02												08.04.2019-08:50	Sipos
173776-22	8	LC MM	0,02												08.04.2019-08:50	Sipos
173776-22	9	LC MM	0,01												08.04.2019-08:50	Sipos
173776-22	10	LC MM	0,19												08.04.2019-08:50	Sipos
173776-22	11	LC MM	0,01												08.04.2019-08:50	Sipos
173776-22	12	LC MM	0,01												08.04.2019-08:50	Sipos
173776-22	1	MTP(F) MM	0,05	0,06					50,9	55,1					09.04.2019-12:03	BOMBAROVA
173776-22	2	MTP(F) MM	0,08	0,10					49,9	55,4					09.04.2019-12:03	BOMBAROVA
173776-22	3	MTP(F) MM	0,06	0,09					50,3	54,5					09.04.2019-12:03	BOMBAROVA
173776-22	4	MTP(F) MM	0,08	0,09					49,7	53,0					09.04.2019-12:03	BOMBAROVA
173776-22	5	MTP(F) MM	0,11	0,05					44,1	45,3					09.04.2019-12:03	BOMBAROVA
173776-22	6	MTP(F) MM	0,08	0,01					46,2	41,2					09.04.2019-12:03	BOMBAROVA
173776-22	7	MTP(F) MM	0,02	0,06					44,7	49,3					09.04.2019-12:03	BOMBAROVA
173776-22	8	MTP(F) MM	0,02	0,11					41,5	43,6					09.04.2019-12:03	BOMBAROVA
173776-22	9	MTP(F) MM	0,05	0,08					41,8	39,7					09.04.2019-12:03	BOMBAROVA
173776-22	10	MTP(F) MM	0,09	0,05					45,8	45,2					09.04.2019-12:03	BOMBAROVA
173776-22	11	MTP(F) MM	0,02	0,01					43,1	45,8					09.04.2019-12:03	BOMBAROVA
173776-22	12	MTP(F) MM	0,07	0,04					45,5	45,4					09.04.2019-12:03	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-23	1	LC MM	0,07												08.04.2019-08:15	Sipos
173776-23	2	LC MM	0,08												08.04.2019-08:15	Sipos
173776-23	3	LC MM	0,02												08.04.2019-08:15	Sipos
173776-23	4	LC MM	0,03												08.04.2019-08:15	Sipos
173776-23	5	LC MM	0,01												08.04.2019-08:15	Sipos
173776-23	6	LC MM	0,03												08.04.2019-08:15	Sipos
173776-23	7	LC MM	0,01												08.04.2019-08:15	Sipos
173776-23	8	LC MM	0,02												08.04.2019-08:15	Sipos
173776-23	9	LC MM	0,01												08.04.2019-08:15	Sipos
173776-23	10	LC MM	0,02												08.04.2019-08:15	Sipos
173776-23	11	LC MM	0,01												08.04.2019-08:15	Sipos
173776-23	12	LC MM	0,03												08.04.2019-08:15	Sipos
173776-23	1	MTP(F) MM	0,05	0,08					43,8	45,7					09.04.2019-12:43	BOMBAROVA
173776-23	2	MTP(F) MM	0,08	0,09					49,5	53,2					09.04.2019-12:43	BOMBAROVA
173776-23	3	MTP(F) MM	0,07	0,10					50,5	54,4					09.04.2019-12:43	BOMBAROVA
173776-23	4	MTP(F) MM	0,14	0,12					49,9	53,5					09.04.2019-12:43	BOMBAROVA
173776-23	5	MTP(F) MM	0,12	0,05					43,8	45,3					09.04.2019-12:43	BOMBAROVA
173776-23	6	MTP(F) MM	0,10	0,02					46,8	41,3					09.04.2019-12:43	BOMBAROVA
173776-23	7	MTP(F) MM	0,02	0,05					46,0	50,5					09.04.2019-12:43	BOMBAROVA
173776-23	8	MTP(F) MM	0,01	0,12					41,7	43,2					09.04.2019-12:43	BOMBAROVA
173776-23	9	MTP(F) MM	0,05	0,08					42,2	39,6					09.04.2019-12:43	BOMBAROVA
173776-23	10	MTP(F) MM	0,10	0,05					45,3	45,4					09.04.2019-12:43	BOMBAROVA
173776-23	11	MTP(F) MM	0,03	0,01					42,9	45,8					09.04.2019-12:43	BOMBAROVA
173776-23	12	MTP(F) MM	0,06	0,03					45,3	45,4					09.04.2019-12:43	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-24	1	LC MM	0,02												08.04.2019-08:31	Sipos
173776-24	2	LC MM	0,02												08.04.2019-08:31	Sipos
173776-24	3	LC MM	0,07												08.04.2019-08:31	Sipos
173776-24	4	LC MM	0,03												08.04.2019-08:31	Sipos
173776-24	5	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	6	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	7	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	8	LC MM	0,02												08.04.2019-08:31	Sipos
173776-24	9	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	10	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	11	LC MM	0,01												08.04.2019-08:31	Sipos
173776-24	12	LC MM	0,03												08.04.2019-08:31	Sipos
173776-24	1	MTP(F) MM	0,04	0,05					50,8	56,1					09.04.2019-12:20	BOMBAROVA
173776-24	2	MTP(F) MM	0,07	0,08					51,4	55,4					09.04.2019-12:20	BOMBAROVA
173776-24	3	MTP(F) MM	0,06	0,08					51,7	55,8					09.04.2019-12:20	BOMBAROVA
173776-24	4	MTP(F) MM	0,06	0,07					49,5	53,3					09.04.2019-12:20	BOMBAROVA
173776-24	5	MTP(F) MM	0,12	0,05					43,7	45,3					09.04.2019-12:20	BOMBAROVA
173776-24	6	MTP(F) MM	0,09	0,02					46,1	41,3					09.04.2019-12:20	BOMBAROVA
173776-24	7	MTP(F) MM	0,01	0,04					45,2	50,0					09.04.2019-12:20	BOMBAROVA
173776-24	8	MTP(F) MM	0,01	0,10					41,7	43,5					09.04.2019-12:20	BOMBAROVA
173776-24	9	MTP(F) MM	0,05	0,08					41,8	39,5					09.04.2019-12:20	BOMBAROVA
173776-24	10	MTP(F) MM	0,09	0,03					46,4	45,2					09.04.2019-12:20	BOMBAROVA
173776-24	11	MTP(F) MM	0,03	0,03					43,8	45,8					09.04.2019-12:20	BOMBAROVA
173776-24	12	MTP(F) MM	0,06	0,04					46,6	45,4					09.04.2019-12:20	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-25	1	LC MM	0,02												08.04.2019-08:56	Sipos
173776-25	2	LC MM	0,02												08.04.2019-08:56	Sipos
173776-25	3	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	4	LC MM	0,03												08.04.2019-08:56	Sipos
173776-25	5	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	6	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	7	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	8	LC MM	0,05												08.04.2019-08:56	Sipos
173776-25	9	LC MM	0,06												08.04.2019-08:56	Sipos
173776-25	10	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	11	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	12	LC MM	0,01												08.04.2019-08:56	Sipos
173776-25	1	MTP(F) MM	0,05	0,06				52,1	55,4						09.04.2019-11:08	BOMBAROVA
173776-25	2	MTP(F) MM	0,06	0,07				49,0	53,6						09.04.2019-11:08	BOMBAROVA
173776-25	3	MTP(F) MM	0,06	0,08				51,2	55,4						09.04.2019-11:08	BOMBAROVA
173776-25	4	MTP(F) MM	0,06	0,06				50,2	52,9						09.04.2019-11:08	BOMBAROVA
173776-25	5	MTP(F) MM	0,07	0,03				44,3	45,2						09.04.2019-11:08	BOMBAROVA
173776-25	6	MTP(F) MM	0,06	0,01				46,7	40,9						09.04.2019-11:08	BOMBAROVA
173776-25	7	MTP(F) MM	0,03	0,06				44,9	49,6						09.04.2019-11:08	BOMBAROVA
173776-25	8	MTP(F) MM	0,02	0,08				41,7	44,2						09.04.2019-11:08	BOMBAROVA
173776-25	9	MTP(F) MM	0,04	0,05				42,4	39,8						09.04.2019-11:08	BOMBAROVA
173776-25	10	MTP(F) MM	0,06	0,03				47,2	45,3						09.04.2019-11:08	BOMBAROVA
173776-25	11	MTP(F) MM	0,03	0,01				43,3	45,5						09.04.2019-11:08	BOMBAROVA
173776-25	12	MTP(F) MM	0,06	0,05				46,7	45,4						09.04.2019-11:08	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-26	1	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	2	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	3	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	4	LC MM	0,01												08.04.2019-08:53	Sipos
173776-26	5	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	6	LC MM	0,03												08.04.2019-08:53	Sipos
173776-26	7	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	8	LC MM	0,01												08.04.2019-08:53	Sipos
173776-26	9	LC MM	0,01												08.04.2019-08:53	Sipos
173776-26	10	LC MM	0,02												08.04.2019-08:53	Sipos
173776-26	11	LC MM	0,01												08.04.2019-08:53	Sipos
173776-26	12	LC MM	0,01												08.04.2019-08:53	Sipos
173776-26	1	MTP(F) MM	0,04	0,05					52,3	55,7					09.04.2019-11:13	BOMBAROVA
173776-26	2	MTP(F) MM	0,06	0,07					50,4	55,0					09.04.2019-11:13	BOMBAROVA
173776-26	3	MTP(F) MM	0,06	0,08					51,6	56,1					09.04.2019-11:13	BOMBAROVA
173776-26	4	MTP(F) MM	0,05	0,05					49,7	53,0					09.04.2019-11:13	BOMBAROVA
173776-26	5	MTP(F) MM	0,08	0,03					44,2	45,3					09.04.2019-11:13	BOMBAROVA
173776-26	6	MTP(F) MM	0,06	0,01					47,1	41,1					09.04.2019-11:13	BOMBAROVA
173776-26	7	MTP(F) MM	0,02	0,05					45,5	49,7					09.04.2019-11:13	BOMBAROVA
173776-26	8	MTP(F) MM	0,01	0,09					41,5	44,0					09.04.2019-11:13	BOMBAROVA
173776-26	9	MTP(F) MM	0,04	0,05					41,7	39,7					09.04.2019-11:13	BOMBAROVA
173776-26	10	MTP(F) MM	0,07	0,03					46,4	45,2					09.04.2019-11:13	BOMBAROVA
173776-26	11	MTP(F) MM	0,02	0,01					43,0	45,6					09.04.2019-11:13	BOMBAROVA
173776-26	12	MTP(F) MM	0,05	0,03					46,2	45,3					09.04.2019-11:13	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-27	1	LC MM	0,03												08.04.2019-08:18	Sipos
173776-27	2	LC MM	0,03												08.04.2019-08:18	Sipos
173776-27	3	LC MM	0,04												08.04.2019-08:18	Sipos
173776-27	4	LC MM	0,02												08.04.2019-08:18	Sipos
173776-27	5	LC MM	0,03												08.04.2019-08:18	Sipos
173776-27	6	LC MM	0,01												08.04.2019-08:18	Sipos
173776-27	7	LC MM	0,06												08.04.2019-08:18	Sipos
173776-27	8	LC MM	0,01												08.04.2019-08:18	Sipos
173776-27	9	LC MM	0,01												08.04.2019-08:18	Sipos
173776-27	10	LC MM	0,01												08.04.2019-08:18	Sipos
173776-27	11	LC MM	0,01												08.04.2019-08:18	Sipos
173776-27	12	LC MM	0,03												08.04.2019-08:18	Sipos
173776-27	1	MTP(F) MM	0,04	0,06					50,4	54,4					09.04.2019-12:38	BOMBAROVA
173776-27	2	MTP(F) MM	0,08	0,09					50,3	54,4					09.04.2019-12:38	BOMBAROVA
173776-27	3	MTP(F) MM	0,07	0,11					48,8	54,2					09.04.2019-12:38	BOMBAROVA
173776-27	4	MTP(F) MM	0,06	0,07					50,3	53,6					09.04.2019-12:38	BOMBAROVA
173776-27	5	MTP(F) MM	0,12	0,05					43,5	45,2					09.04.2019-12:38	BOMBAROVA
173776-27	6	MTP(F) MM	0,10	0,01					46,0	41,3					09.04.2019-12:38	BOMBAROVA
173776-27	7	MTP(F) MM	0,02	0,05					45,5	50,3					09.04.2019-12:38	BOMBAROVA
173776-27	8	MTP(F) MM	0,02	0,10					41,6	43,2					09.04.2019-12:38	BOMBAROVA
173776-27	9	MTP(F) MM	0,05	0,08					41,8	39,5					09.04.2019-12:38	BOMBAROVA
173776-27	10	MTP(F) MM	0,10	0,06					45,9	45,3					09.04.2019-12:38	BOMBAROVA
173776-27	11	MTP(F) MM	0,04	0,03					43,7	46,0					09.04.2019-12:38	BOMBAROVA
173776-27	12	MTP(F) MM	0,05	0,03					46,1	45,4					09.04.2019-12:38	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested:	12	LC MM	0,25													
	12	MTP(F) MM	0,35	0,35					20,0	20,0						
173776-28	1	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	2	LC MM	0,04												08.04.2019-08:22	Sipos
173776-28	3	LC MM	0,04												08.04.2019-08:22	Sipos
173776-28	4	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	5	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	6	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	7	LC MM	0,03												08.04.2019-08:22	Sipos
173776-28	8	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	9	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	10	LC MM	0,03												08.04.2019-08:22	Sipos
173776-28	11	LC MM	0,01												08.04.2019-08:22	Sipos
173776-28	12	LC MM	0,02												08.04.2019-08:22	Sipos
173776-28	1	MTP(F) MM	0,04	0,05					50,2	54,8					09.04.2019-12:34	BOMBAROVA
173776-28	2	MTP(F) MM	0,07	0,09					51,5	54,8					09.04.2019-12:34	BOMBAROVA
173776-28	3	MTP(F) MM	0,06	0,08					48,9	55,4					09.04.2019-12:34	BOMBAROVA
173776-28	4	MTP(F) MM	0,04	0,05					49,7	52,9					09.04.2019-12:34	BOMBAROVA
173776-28	5	MTP(F) MM	0,11	0,04					43,7	45,2					09.04.2019-12:34	BOMBAROVA
173776-28	6	MTP(F) MM	0,09	0,02					46,2	41,2					09.04.2019-12:34	BOMBAROVA
173776-28	7	MTP(F) MM	0,01	0,05					45,5	50,2					09.04.2019-12:34	BOMBAROVA
173776-28	8	MTP(F) MM	0,01	0,10					41,6	43,3					09.04.2019-12:34	BOMBAROVA
173776-28	9	MTP(F) MM	0,03	0,07					42,0	39,5					09.04.2019-12:34	BOMBAROVA
173776-28	10	MTP(F) MM	0,09	0,05					45,5	45,2					09.04.2019-12:34	BOMBAROVA
173776-28	11	MTP(F) MM	0,03	0,03					43,7	45,8					09.04.2019-12:34	BOMBAROVA
173776-28	12	MTP(F) MM	0,06	0,03					45,9	45,5					09.04.2019-12:34	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-29	1	LC MM	0,02												08.04.2019-07:01	Sipos
173776-29	2	LC MM	0,02												08.04.2019-07:01	Sipos
173776-29	3	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	4	LC MM	0,03												08.04.2019-07:01	Sipos
173776-29	5	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	6	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	7	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	8	LC MM	0,02												08.04.2019-07:01	Sipos
173776-29	9	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	10	LC MM	0,02												08.04.2019-07:01	Sipos
173776-29	11	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	12	LC MM	0,01												08.04.2019-07:01	Sipos
173776-29	1	MTP(F) MM	0,04	0,05				50,8	54,6						09.04.2019-13:56	BOMBAROVA
173776-29	2	MTP(F) MM	0,09	0,09				49,7	54,4						09.04.2019-13:56	BOMBAROVA
173776-29	3	MTP(F) MM	0,06	0,08				52,8	55,7						09.04.2019-13:56	BOMBAROVA
173776-29	4	MTP(F) MM	0,06	0,06				49,3	53,1						09.04.2019-13:56	BOMBAROVA
173776-29	5	MTP(F) MM	0,15	0,04				43,6	45,0						09.04.2019-13:56	BOMBAROVA
173776-29	6	MTP(F) MM	0,12	0,04				45,6	41,3						09.04.2019-13:56	BOMBAROVA
173776-29	7	MTP(F) MM	0,03	0,08				45,8	50,2						09.04.2019-13:56	BOMBAROVA
173776-29	8	MTP(F) MM	0,02	0,15				41,9	42,7						09.04.2019-13:56	BOMBAROVA
173776-29	9	MTP(F) MM	0,05	0,09				41,7	39,2						09.04.2019-13:56	BOMBAROVA
173776-29	10	MTP(F) MM	0,12	0,03				46,2	45,1						09.04.2019-13:56	BOMBAROVA
173776-29	11	MTP(F) MM	0,03	0,01				44,0	46,0						09.04.2019-13:56	BOMBAROVA
173776-29	12	MTP(F) MM	0,07	0,02				44,8	45,3						09.04.2019-13:56	BOMBAROVA

TEST REPORT

Internal order Nr.: **173776**
 Order Nr.: **71435**

Customers PO: **CA7647404**
 Ordered by: Accounts Payable Service, FP Department, CERN
 Ordered for: **CERN, Reception PREVESSIN**

PN: **1-110-610-120-9CD/12/0002.00**

Customers PN: **RPC_C4**

Description: **01x MTP(F) - 12x LC/PC 12F OM4 FANOUT 02.0M FL05**

Quantity: **30**

Serial Nr.	Con	Connector	IL [dB]						BR [dB]						Date	Operator
			850	1300	1310	1490	1550	1625	850	1300	1310	1490	1550	1625		

Requested: 12 LC MM 0,25
 12 MTP(F) MM 0,35 0,35 20,0 20,0

173776-30	1	LC MM	0,04												08.04.2019-07:53	Sipos
173776-30	2	LC MM	0,06												08.04.2019-07:53	Sipos
173776-30	3	LC MM	0,05												08.04.2019-07:53	Sipos
173776-30	4	LC MM	0,03												08.04.2019-07:53	Sipos
173776-30	5	LC MM	0,01												08.04.2019-07:53	Sipos
173776-30	6	LC MM	0,01												08.04.2019-07:53	Sipos
173776-30	7	LC MM	0,02												08.04.2019-07:53	Sipos
173776-30	8	LC MM	0,03												08.04.2019-07:53	Sipos
173776-30	9	LC MM	0,02												08.04.2019-07:53	Sipos
173776-30	10	LC MM	0,01												08.04.2019-07:53	Sipos
173776-30	11	LC MM	0,03												08.04.2019-07:53	Sipos
173776-30	12	LC MM	0,01												08.04.2019-07:53	Sipos
173776-30	1	MTP(F) MM	0,06	0,09					41,5	46,7					09.04.2019-13:08	BOMBAROVA
173776-30	2	MTP(F) MM	0,08	0,08					51,2	54,9					09.04.2019-13:08	BOMBAROVA
173776-30	3	MTP(F) MM	0,07	0,09					50,3	54,4					09.04.2019-13:08	BOMBAROVA
173776-30	4	MTP(F) MM	0,06	0,05					49,8	52,7					09.04.2019-13:08	BOMBAROVA
173776-30	5	MTP(F) MM	0,14	0,05					43,4	45,3					09.04.2019-13:08	BOMBAROVA
173776-30	6	MTP(F) MM	0,11	0,02					46,3	41,3					09.04.2019-13:08	BOMBAROVA
173776-30	7	MTP(F) MM	0,03	0,06					45,4	50,1					09.04.2019-13:08	BOMBAROVA
173776-30	8	MTP(F) MM	0,01	0,13					41,5	43,0					09.04.2019-13:08	BOMBAROVA
173776-30	9	MTP(F) MM	0,06	0,10					41,8	39,4					09.04.2019-13:08	BOMBAROVA
173776-30	10	MTP(F) MM	0,11	0,03					45,4	45,2					09.04.2019-13:08	BOMBAROVA
173776-30	11	MTP(F) MM	0,04	0,02					44,4	45,8					09.04.2019-13:08	BOMBAROVA
173776-30	12	MTP(F) MM	0,07	0,03					45,9	45,4					09.04.2019-13:08	BOMBAROVA